Glossary

Abortion: Purposeful termination of an intrauterine pregnancy with the intention of avoiding a live birth.

Abortion-to-live birth ratio: The number of abortions to women aged 15-44 years during a specified period of time divided by the number of live births to women aged 15-44 years during the same time period.

Age-specific fertility rate (ASFR): The number of births to women within a specific age group during a specified period of time per 1,000 women aged 15-44; traditionally given for 5-year age groups.

Age-specific abortion rate (ASAR): The number of abortions to women within a specific age group during a specified period of time per 1,000 women aged 15-44; traditionally given for 5-year age groups.

Acquired Immune Deficiency Syndrome (AIDS): Disease caused by the human immunodeficiency virus (HIV), which disrupts the immune system and leads to death from opportunistic infections.

Below replacement fertility: Total fertility rate below that which is necessary to maintain the current size of a population, generally less than 2.1 births per woman.

CDC: Centers for Disease Control and Prevention.

Child mortality rate: Deaths that occur between exact ages 1 and 5, during a specified time period per 1,000 children aged 1 up to but not including 5 years of age during the same time period.

Contraceptive effectiveness: The reduction in pregnancy rate due to the use of a method of contraception compared with the pregnancy rate expected by chance if not using contraception. Contraceptive failure is the inverse of contraceptive effectiveness.

Contraceptive prevalence rate (CPR): Percentage of currently married and inunion women who are using some method of pregnancy prevention (modern or traditional).

Districts (Rrethet): Albania is divided into 36 districts

Fecund: Physically capable of becoming pregnant.

General fertility rate (GFR): The number of live births to women of all ages during a specified period of time per 1,000 women aged 15-44 years.

General abortion rate (GAR): The number of abortions to women of all ages during a specified period of time per 1,000 women aged 15-44 years.

Human Immunodeficiency Virus (HIV): Virus which causes AIDS, spread by sexual contact with an infected person, use of needles or blood products contaminated with the virus, and from mother to child during pregnancy, delivery or breastfeeding.

Household: one or more persons who share a dwelling and expenses.

Infant mortality rate (IMR): Deaths that occur dying in the first year of life (from birth to, but not including 1 year of age), during a specified time period per 1,000 live births during the same time period.

Infecund: Physically incapable of becoming pregnant.

INSTAT: National Institute of Statistics, Rruga Leke Dukagjini 5, Tirana, Albania

Intimate partner violence (IPV): Any act of physical, sexual or psychological harm, including threats of such acts, coercion or arbitrary deprivations of liberty, whether occurring in public or private life, perpetrated against a woman by her male partner.

Institute of Public Health (IPH): Institute of Public Health, Rruga Alexander Moisiu 80, Tirana, Albania.

Kotelchuck Index: Index to measure the adequacy of prenatal care utilization combining the time of initiation of prenatal care with the number of visits.

Low birth weight (LBW): Infant weight at birth of less than 2,500 grams.

Maternal mortality ratio (MMR): Number of women who die of any cause related to or aggravated by pregnancy or its management during a specified period of time per 100,000 live births during the same time period.

Method mix: Percent distribution of methods used by contracepting women, adding up to 100%.

Mistimed pregnancy: An unintended pregnancy that occurs when the woman wants a child at some point in the future.

Modern methods of contraception: Pregnancy prevention by supplied or surgical means including condoms, diaphragms, cervical caps, spermicides, intrauterine devices (IUDs), oral contraceptives, emergency contraception, injectables, patches, implants, male and female sterilization; generally more effective than traditional methods of contraception in preventing pregnancy.

Mother-to-child transmission (MTCT): Refers to ways in which HIV is passed from an HIV-infected mother to her child. These include transmission during pregnancy, during delivery, and through breastfeeding.

Neonatal mortality rate (NNMR): Deaths that occur within the first month of life (from birth to, but not including, 28 days) during a specified time period per 1,000 live births during the same time period.

Permanent method of contraception: Male or female sterilization, also called surgical contraception, which provides permanent and highly effective pregnancy prevention.

Post-neonatal mortality rate (PNMR): The difference between neonatal and infant mortality rates, interpreted as deaths that occur during the post-neonatal period (from 28 days to, but not including, 1 year of age) during a specified time period per 1,000 live births during the same time period.

Rate of natural increase: The birth rate minus the death rate, implying the annual rate of population growth without regard to migration.

Reproductive Health Survey (RHS): Population-based survey of women aged 15–44, and sometimes also men aged 15–49, performed with technical assistance from CDC.

Replacement level fertility: The total fertility rate necessary to maintain the current size of a population, generally 2.1 births per woman.

Reproductive age: Age range during which most women are assumed to be capable of bearing children and contributing significantly to the TFR and CPR; in Reproductive Health Surveys considered to be 15–44 years of age.

Sexually transmitted infection (STI): Infection spread by sexual contact.

Sub-fecund: Having a diminished capacity of becoming pregnant.

Total fertility rate (TFR): The average number of children that a woman would have during her childbearing years if she passed through those years experiencing the observed age-specific fertility rates (ASFRs); the sum of the ASFRs.

Total abortion rate (TAR): The average number of abortions that a woman would have over the course of her life if she experienced the observed age-specific abortion rates (ASARs); the sum of the ASARs.

Traditional methods of contraception: Pregnancy prevention by means such as periodic abstinence or withdrawal, often considered natural, but generally less effective than modern methods.

Under five mortality rate (Under5MR): Deaths that occur before 5 years of age during a specified period of time per 1,000 live births during the same time period.

UNICEF: United Nations Children's Fund

Unintended pregnancy: A pregnancy is classified as unintended if the woman stated that "just before she got pregnant with that pregnancy" she did not want to have a(another) baby then or at any time in the future" (unwanted pregnancy) or if she wanted to get pregnant at a later time (mistimed pregnancy).

Unmet need for contraception: In the RHS, the percentage of women who are currently sexually active, fecund, not wanting to become pregnant and not currently using any method of contraception.

Unwanted pregnancy: A pregnancy is classified as unwanted if the woman stated that "just before she got pregnant with that pregnancy she did not want to have a(another) baby then or at any time in the future."

Women in union: Women who are currently married or living with a man in a consensual, unregistered union.

Young Adult Reproductive Health Survey (YARHS): Population-based survey of young people aged 15–24 conducted with technical assistance from CDC.

References

Abt Associates, 2004. Primary Health Care Reform in Albania: Baseline Survey of Basic Health Service Utilization, Expenditures and Quality. 156 pp.; Bethesda, MD. USA.

ACOG committee opinion, 1995. Recommendations on frequency of Pap test screening. Number 152. Committee on Gynecologic Practice. American College of Obstetricians and Gynecologists. International Journal of Gynecology and Obstetrics, 49:210-211.

AFPA, IFAW and UNFPA, 2002. Albania. NGO shadow report. Convention on the elimination of all forms of discrimination against women (CEDAW), Tirana.

Alan Guttmacher Institute, 1998. Into a New World-Young Women's Sexual and Reproductive Lives. 56 p. New York NY, USA

Augard Y, Genet D, Euraud JL, Clavene P, Tubiana-Mathieu N, Philippe HJ, 2002. Impact of Screening on Breast Cancer Detection. Retrospective Comparative Study of Two Periods Ten Years Apart. European Journal of Gynecological Oncology; 23(1):37-41.

Baban et al., 2003. Domestic violence in Albania. An explanatory study. UNICEF.

Bongaarts J, 1978. A framework for analyzing the Proximate Determinants of Fertility. Population and Development Review; 17:293-313.

Bongaarts J, 1991. The KAP-Gap and the Unmet Need for Contraception. Population and Development Review; 17:293–313.

Cates W, Jr., 1982. Legal Abortion: The Public Health Record. Science; 215(4540):1586-1590.

Centers for Disease Control and Prevention [CDC] and ORC/Macro, 2003. Reproductive, Maternal and Child Health in Eastern Europe and Eurasia: A Comparative Report. Atlanta, GA (USA) and Calverton, MD (USA).

Co PLAN, Center for Habitat Development, 2001. Gender survey in the Bathore urban area of the Kamza Municipality, Tirana, Albania.

Coles CD, 1993. Impact of Prenatal Alcohol Exposure on the Newborn and the Child. Clinical Obstetrics and Gynecology; 36:255-266.

Council of Europe, 1998. The Demographic Characteristics of National Minorities in Certain European States. Volume 1. Council of Europe Publishing. Strasbourg, Germany.

Czech Statistical Office, Factum, non Fabula, WHO Collaborating Center for Perinatal Medicine/Institute for the Care of Mother and Child, Prague, and Centers for Disease Control and Prevention, 1995. 1993 Czech Republic Reproductive Health Survey Final Report. Prague, CZ and Atlanta, GA (USA).

David HP, 1992. Abortion in Europe, 1920–91: A Public Health Perspective. Studies in Family Planning; 23(1):1–22.

Dawson DA, 1986. The Effects of Sex Education on Adolescent Behavior. Family Planning Perspectives; 18 (4):162–170.

Dehne KL, Khodakevich L, Hamers FF, Schwartzander B, 1999. The HIV/AIDS Epidemic in Eastern Europe: Recent Patterns and Trends and Their Implications for Policy-Making. AIDS; 13:741–749.

DiFranza JR, Lew RA, 1996. Morbidity and Mortality Associated with the Use of Tobacco Products by Other People. Pediatrics; 97: 560-568.

Duran A, Emslie K, 2000. Health System Strategy:2000-2010 for Albania. Ministry of Health, Tirana, Albania.

Edleson, JL, 1999. Children's Witnessing of Adult Domestic Violence. Journal of Interpersonal Violence; 14(8):839-870.

Fairbank A and Gaumer G, 2004. Organization and Financing of Primary Health Care in Albania. Paper presented at the American Public Health Association Annual Meeting. Washington D.C., USA.

Ferraz E, Ferreira I, Soares M, Morris L, 1992. Pesquisa sobre saúde reprodutiva e sexualidade do jovem: Rio de Janeiro, Curitiba e Recife em 1989-1990. Rio de Janeiro Brasil; BEMFAM and Centers for Disease Control.

Gjepali S, Progri V, Lezo M, Qirjaku S, Zaze V, Ikonomi M, Bizhga V, Rama S, 1999. Albanian National Women Report 1999. United Nations Development Programme, Tirana, Albania.

Gjipali et al., 1994. The Albanian women: Hesitation and perspectives. European Network for Women Studies, Bucharest.

Gjermeni E, Bregu M, 2003. Monitoring media on domestic violence (2001-2002). Publication of Women's Center (www. women-center.org.al), Tirana.

Goldberg H, Sullivan JM, Serbanescu F, Sharmanov A, 1999. Survey Findings on Actual and Intended Fertility Prevention in Eastern Europe and the Former Soviet Union. Paper presented at the 1999 Annual Meeting of the Population Association of America.

Goldberg HI and Toros A, 1994. The use of Traditional Methods of Contraception among Turkish Couples. Studies in Family Planning; 25(2):122-128.

Greene ME, Rasekh Z, Amen K, Chaya N, Dye J, 2002. In This Generation: Sexual and Reproductive Health Policies for a Youthful World. Population Action International. Washington, D.C.

Grunseit A, Kippax S, 1997. Impact of HIV and Sexual Health Education on the Sexual Behavior of Young People: a Review Update. Joint United Nations Programme on HIV/AIDS (UNAIDS). Geneva, Switzerland.

Gryboski K, Hall R, Vian T, 2004. Informed Payments in the Public Sector in Albania. Paper presented at the American Public Health Association Annual Meeting. Washington, D.C., USA.

Haggerty PA, Rutstein SO, 1999. Breastfeeding and Complementary Infant Feeding, and the Postpartum Effects of Breastfeeding. DHS Comparative Studies No. 30. Macro International. Calverton, MD

Hamers FF, Downs A, 2003. HIV in Central and Eastern Europe. Lancet; 361(9362): 1035–1044.

Haxhiymeri E et al., 2000. Mapping of existing information on domestic violence in Albania. UNICEF. Tirana, Albania

Henshaw SK, Singh S and Haas T, 1999. Recent trends in abortion rates worldwide, International Family Planning Perspectives, 25(1):4448.

Hill K, Abouzahr C, Wardlaw T, 2001. Estimates of Maternal Mortality for 1995. Bulletin of the World Health Organization; 79(3):182-193.

Himes NE, 1970. Medical History of Contraception. New York, Schoken Books.

Hobcraft JN, McDonald JW, Rutstein SO, 1985. Demographic Determinants of Infant and Early Child Mortality: A Comparative Analysis. Population Studies; 39(3):363-386.

Hotaling G, Sugarman DB, 1986. An Analysis of Risk Markers in Husband to Wife Violence: The Current State of Knowledge. Violence and Victims. 1(2):101-124.

Hotchkiss DR, Hutchinson P, Berruti A, 2004. Poverty, Out of Pocket Payments and Utilization of Primary Health Care: Evidence from Albania. Paper presented at the American Public Health Association Annual Meeting. Washington, D.C., USA.

Instituti i Statistikës (INSTAT), 2002. The Population of Albania in 2001: Main Results of the Population and Housing Census. INSTAT, Tirana, Albania.

Instituti i Statistikës (INSTAT), 2003. Aborti Ne Shqipeeri. Available at www.instat.gov. al/graphics/doc/tabelat/sh n/shn01.html. Last visited 11/17/2003. INSTAT, Tirana, Albania.

International Centre for Migration and Health, 2000. Reproductive and Family Health Related Isuues in Albania. 85 pp.; Geneva, Switzerland.

IPH, 2003. Bulletin of Institute of Public Health (in Albanian). Tirana, Albania.

IPH, 2004. Bulletin of Institute of Public Health (in Albanian). Tirana, Albania.

Islami D, Kallajahi F, Gliozheni O, Reproductive Health in Albania. Available at www.gfmer.ch/Endo/Reprod_Health_ Eastern_Europe/albania/ALNANIA_ ISLAMI.html. Last updated August 13, 2003. Geneva Foundation for Medical Education and Research.

Jha P, Ranson MK, Nguyen SN, Yach D, 2002. Estimates of Global and Regional Smoking Prevalence in 1995, by Age and Sex. American Journal of Public Health; 92:1002-1006.

Joint United Nations Programme on AIDS [UNAIDS], 2001. Regional HIV/AIDS Statistics and Features, End of 2001. Available at www.unaids.org/worldaidsday/2001/EPIgraphics2001/EPIgraphic2_en.gif. Last updated December, 2001.

Kaçi B, 1996. Violence against women-A national problem (in Albanian). Tirana.

Kirby, D, 1999. Reducing Adolescent Pregnancy: Approaches that work. Contemporary Pediatrics; 16 (1): 83–94.

Kirby D, Short L, Collins J, Rugg D, Kolbe L, Howard M, Miller B, Sonenstein F, Zabing LS, 1994. School-Based Programs to Reduce Sexual Risk Behaviors: A Review of Their Effectiveness. Public Health Reports; 109:339–359

Kish L., 1967. Cluster Sampling and Subsampling. In: Survey Sampling. New York: John Wiley and Sons.

Kishor S and Johnson K, 2004. Profiling Domestic Violence—A Multi-Country Study. ORC MACRO, Calverton, MD-USA.

Kolbo JR, Blakely EH, Engleman D, 1996. Children Who Witness Domestic Violence: A Review of Empirical Literature. Journal of Interpersonal Violence; 11(2):281-293.

Kotelchuck M, 1994. An Evaluation of the Ressner Adequacy of Prenatal Care index and a Purposed Adequacy of Prenatal Care Utilization Index. American Journal of Public Health; 84: 1414-1420.

Krug EG, Dahlberg LL, Mercy JA et al., 2002. World Report on Violence and Health. World Health Organization, Geneva, Switerland.

Kulczycki A, 2004. The Determinants of Withdrawal use in Turkey: A Husband's Imposition or a Woman's Choice? Soc. Sci. Med. 59(5): 1019-1033.

Labbok MH and Krasovek K, 1990. Toward Consistency in Breastfeeding Definitions. Studies in Family Planning; 21: 226-230.

Latthe PM and Shafi MI, 2001. Screening for Gynecological Conditions. Current Obstetrics and Gynecology; 11(1):31-37.

Le TN and Verma VK., 1997. An Analysis of Sample Designs and Sampling Errors of the Demographic and Health Surveys. DHS Analytical Reports No. 3. Calverton, Maryland: MACRO International Inc.

Lesko et al., 2003. The girls and trafficking (in Albanian). Vlora. Tirana, Albania.

Macaluso A, Ronfani L, Bacci A, Cattaneo A, 1999. Safe Motherhood Needs Assessment in Albania. WHO Regional Office for Europe and WHO Collaborating Centre, Trieste, Italy.

McCauley AP and Salter C, 1995. Meeting the Needs of Young Adults. Population Reports, Series J, No. 41. Johns Hopkins Population Information Program, Baltimore, MD.

Meçaj V, 2000. Protection of women rights in Albania – Current analysis (in Albanian), Tirana 1997 in "Study about contribution of women movement in Albania 1990-1998," Tirana. (Studim mbi kntributin e shkruar the levizjes se gruas ne Shqiperi 1990-1998, Tirane).

Miller AB, 1986. Screening for Cancer: Issues and Future Directions. Journal of Chronic Diseases; 39:1067-1077.

Ministry of Finance, 2002. National Strategy for Social and Economic Development (NSSED). Tirana, Albania.

Ministry of Health (MOH), 2003. Albanian Health Promotion and Public Health Strategy. Tirana, Albania.

Ministry of Health (MOH), 2003. The National Strategy of Prevention and Control of HIV/AIDS in Albania (2004-2010). Tirana, Albania.

Ministry of Health (MOH), 2004. Albania Health Care System Strategy. Tirana, Albania.

Minnesota Advocates for Human Rights, 1996. Domestic Violence in Albania. Minneapolis, Minnesota.

Miria S, 1996. Violence against women and psychosocial taboo (in Albanian). Refleksione. Tirana, Albania.

Miria et al., 2000. Survey on violence against women and trafficking in rural areas of Lezha District (in Albanian). Reflecksione. Tirana, Albania.

Morris L, 2000. History and Current Status of Reproductive Health Surveys at CDC. American Journal of Preventive Medicine. 19(1S):31-34.

Morris L, Sedivy V, Friedman J and McFarlane C, 1995. Sexual Behavior and Contraceptive Use Among Young Adults in Jamaica: Results from 1993 Contraceptive Prevalence Survey. National Family Planning Board, Kingston, Jamaica.

National Committee of Women and Family and UNICEF, 2000. Mapping of Existing Information on Domestic Violence in Albania. Tirana, Albania.

National Equity Committee, 2002. First National Report on Convention on the elimination of all forms of discrimination against women (CEDAW), Tirana, Albania.

Neza A, 2000. Welcome to Albania. ILAR, Tirana, Albania.

O'Campo P, Gielen AC, Fadan RR, Kass N, 1994. Verbal Abuse and Physical Violence Among a Cohort of Low-Income Pregnant Women. Women's Health Issues; 4(1):29-37.

Parkin DM, Adair L, Akin JS et al., 1993. Estimates of the Worldwide Incidence of Eighteen Major Cancers in 1985. International Journal of Cancer, 54: 594-606.

Piha T, Besselink E, Lopez AD, 1993. Tobacco or Health. World Health Statistics Quarterly; 46(3):188-194.

Population Reference Bureau (PRB). 1999 and 2000. 1998 and 1999 World Population Data Sheet. Population Reference Bureau, Washington D.C.

Population Reference Bureau (PRB), 2002a. Women of the World Data Sheet. Population Reference Bureau, Washington D.C.

Population Reference Bureau (PRB), 2002b. 2001 World Population Data Sheet. Population Reference Bureau, Washington D.C.

Rahman A, Katzive L, Henshaw SL, 1998. A Global Review of Laws on Induced Abortion, 1985-1997. International Family Planning Perspectives; 24(2):56-64.

Rebentisch DP, Rebentish HD, Thomas K, Karat S, Jadhav AJ, 1995. A Proven and Highly Cost-Effective Method of Early Detection of Breast Cancer for Developing Countries. Radiotherapy and Oncology; 37:246-248.

Refleksione, 2000. Study about contribution of women movement in Albania 1990-1998 (in Albanian), Tirana. (Studim mbi kontributin e shkruar the levizjes se gruas ne Shqiperi 1990-1998, Tirane).

Riedner G, Dehne KL, and Gromyko A, 2000. Recent Declines in Reported Syphilis Rates in Eastern Europe and Central Asia: Are the Epidemics Over? Sexually Transmitted Infections; 76(5):363–365.

Robey B, Rutstein SO, Morris L, Blackburn R, 1992. The Reproductive Revolution: New Survey Findings. Population Reports, Series M, No. 11. Johns Hopkins Population Information Program, Baltimore, MD.

Roudi-Fahimi F, 2004. Islam and Family Planning. Population Reference Bureau Policy Brief. Washington D.C. USA.

Salem R, 2004. Men's Surveys: New Findings, Population Reports, Series M, No. 18. Baltimore USA. Johns Hopkins School of Public Health.

Santow G, 1993. Coitus Interruptus in the Twentieth Century. Population and Development Review; 19(4):767-792.

Serbanescu F, 1998. Reproductive Health Issues in Eastern Europe and the Newly Independent States: Country Cases. Paper presented at the Regional UN Population Meeting. Budapest, Hungary 7-9 December.

Shapo L, Gilmore A, Coker R, 2003. Prevalence and Determinants of Smoking in Tirana City, Albania: A Population-based Survey. Public Health, 117:228-236.

Song LY, Singer MI, Anglin TM, 1998. Violence Exposure and Emotional Trauma as Contributors to Adolescents' Violence Behaviors. Archives of Pediatrics and Adolescent Medicine; 152:531-536.

Strauss MA, Gelles RJ, 1979. Measuring Intrafamily Conflict and Violence: The Conflict Tactics Scale. Journal of Marriage and the Family, 41:75-88.

Tejada R, Herold J, Morris L, 1997. Encuesta Nacional de Jóvenes: Republica Dominicana, 1992. Instituto do Estudios de Población y Desarrollo, Santo Domingo, D.R.

Tountas Y, Dimitrakaki C, Antoniou A et al., 2004. Attitudes and Behaviors Toward Contraception Among Greek Women During Reproductive Age: A Country-Wide Survey. Eur. J. Obstet. Gynecol. Reprod. Biology. 116(2): 190-195.

United Nations (UN), 2003. World Population (Wall Chart). Population Division Publication (ST/ESA/SER. A/224). UN, New York, NY.

United Nations Economic Commission for Europe. 1997-2001. Fertility and Family Planning Surveys in Countries of the Economic Commission for Europe, Country Reports.

UNAIDS, 2004. Executive Summary. 2004 Report on the global AIDS epidemic. Last updated June, 2004.

UNAIDS, 2001. Regional HIV/AIDS statistics and features, end of 2001. Available at www.unaids.org/worldaidsday/2001/EPIgraphics2001/EPIgraphic2_en.gif. Last updated December, 2001.

UNAIDS and WHO, 2003. AIDS epidemic update. Geneva, Switzerland.

UNDP, 2004. Albanian National Report. On progress toward achieving the Millenium Development Goals, Tirana, Albania.

UNICEF, 1998. Situation Analysis: Children's and Women's Rights in Albania.

UNICEF-Albania, 2000. Assessment of Social and Economic Conditions of Districts in Albania. UNICEF-Albania, Tirana, Albania.

UNICEF and INSTAT, 2000. Albania Multiple Indicator Survey Report. Tirana, Albania.

UNICEF et al., 2002. Rapid Assessment and Response on HIV/AIDS Among Especially Vulnerable Young People in Albania. Tirana, Albania.

U.S. Department of Health and Human Services, 2001. Women and Smoking, A Report of the Surgeon General—2001. Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. Atlanta, GA.

Van Hook et al. Responding to gender violence in Albania. A partnership effort. International Social Work 43(3):351-363.

Weisman CS, Macconnaon DS, Henderson JT, Shortridge E, Orso CL, 2002. Contraceptive Counseling in Managed Care: Preventing Unintended Pregnancy in Adults. Women's Health Issues; 12(2):79-95.

Westoff CF, 1976. The Decline of Unplanned Births in the United States. Science; 191:38–41.

Westoff CF, 2000. The Substitution of Contraception for Abortion in Kazakhstan in the 1990s. DHS Analytical Studies No. 1. ORC Macro. Calverton, MD.

Westoff CF, Sharmonov AT, Sullivan JM, Croft T, 1998. Replacement of Abortion by Contraception in Three Central Asian Republics. The Policy Project and Macro International. Calverton, MD.

Westoff CF, Sullivan JM, Newby HA, Themme AR, 2002. Contraception-Abortion Connections in Armenia. DHS Analytical Studies No.6. ORC Macro. Calverton, MD.

World Bank, 1997. Albania: Growing Out of Poverty. Report No.15698-ALB. World Bank, Albania.

World Health Organization (WHO), 1987. Violence Against Women: A Public Health Priority. WHO/FRH/WHD/97.8, Geneva, Switzerland.

World Health Organization (WHO), 1991. Indicators for Assessing Breast-feeding Practices. WHO/CDD/SER/91.14, Geneva, Switzerland

World Health Organization (WHO), 1993. International classification of diseases and related health problems, tenth revision. Geneva, Switzerland: WHO.

World Health Organization (WHO), 2001. Ethical Recommendations for Investigations on Domestic Violence against Women. WHO/FCH/GWH/01.1, Geneva, Switzerland.

World Health Organization (WHO), 2003. Country Health Indicators. Available at http://www3.who.int/whosis/country/indica tors. cfm?country=alb&language=en.

World Health Organization (WHO), 2003. European Health for All Database. Available at www.euro.who.int/HFADB. Last visited April 2003. WHO Regional Office for Europe. Copenhagen, Denmark.

Zlidar VM, Gardner R, Rutstein SO, Morris L, Goldberg HI, 2003. New Survey Findings: The Reproductive Revolution Continues. Population Reports, Series M, No. 17. Johns Hopkins Bloomberg School of Public Health, Population Information Program. Baltimore, MD.

APPENDIX A

SAMPLING ERROR ESTIMATES

The estimates for a sample survey are affected by two types of errors: non-sampling error and sampling error.

Non-sampling error is the result of mistakes made in carrying out data collection and data processing, including the failure to locate and interview the right household, errors in the way questions are asked or understood, and data entry errors. Although intensive quality-control efforts were made during the implementation of the Albania Reproductive Health Survey (ALRHS-02) to minimize this type of error, non-sampling errors are impossible to avoid altogether and difficult to evaluate statistically.

Sampling error is a measure of the variability between an estimate and the true value of the population parameter being estimated, which can be attributed to the fact that a sample rather than a complete enumeration was used to produce it. In other words, sampling error is the difference between the real value for any variable measured in a survey and the value estimated by the survey. The samples selected are only one of the many probability samples that could have been selected from the female population aged 15–44 and the male population 15-49 years of age using the same sample

design and projected sample size. Each of these samples would have yielded slightly different results compared with results from the actual sample selected.

Because the statistics presented here are based on a sample, they may differ by chance variation from the statistics that would result if all women 15-44 years of age or men 15-49 years of age in Albania would have been interviewed. Sampling error is usually measured in terms of the variance and standard error (square root of the variance) for a particular statistic (mean, proportion, or ratio). The standard error (SE) can be used to calculate confidence intervals (CI) of the estimates within which we can say with a given level of certainty that the true value of population parameter lies. For example, for any given statistic calculated from the survey sample, there is a 95 percent probability that the true value of that statistic will lie within a range of plus or minus two SE of the survey estimate. The chances are about 68 out of 100 (about two out of three) that a sample estimate would fall within plus or minus one SE of a statistic obtained from a complete census count or survey of the complete population.

The estimated sampling errors for 95% confidence intervals (1.96 x SE) for selected proportions and sample sizes

are shown in Table A.1. The estimates in Table A.1 can be used to estimate 95% confidence intervals for the estimated proportions shown for each sample size. The sampling error estimates include

an average design effect of 1.6, needed because the ALRHS-02 did not employ a simple random sample but included clusters of elements in the second stage of the sample selection.

Table A.1
Sampling Error Estimates (Expressed in Percentage Points)
for 95% Confidence Intervals
for Selected Estimated Proportions and Sample Sizes
on Which the Proportions Are Based Assuming a Design Effect of 1.6

	Estimated Proportions (Pi)						
Sample Size	0.05/0.95	0.10/0.90	0.20/0.80	0.30/0.70	0.40/0.60	0.50/0.50	
25	0.108	0.149	0.198	0.227	0.243	0.248	
50	0.076	0.105	0.140	0.161	0.172	0.175	
100	0.054	0.074	0.099	0.114	0.121	0.124	
200	0.038	0.053	0.070	0.080	0.086	0.088	
400	0.027	0.037	0.050	0.057	0.061	0.062	
800	0.019	0.026	0.035	0.040	0.043	0.044	
1000	0.017	0.024	0.031	0.036	0.038	0.039	
1500	0.014	0.019	0.026	0.029	0.031	0.032	
2000	0.012	0.017	0.022	0.025	0.027	0.028	
3000	0.011	0.014	0.020	0.021	0.022	0.023	
4000	0.008	0.012	0.016	0.018	0.019	0.020	
5000	0.008	0.011	0.014	0.016	0.017	0.018	

The selection of clusters is generally characterized by some homogeneity that generally tends to increase the variance of the sample. Thus, the variance in the sample for the ALRHS-02 is greater than a simple random sample would be due to the effect of clustering. The design effect represents the ratio of the two variance estimates: the variance of the complex design using clusters, divided by the variance of a simple

random sample using the same sample size (Kish L, 1967). For more details regarding design effects for specific reproductive health variables, the reader is referred to the Le and Verma report, which studied demographic and health surveys in 48 countries (Le TN and Verma JK, 1997). The pattern of variation of design effects is shown to be consistent across countries and variables. Variation among surveys is

high but less so among variables. Urban-rural and regional differentials in design effects are small, which can be attributed to the fact that similar sample designs and cluster sizes were used across domains within each country. At the country level, the overall design effect, averaged over all variables and countries, is about 1.5 (we used 1.6 in Table A.1 to be slightly more conservative).

To obtain the 95% CI for proportions or sample sizes not shown in the table, one may interpolate. For example, for a sample size of 200 and a point estimate of 25% (midway between 0.20/0.80 and 0.30/0.70), the 95% CI would be plus or minus 7.5 percentage points; for a sample size of 300 (midway between 200 and 400) and an estimate of 20%, the 95% CI would be plus or minus 6.0 percentage points.

Specific to this report, one could use the table for a quick estimate of the 95% confidence interval for the percentage of women with births in the period from 1997 to 2002 that did not have prenatal care.

According to Table 5.1 in this report, 19.1% of 2,551 births did not have prenatal care. Let us round off the percent with no prenatal care to 20% and the number of births to 2500. Using the table, we look down the column for 0.20 and interpolate halfway between sample sizes of 2000 (0.022) and 3000 (0.020) and estimate the confidence

interval to be 0.021, or roughly between a lower limit of 17.0% and an upper limit of 21.2%. The actual confidence interval is 0.019 or 1.9 percentage points, which yields a lower limit of 17.2% and an upper limit of 21.0%..

Differences between estimates discussed in this report were found to be statistically significant at the five percent level using a two-tailed normal deviate test (p=0.05). This means that in repeated samples of the same type and size, a difference as large as the one observed would occur in only 5% of samples if there were, in fact, no differences between the percentage in the population.

The relative standard error of a statistic (also called "coefficient of variation") is the ratio of the standard error (SE) for that statistic to the value of the statistic. It is usually expressed as a percent of the estimate. Estimates with a relative standard error of 30% or more are generally viewed as unreliable by themselves, but they may be combined with other estimates to make comparisons of greater precision. example, an estimate of 20% based on a sample size of only 50 observations yields a SE of 7% (one half the 95% confidence interval shown in Table A.1). The relative standard error would be 35% (the ratio of the SE of 7% to the estimate of 20%), too large for the estimate to be reliable.

APPENDIX B

PARTICIPANT INSTITUTIONS

Institute of Public Health Silvia Bino, Survey Director

Alban Ylli

Manuela Murthi
Eduard Kakarriqi
Alba Merdani
Erieta Dobi
Bukurie Gega
Dritan Roshi
Xhemile Miho
Albana Ahmeti

Ministry of Health Leonard Solis, Minister of Health

Petrit Vasili Saemira Pino Nedime Ceka Donika Beba Miranda Hysi Nurie Caushi

Vilson Topulli

University Hospital Gjergji Theodhosi

Institute of Statistics Milva Ekonomi

Bashkim Ramizi Ermiona Kali Abedin Cici Ermira Galanxhi

Margarita Caci Myhedin Llagami

USAID/Albania Rita Hudson

Harry Birnholz

Pamela Wyville-Staples

Zhaneta Shatri

UNFPA Katy Shroff

Manuella Bello Albana Gribo Blendi Cano UNICEF

Roberto Migliorini

Lenin Guzman Judith Leveille Mariana Bukli Alketa Zazo

Centers for Disease Control and Prevention, Division of Reproductive Health, Atlanta, GA, USA Alicia Ruiz

Danielle B. Jackson Fernando Carlosama Florina Serbanescu Howard Goldberg

Joan Herold Leo Morris Paul Stupp Ranee Seither Rose Pecoraro Shin Kim

Soloman Iyasu Sonia Bowens

Stephen McCracken Wyndy Amerson

Valerie Haynes Jackson

Persons Involved In The 2002 Albanian Reproductive Health Survey Field Operations And Supervision

Female Survey Teams

Field Work Coordinator: Dritan Dushaj

	Team I	Team II
Supervisor	Rudina Baboci	Altina Peshkatari
Interviewers:	Ndricime Bulku	Areta Mecaj
	Ines Kristo	Daniela Shuke
	Elona Nikolli	Aferdita Alizoti
	Rozeta Gjela	Majlinda Skenderi
	Team III	Team IV
Supervisor	Oriola Halili	Odeta Hoxhaj
Interviewers:	Brixhilda Gjeka	Esmeralda Dosti
	Olsa Refugjati	Lumnie Doda
	Eliona Mucaj	Suzana Osmani
	Valbona Dervishi	Aida Daci

Team V

Supervisor Enkeleida Latifi

Interviewers:

Albana Bregu
Enkelejda Ngjelina

Jonida Naska

Monika Hasani

Back-ups:

Nekida Jolldachi Eriketa Luzi

Anila Buci

Julia Mitrushi

Male Survey Teams

Field Work Coordinator: Euglen Hoxha

Team VI. Team VII.

Supervisor: Ilirjan Bashllari Supervisor: Agim Giikopulli

Interviewers:

Dritan Mema

Bledar Pine

Arti Tarja

Selim Kacidhe

Lulezim Bardhi

Emiliano Lazo

Arjan Boci

Roland Myhypi

Back-up

Klodian Vasia Olsi Abazi

Drivers

Vladimir Jace Alket Simani Arjan Zenuni Fatmir Koci

Bashkim Kaci Mehmet Becolli

Maksim Mulellari

2002 ALBANIA REPRODUCTIVE HEALTH SURVEY FEMALE QUESTIONNAIRE

	. I'm from the National Institute of Public Hearth of women and men in Albania. The purpose of the survey plan reproductive health services in Albania.		
give u	Id like to ask you about your health and where you obtain he is will be confidential. The interview is completely voluntary ou don't want to answer, just let me know and we'll go on to to 35-40 minutes. I would like to start now, is that OK?	ry and if we should come to any ques	stio
SIGN	ATURE OF THE INTERVIEWER	DAY MONTH	
MAR	K IF THE WOMAN AGREES TO BE INTERVIEWED	1. YES → CONTINUE	
		2. NO \rightarrow END OF INTERVIE	W
TIMI	E STARTED:: ID N	UMBER	_
I. BAC	CKGROUND CHARACTERISTICS		
100.	In what month and year were you born?		
	MONTH YEAR	98 DON'T KNOW	
101.	How old are you (at last birthday)? YEARS OL	D 98 DON'T KNOW	
	MAKE SURE THAT AGE AND DATE OF BI	RTH CORRESPOND	
102.	What is the highest level of education you completed, not	counting the current grade you are in	?
	3. PROFESSIONAL(VOCATIONAL) SCHOOL	1 2 3 4 5 6 7 8 1 2 3 4 1 2 3 4 5 1 2 3 1 2 3 4 5+	88 88 88 88 88
	IF $Q102 = 2$ OR $Q102=3$ CONTINUE; EI	LSE GO TO Q104	
103.	Do you have a high school diploma? 1. YES 2. NO		
104.	Do you currently work outside of the home (at least 20 how 1. YES → GO TO Q106 2. YES, BUT ON MATERNITY/PREGNANCY LEAVE - 3. NO	•	

105.	What is the main reason that you are not working at this time? 1. ATTENDING SCHOOL 2. I NTERNAL DISPLACEMENT 3. LOOKING FOR WORK 4. LAID OFF 5. DOES NOT NEED/WANT/LIKE TO WORK 6. MEDICAL LEAVE 7. MATERNITY LEAVE 8. INABILITY TO FIND/AFFORD CHILD CARE 9. HOMEMAKER 10. PERMANENT DISABILITY 11. HUSBAND DOES NOT ALLOW HER TO WORK 12. PARENTS DO NOT ALLOW HER TO WORK 13. ODD JOBS (<20 HOURS PER WEEK) 14. TEMPORARY BACK FROM WORK ABROAD 20. OTHER (SPECIFY)
106.	I would like to ask you some questions about where you have lived. For most of the time until you were 12 years old, did you live in a town, or in a village? 1. TOWN 2. VILLAGE
107.	In what month and year did you start to live continuously in (NAME THE PLACE OF RESIDENCE)?
	MONTH YEAR 00. ALWAYS, SINCE BIRTH \rightarrow GO TO 108 88. DON'T REMEMBER
107A.	Just before you moved here (CURRENT PLACE OF RESIDENCE), did you live in a town, a village, or outside Albania ? 1. A town (URBAN AREA), 2. A village (RURAL AREA), or 3. Outside Albania?
108.	Are you currently married, not married but living with someone, separated, divorced, widowed, or have you never been married? 1. MARRIED → GO TO Q111 2. NOT MARRIED BUT LIVING WITH A PARTNER → GO TO Q111 3. SEPARATED → GO TO Q111 4. DIVORCED → GO TO Q111 5. WIDOWED → GO TO Q111 6. NEVER MARRIED
109.	Have you ever lived with a boyfriend or partner? (LIVING TOGETHER MEANS HAVING A SEXUAL RELATIONSHIP WHILE SHARING THE SAME USUAL ADDRESS.) 1. YES → GO TO Q111 2. NO
110.	If you could choose exactly the number of children to have in your whole life, how many would that be? CHILDREN 22. AS MANY AS GOD GIVES 33. AS MANY AS HUSBAND WOULD WANT 88. NOT SURE/DON'T REMEMBER

GO TO Q124

How many times have you been married or lived with a man as husband and wife? 111.

9. REFUSAL---- \rightarrow GO TO Q118 **TIMES** TIMES 112. In what month 13. How old 114. What was the 115. What is your current 116. In what month 117. IF: and year did you begin union relationship with your I, was your I, highest grade in school and year did your living with your... (first, II, III, IV that your I,II,III,IV II, III, IV, husband/ partner, are union with your I,II,III,IV, .husband/ second, third, or fourth) husband/ husband/ partner you still in the relationship or husband/partner? partner when completed when you got how did the relationship end? partner end? you started to married/started to live live together? together? MTH __ YR ____ I 0. NEVER ATTENDED 1. Married → Q117 O111=1 GO MTH AGE YR 88. DON'T KNOW/ TO Q118; 88. DK 1. PRIMARY (1-8) 2. Living with partner >Q117 88. DON'T KNOW/ 2. SECONDARY (9-12) REF 3. Separated 3. VOCATIONAL 4. Divorced REF ELSE 4. TECHNICAL SCH. 5. Widowed CONTINUE 5. UNIVERSITY 8. UNKNOWN MTH AGE **0.NEVER ATTENDED** 1. Married \rightarrow Q117 MTH _ _ YR _ _ _ _ O111=2 GO II YR 88. DON'T KNOW/ 88. DK 1. PRIMARY (1-8) 2. Living with partner→Q117 TO Q118; 88. DON'T KNOW/ REF 2. SECONDARY (9-12) 3. Separated 3. VOCATIONAL 4. Divorced REF ELSE 4. TECHNICAL SCH. 5. Widowed CONTINUE 5. UNIVERSITY 8. UNKNOWN 0.NEVER ATTENDED Ш MTH AGE 1. Married → Q117 MTH _ _ YR _ _ _ O111=3 GO YR 88. DON'T KNOW/ TO Q118 88. DK 1. PRIMARY (1-8) 2. Living with partner→Q117 88. DON'T KNOW/ REF 2. SECONDARY (9-12) 3. Separated 3. VOCATIONAL REF ELSE Divorced 4. TECHNICAL SCH. CONTINUE 5. Widowed 5. UNIVERSITY 8. UNKNOWN IV GO TO MTH AGE 0.NEVER ATTENDED 1. Married → Q117 MTH _ _ YR _ _ _ _

118.	When vo	u first s	got married/	living to	gether as	s husband	and '	wife did	vou	wish to	have any	v children?

1. PRIMARY (1-8)

3. VOCATIONAL

5. UNIVERSITY 8. UNKNOWN

2. SECONDARY (9-12)

4. TECHNICAL SCH.

1. YES

REF

YR 88. DON'T KNOW/

- 2. NO \rightarrow **GO TO Q120**
- 8. NOT SURE- \rightarrow GO TO Q120

119.	How many	y children o	did vor	wish to	have v	when	van first (oot marrie	19
117.	110W IIIaii	y chiliulch (aiu yot	i wisii to	mave v	WILCII	you mst ;	zot manno	J.

88. DK

CHILDREN

22. AS MANY AS GOD GIVES

3. Separated

4 Divorced

5. Widowed

33. AS MANY AS HUSBAND WANTS

2. Living with partner→Q117

- 88. NOT SURE/DON'T REMEMBER
- 120. How many children did your husband wish to have when you first got married?

__ CHILDREN

- 22. AS MANY AS GOD GIVES
- 33. AS MANY AS RESPONDENT WANTS
- 77. NEVER DISSCUSSED
- 88. NOT SURE/DON'T REMEMBER

IF CURRENTLY SEPARATED, DIVORCED OR WIDOWED (Q115 LAST=3,4,5) GO TO Q124

- 121. Is your husband currently employed (either in Albania or abroad)?
 - 1. YES
 - 2. NO
 - 8. DK/REF
- 122. Since January 1997 has your (current) husband ever worked abroad/outside Albania?
 - 1. YES
 - 2. NO ----- \rightarrow GO TO O124
 - 8. NUK E DI/REF \rightarrow GO TO Q124

Q118

88. DON'T KNOW/

REF

Appendix C

122A.	Since January 1997, how many times did he	work abroad?	TIMES	
122B.	Since January 1997, how many months total	did he work abroa	nd?	
	MONTHS			
123.	When was the last time when he worked outs: TRIP)?	ide Albania (MON	NTH AND YEAR OF BEO	GINNING THE
	MONTH Y	EAR 88	. DO NOT REMEMBER	
123A.	In what month and year did he return from TRIP)?	the last trip (MOI	NTH AND YEAR OF EN	DING THE
	MONTH Y	EAR 77 88	. STILL ABROAD/OUTS DO NOT REMEMBER	SIDE ALBANIA
124.	More or less how many hours a day do you l	isten to the radio?		
	HOURS A DAY 00). NEVER	→	GO TO Q128
	77	5. DOES NOT HA 7. NOT EVERY D 8. DON'T KNOW	VE ACCESS TO RADIO - AY	→ GO TO Q128
125.	What stations do you most often listen to? (P. READ LIST)	ROBE FOR MO	RE THAN ONE STATIO	N, DO NOT
	,	MENTIONED		
	A. TOP ALBANIA	1	2	
	B. RADIO TIRANA C. CLUB FM	1 1	2 2	
	D. RASH	1	$\overset{2}{2}$	
	D. RASH	1	2	
	E. STINET	1	$\frac{1}{2}$	
	E. STINET	1	2	
	F. GOLD MUSIC	1	2	
	G. ITALIAN STATIONS	1	2	
	H. VOICE OF AMERICA	1	2	
	I. BBC	1	2	
	J. RADIO PLANET	1	2	
	K. OTHER	1	2	
126.	What types of programs do you most often lis	sten to? (PROBE	FOR MORE THAN ONE	E PROGRAM,
	DO NOT READ LIST)			
	A NEWIC	MENTIONED 1		
	A.NEWS B.SPORTS	1	2 2	
	C.MUSIC	1	$\frac{2}{2}$	
	D.PLAYS/DRAMAS	1	$\frac{2}{2}$	
	E.CHURCH/RELIGIOUS PROGRAMS	1	2	
	F.WOMEN'S PROGRAMS	1	2	
	G.HEALTH PROGRAMS	1	2	
	H.POLITICAL EVENTS	1	2	
	I.OTHER	1	2	
127.	What times do you most often listen to the rac READ LIST)	dio? (PROBE FO	OR MORE THAN ONE T	TIME, DO NOT
	MEI	NTIONED	NOT MENTIONED	
	A. 6-8 AM	1	2	
	B. 8-10 AM	1	2	
	C. 10AM-NOON	1	2	
	D. NOON-2 PM	1	2	
	E. 2-4 PM	1	2	
	F. 4-6 PM	1	2	
	G. 6-8 PM	1	2	
	H. 8-10 PM	l	2	
	I. AFTER 10 PM	1	2	

J. NO REGULAR TIMES

What channels do you most often watch? (PROBE FOR MORE THAN ONE CHANNEL, DO NOT READ LIST)

	MENTIONED	NOT MENTIONED
A. TVSH	1	2
B. TVKLAN	1	2
C. TVA	1	2
D. TVKOHA	1	2
E. VISION PLUS	1	2
F. SHIJAK TV	1	2
G. TELENORBA	1	2
H. TVALBA	1	2
I. CALVIN	1	2
J. TOP CHANNEL	1	2
K. FOREIGN CHANNELS (e.g. CNN, BBC, EURONEWS, RAI)	1	2
L. NESER TV	1	2
M. OTHER	1	2

130. What types of programs do you most often watch? (PROBE FOR MORE THAN ONE PROGRAM, DO NOT READ LIST)

	MENTIONED	NOT MENTIONED
A. NEWS	1	2
B. COMERCIALS	1	2
C. ENTERTAINMENT PROGRAMS	1	2
D. SERIALS/MOVIES	1	2
E. SPORTS	1	2
F. MUSIC PROGRAMS, VIDEO CLIPS	1	2
G. PLAYS/DRAMAS	1	2
H. CHILDREN'S PROGRAMS	1	2
I. CHURCH/RELIGIOUS PROGRAMS	1	2
J. WOMEN'S PROGRAMS	1	2
K. HEALTH PROGRAMS	1	2
L. POLITICAL EVENTS	1	2
M. OTHER	1	2

131. What times do you most often watch television? (CIRCLE ALL MENTIONED, DO NOT READ LIST)

	<u>MENTIONED</u>	NOT MENTION
A. 6-8 AM	1	2
B. 8-10 AM	1	2
C. 10AM-NOON	1	2
D. NOON-2 PM	1	2
E. 2-4 PM	1	2
F. 4-6 PM	1	2
G. 6-8 PM	1	2
H. 8-10 PM	1	2
I. AFTER 10 PM	1	2
J. NO REGULAR TIMES	1	2

- 132. How often do you read a newspaper?
 - 1. DAILY/NEARLY EVERY DAY
 - 2. ABOUT 3-4 TIMES PER WEEK
 - 3. ONCE OR TWICE PER WEEK
 - 4. LESS THAN ONCE PER WEEK
 - 5. NEVER/ALMOST NEVER

II. SEX EDUCATION

The next set of questions is about sex education.

- Do you think schools should teach courses about human reproduction, contraception, and prevention of sexually transmitted diseases?
 - 1. YES
 - 2. NO \rightarrow GO TO 203
 - 8. DK
 - 9. NR \rightarrow **GO TO 203**
- 202. At what year of age should schools begin to teach about? (READ A-C)
 - A. Human Reproduction? 77. SHOULD NOT BE TAUGHT IN SCHOOL.
 B. Contraception? 88. DK
 C. STD's 99. NR

GO TO BOX 2-I

Now I want to read some reasons for which one may oppose sex education in school. Please tell me if you agree or don't agree. (**READ A-D**)

	<u>AGREE</u>	DISAGREE	<u>DK</u>	<u>NR</u>
A. Sex education will give adolescents the idea to begin sex earlier	1	2	8	9
B. Sex education should be taught only in the house	1	2	8	9
C. Sex education goes against my religious beliefs	1	2	8	9
D. Teachers do not have enough training to teach such courses	1	2	8	9

BOX 2-I IF RESPONDENT IS 15-24 YEARS OF AGE CONTINUE; IF SHE IS 25-44 YEARS GO TO SECTION III

204. Before you were 18 years old, did a parent ever talked to you about.....(READ A-F)

	<u>YES</u>	<u>NO</u>	<u>DK/DK</u>	<u>KEF</u>
A. Menstrual Cycle?	1	2	8	9
B. How Pregnancy Occurs?	1	2	8	9
C. Not Having Sexual Intercourse Before Marriage?	1	2	8	9
D. Methods of Contraception?	1	2	8	9
E. HIV/AIDS?	1	2	8	9
F. Other Sexually Transmitted Diseases?	1	2	8	9

READ EACH QUESTION 205-207 FROM THE TABLE FOR EACH TOPIC OF SEX EDUCATION:

TOPIC	205. Before you were 18 years old, have you ever been taught at school about.? (READ A-G)	206. How old were you when you first were taught at school about?	207. Who taught you at school about?
A. Menstrual Cycle	1 YES \rightarrow GO TO Q206 2 NO \rightarrow GO TO Q205_B 8 DK \rightarrow GO TO Q205_B 9 NR \rightarrow GO TO Q205_B		1 TEACHER 2 DOCTOR/NURSE 3 VOLUNTEER 7 OTHER 8 DON'T REMEMBER
B. Female Reproductive System	$\begin{array}{ccc} 1 \text{ YES} & \rightarrow & \textbf{GO TO Q206} \\ 2 \text{ NO} & \rightarrow & \textbf{GO TO Q205_C} \\ 8 \text{ DR} & \rightarrow & \textbf{GO TO Q205_C} \\ 9 \text{ NR} & \rightarrow & \textbf{GO TO Q205_C} \end{array}$		1 TEACHER 2 DOCTOR/NURSE 3 VOLUNTEER 7 OTHER 8 DON'T REMEMBER
C. Male Reproductive System	$\begin{array}{ccc} 1 \text{ YES} & \rightarrow & \textbf{GO TO Q206} \\ 2 \text{ NO} & \rightarrow & \textbf{GO TO Q205_D} \\ 8 \text{ DR} & \rightarrow & \textbf{GO TO Q205_D} \\ 9 \text{ NR} & \rightarrow & \textbf{GO TO Q205_D} \end{array}$		1 TEACHER 2 DOCTOR/NURSE 3 VOLUNTEER 7 OTHER 8 DON'T REMEMBER
D. How Pregnancy Occurs	$\begin{array}{ccc} 1 \text{ YES} & \rightarrow & \textbf{GO TO Q206} \\ 2 \text{ NO} & \rightarrow & \textbf{GO TO Q205_E} \\ 8 \text{ DR} & \rightarrow & \textbf{GO TO Q205_E} \\ 9 \text{ NR} & \rightarrow & \textbf{GO TO Q205_E} \end{array}$		1 TEACHER 2 DOCTOR/NURSE 3 VOLUNTEER 7 OTHER 8 DON'T REMEMBER
E. Contraceptive Methods	$\begin{array}{ccc} 1 \text{ YES} & \rightarrow & \textbf{GO TO Q206} \\ 2 \text{ NO} & \rightarrow & \textbf{GO TO Q205_F} \\ 8 \text{ DR} & \rightarrow & \textbf{GO TO Q205_F} \\ 9 \text{ NR} & \rightarrow & \textbf{GO TO Q205_F} \end{array}$		1 TEACHER 2 DOCTOR/NURSE 3 VOLUNTEER 7 OTHER 8 DON'T REMEMBER
F. HIV/AIDS	$\begin{array}{ccc} 1 \text{ YES} & \rightarrow & \text{GO TO Q206} \\ 2 \text{ NO} & \rightarrow & \text{GO TO Q205_G} \\ 8 \text{ DR} & \rightarrow & \text{GO TO Q205_G} \\ 9 \text{ NR} & \rightarrow & \text{GO TO Q205_G} \end{array}$		1 TEACHER 2 DOCTOR/NURSE 3 VOLUNTEER 7 OTHER 8 DON'T REMEMBER
G. Other Sexually Transmitted Diseases	$\begin{array}{ccc} 1 \text{ YES} & \rightarrow & \textbf{GO TO Q206} \\ 2 \text{ NO} & \rightarrow & \textbf{GO TO Q208} \\ 8 \text{ DR} & \rightarrow & \textbf{GO TO Q208} \\ 9 \text{ NR} & \rightarrow & \textbf{GO TO Q208} \end{array}$		1 TEACHER 2 DOCTOR/NURSE 3 VOLUNTEER 7 OTHER 8 DON'T REMEMBER

208. In your opinion, who or what was the most important source of information you have had about topics related to sexual matters?

1. MOTHER	10. NURSE, MIDWIFE
2. FATHER	11. TEACHER
3. RELATIVE	12. PHARMACIST
4. BOYFRIEND	13. BOOKS
5. FRIENDS	14. NEWSPAPERS, MAGAZINES, BROCHURES, FLYERS
6. CO-WORKER	15. RADIO
7. COLLEAGUES, PEER	16. TV
8. PARTNER/HUSBAND	20. OTHER (SPECIFY):
9. DOCTOR	88. DON'T REMEMBER

III. FERTILITY/PREGNANCY

300.	Are you currently pregnant? 1. YES 2. NO → GO TO Q305 3. NOT SURE → GO TO Q305
301.	How many months pregnant are you now? MONTHS
302.	Just before you get pregnant, did you want to get pregnant then, did you want to get pregnant later, or did you not want to get pregnant then or any time in the future? 1. WANTED TO GET PREGNANT THEN 2. WANTED TO GET PREGNANT LATER 3. DID NOT WANT THE PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
303.	Is this your first pregnancy? 1. YES 2. NO → GO TO Q307 8. NOT SURE
304.	Have you ever had a stillbirth, ectopic pregnancy, miscarriage, or an induced abortion? 1. YES → GO TO PREGNANCY HISTORY, PAGE 9 2. NO → GO TO MODULE IV, PAGE 20
305.	 Have you ever been pregnant? 1. YES → GO TO Q307 2. NO 3. NOT SURE 4. NEVER HAD SEX → GO TO MODULE IV, PAGE 20
306.	Have you ever had a stillbirth, ectopic pregnancy, miscarriage, or an induced abortion? 1. YES → GO TO PREGNANCY HISTORY, PAGE 9 2. NO → GO TO MODULE IV, PAGE 20
307.	 Have you ever had any live-born children? 1. YES 2. NO → GO TO PREGNANCY HISTORY, PAGE 9
308.	How many living children do you have, including those who do not live with you? CHILDREN
309.	Have you ever had a child born alive who later died, including those who may have died in the first hour or days after birth? 1. YES 2. NO → GO TO PREGNANCY HISTORY, PAGE 9
310.	How many children died? CHILDREN
311.	So altogether you had a total of (Q308+Q310) live births? 1. YES 2. NO → CHECK Q308 AND Q310 AND MAKE CHANGES IF NECESSARY

PREGNANCY HISTORY

Now I would like to talk to you about all your pregnancies (not counting the current one). Please, make sure you include all pregnancies, it doesn't matter when they happened or how they ended, whether in a live birth, an abortion, a miscarriage, or a stillbirth. Starting with your most recent pregnancy, please give me the following information:

#	312	313	314	315	316	317	318
<u> </u>	How did that pregnancy end?	When did that pregnancy end? (month	How many weeks or months had	Was the	Is the child	How old was the child when he died? (RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN	IF Q313B <1997→GO TO NEXT PREGNANCY Just before you get pregnant, did you want to get pregnant then, did you want to get pregnant later, or did you not want to get pregnant then or any time in the future?
1	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO Q318	1. BOY 2. GIRL 3. BOTH	1. YES→ Q318 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
2	4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH		2 MONTHS	1. BOY 2. GIRL 3. BOTH		1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
3	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH	2. NO	3 YEARS 888. DK	I. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
4	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH	1. YES→ Q318 2. NO	OR 2 MTHS OR 3 YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE

		l					1
#	312 How did that pregnancy end?	did that pregnancy end? (month & year)	weeks or months had		still alive?	LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS;	318 IF Q313B <1997→GO TO NEXT PREGNANCY Just before you get pregnant, did you want to get pregnant then, did you want to get pregnant later, or did you not want to get pregnant then or any time in the future?
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	BYR 98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH	2. NO	OR 2 MTHS OR 3 YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO Q318	1. BOY 2. GIRL 3. BOTH	2. NO	OR 2 MTHS OR 3 YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO Q318	1. BOY 2. GIRL 3. BOTH		OR 2 MTHS OR 3 YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH		OR 2 MTHS OR 3 YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH	2. NO	2MTHS OR 3YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE

#		did that pregnancy end? (month & year)	months had	315 Was the baby a boy or a girl?	316 Is the child still alive?	LESS THAN 1 MONTH; MONTHS IF LESS THAN	318 IF Q313B <1997→GO TO NEXT PREGNANCY Just before you get pregnant, did you want to get pregnant then, did you want to get pregnant later, or did you not want to get pregnant then or any time in the future?
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH		2 MONTHS	1. BOY 2. GIRL 3. BOTH	1. YES→ Q318 2. NO	2 MTHS	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH	1. YES→ Q318 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH	2. NO	OR 3YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	98. DK/NR	2 MONTHS	1. BOY 2. GIRL 3. BOTH	2. NO	3 YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO Q318	1. BOY 2. GIRL 3. BOTH	2. NO	3 YEARS 888. DK	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE

#	312 How did that pregnancy end?	pregnancy end? (month & year)	314 How many weeks or months had you been pregnant when that pregnancy ended?		316 Is the child still alive?	317 How old was the child when he died? (RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YRS.)
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	AMTH BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	AMTH BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	THE NEXT PG. 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	AMTH BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	1. YES→GO TO THE NEXT PG. 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	AMTH BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH		1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF
	1. LIVE BIRTH (SINGLE) 2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH 6. MISCARRIAGE 7. INDUCED ABORTION 8. MOLAR PREGNANCY 9. ECTOPIC PREGNANCY	A MTH B YR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	THE NEXT PG. 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF

#	312 How did that pregnancy end?	pregnancy end? (month & year)	314 How many weeks or months had you been pregnant when that pregnancy ended?		alive?	317 How old was the child when he died? (RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YRS.)
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	A MTH BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	THE NEXT PG. 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	AMTH BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	THE NEXT PG. 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH		1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	THE NEXT PG. 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF
	2. MULTIPLE LIVE BIRTH 3. MULTIPLE (LB WITH SB) 4. STILLBIRTH (SINGLE) 5. MULTIPLE STILLBIRTH	A MTH BYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF IF Q312>3 GO TO NEXT LINE	1. BOY 2. GIRL 3. BOTH	2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF

BOX 3-1

- THE FOLLOWING QUESTIONS ARE ONLY FOR PREGNANCIES ENDED BETWEEN 1997–2002 IF THE RESPONDENT HAD AT LEAST ONE LIVE BIRTH, STILLBIRTH OR AN INDUCED ABORTION (Q312=1–5 or 7) THAT ENDED BETWEEN 1997–2002 THEN <u>CONTINUE WITH Q319</u> ON THE NEXT PAGE;
- IF SHE HAD ONLY MISCARRIAGE(S) OR MOLAR PREGNANCY OR ECTOPIC PREGNANCY(IES) (312=6,8,9), GO TO MODULE IV, PAGE 21 AFTER WRITING "0" IN Q319 AND Q338
- IF SHE DID NOT HAVE ANY PREGNANCY ENDED IN 1997-2001 (CHECK Q313B), GO TO MODULE IV, PAGE 21 AFTER WRITING "0" IN Q319 AND Q338

HOW MANY INDUCED ABORTIONS DID THE RESPONDENT HAVE BETWEEN JANUARY 1997 319. AND THE DATE OF THE INTERVIEW (SEE PAGE 9) ED ABORTIONS ___ (IF NO INDUCED ABORTIONS GO TO Q338)

INDUCED ABORTIONS

319A. COPY LINE #. FROM PG. TABLE PAGE 19-13	LAST ABORTION ——	NEXT TO LAST AB.	SECOND TO LAST AB.	THIRD TO LAST AB.
320. What was the principal reason that you decided to have this abortion?	1. PREGNANCY WAS LIFE OR HEALTH THREATENING 2. RISK OF BIRTH DEFECTS 3. SOCIOECONOMIC REASONS 4. RESPONDENT DID NOT WANT (ANYMORE) CHILDREN 5. SPACING NEXT PREGNANCY 6. PARTNER DID NOT WANT (ANY) CHILDREN 7. DID NOT HAVE A PARTNER 8. OTHER	1. PREGNANCY WAS LIFE OR HEALTH THREATENING 2. RISK OF BIRTH DEFECTS 3. SOCIOECONOMIC REASONS 4. RESPONDENT DID NOT WANT (ANYMORE) CHILDREN 5. SPACING NEXT PREGNANCY 6. PARTNER DID NOT WANT (ANY) CHILDREN 7. DID NOT HAVE A PARTNER 8. OTHER	1. PREGNANCY WAS LIFE OR HEALTH THREATENING 2. RISK OF BIRTH DEFECTS 3. SOCIOECONOMIC REASONS 4. RESPONDENT DID NOT WANT (ANYMORE) CHILDREN 5. SPACING NEXT PREGNANCY 6. PARTNER DID NOT WANT (ANY) CHILDREN 7. DID NOT HAVE A PARTNER 8. OTHER	1. PREGNANCY WAS LIFE OR HEALTH THREATENING 2. RISK OF BIRTH DEFECTS 3. SOCIOECONOMIC REASONS 4. RESPONDENT DID NOT WANT (ANYMORE) CHILDREN 5. SPACING NEXT PREGNANC 6. PARTNER DID NOT WANT (ANY) CHILDREN 7. DID NOT HAVE A PARTNER 8. OTHER
320A. What was the attitude of the child's father toward you having that	 FAVORED OPPOSED NEUTRAL DID NOT KNOW ABOUT IT DO NOT REMEMBER 	 FAVORED OPPOSED NEUTRAL DID NOT KNOW ABOUT IT DO NOT REMEMBER 	1. FAVORED 2. OPPOSED 3. NEUTRAL 4. DID NOT KNOW ABOUT IT 8. DO NOT REMEMBER	 FAVORED OPPOSED NEUTRAL DID NOT KNOW ABOUT IT DO NOT REMEMBER
abortion? 321. When you got pregnant with this baby, were you using any method of contraception?	 YES NO → GO TO Q323 DK/NR → GO TOQ323 	 YES NO → GO TO Q323 DK/NR → GO TOQ323 	 YES NO → GO TO Q323 DK/NR → GO TOQ323 	 YES NO → GO TO Q323 DK/NR → GO TOQ323
322. What method of contraception was that?	1. PILL 9. INJECTABLES 2. IUD 11. CALENDAR 3. CONDOM 12. WITHDRAWAL 4. CONDOM+SP 13. CAL+WDR 5. CONDM+TRD 20. OTHER 6. SPERMICIDE 88. DR	WITHDRAWAL	1. PILL 9. INJECTABLES 2. IUD 11. CALENDAR 3. CONDOM 12. WITHDRAWAL 4. CONDOM+SP 13. CAL+WDR 5. CONDM+TRD 20. OTHER 6. SPERMICIDE 88. DR	1. PILL 9. INJECTABLES 2. IUD 11. CALENDAR 3. CONDOM 12. WITHDRAWAL 4. CONDOM+SP 13. CAL+WD 5. CONDM+TRD 20. OTHER 6. SPERMICIDE 88. DR
323. Before this abortion, did you have an ultrasound exam of the pregnancy?	 YES NO → GO TO Q325 DK/NR → GO TOQ325 	 YES NO → GO TO Q325 DK/NR → GO TOQ325 	 YES NO → GO TO Q325 DK/NR → GO TOQ325 	 YES NO → GO TO Q325 DK/NR → GO TOQ325
324. Did you find out the gender of the baby after the ultrasound?	1. YES 2. NO 8. DON'T KNOW/ DR	1. YES 2. NO 8. DON'T KNOW/ DR	1. YES 2. NO 8. DON'T KNOW/ DR	1. YES 2. NO 8. DON'T KNOW/ DR
325. Where was that abortion performed?	HOSPITAL/ MATERNITY PRIVATE CLINIC/OFFICE RESPONDENT'S HOME DOCTOR'S HOME AT HOME AND HOSP. OTHER	HOSPITAL/ MATERNITY PRIVATE CLINIC/OFFICE RESPONDENT'S HOME DOCTOR'S HOME AT HOME AND HOSP. OTHER	1. HOSPITAL/ MATERNITY 2. PRIVATE CLINIC/OFFICE 3. RESPONDENT'S HOME 4. DOCTOR'S HOME 5. AT HOME AND HOSP. 7. OTHER	1. HOSPITAL/ MATERNITY 2. PRIVATE CLINIC/OFFICE 3. RESPONDENT'S HOME 4. DOCTOR'S HOME 5. AT HOME AND HOSP. 7. OTHER
326. Who performed that abortion?	 OB/GYN OTHER PHYSICIAN NURSE/MIDWIFE LAY PERSON SELF-INDUCED DON'T KNOW/ DR 	1. OB/GYN 2. OTHER PHYSICIAN 3. NURSE/MIDWIFE 4. LAY PERSON 5. SELF-INDUCED 8. DON'T KNOW/ DR	1. OB/GYN 2. OTHER PHYSICIAN 3. NURSE/MIDWIFE 4. LAY PERSON 5. SELF-INDUCED 8. DON'T KNOW/ DR	1. OB/GYN 2. OTHER PHYSICIAN 3. NURSE/MIDWIFE 4. LAY PERSON 5. SELF-INDUCED 8. DON'T KNOW/ DR
327. What method was used?	 D&C VACUUM ASPIRATION OXITOCIN CATHETER OTHER 	D&C VACUUM ASPIRATION OXITOCIN CATHETER TOTHER	1. D&C 2. VACUUM ASPIRATION 3. OXITOCIN 4. CATHETER 7. OTHER	1. D&C 2. VACUUM ASPIRATION 3. OXITOCIN 4. CATHETER 7. OTHER

	LAST ABORTION	NEXT TO LAST AB.	SECOND TO LAST AB.	THIRD TO LAST AB.
328. How much	LEKI	LEKI	LEKI	LEKI
did you pay for that abortion, including gifts or money given to the doctor?	0 0 0 0 0 NO CHARGE 7 7 7 7 7 ONLY GIFTS 8 8 8 8 8 DK	0 0 0 0 0 NO CHARGE 7 7 7 7 7 ONLY GIFTS 8 8 8 8 8 DK	0 0 0 0 0 NO CHARGE 7 7 7 7 7 ONLY GIFTS 8 8 8 8 8 DK	0 0 0 0 0 NO CHARGE 7 7 7 7 7 ONLY GIFTS 8 8 8 8 8 DK
329. Did you have any local or intravenous anesthesia for that abortion? By local anesthesia we mean an injection in the uterus opening.	2. INTRAVENOUS	1. LOCAL (UTERINE CERVIX) 2. INTRAVENOUS 3. NEITHER LOCAL NOR IV 8. DK/DR	1. LOCAL (UTERINE CERVIX) 2. INTRAVENOUS 3. NEITHER LOCAL NOR IV 8. DK/DR	1. LOCAL (UTERINE CERVIX) 2. INTRAVENOUS 3. NEITHER LOCAL NOR IV 8. DK/DR
330. Did you take any antibiotics after that abortion?	1. YES 2. NO 8. NOT REMEMBER	1. YES 2. NO 8. NOT REMEMBER	1. YES 2. NO 8. NOT REMEMBER	1. YES 2. NO 8. NOT REMEMBER
331. Within 30 days after that abortion did you have any health problems as a result of that abortion?	1. YES 2. NO → GO TO Q333	1. YES 2. NO → GO TO Q333	1. YES 2. NO → GO TO Q333	1. YES 2. NO → GO TO Q333
332. Did you have one of the following problems: (READ A-F)	A. Perforation <u>YES NO</u> B. Severe Bleeding 1 2 C. Fever >38 °C 1 2 D. Purulent Discharge 1 2 E. Belly Pain 1 2 F. Other 1 2	A. Perforation B. Severe Bleeding C. Fever >38 °C D. Purulent Discharge E. Belly Pain F. Other 1 2 D. Purulent Discharge 1 2 F. Other 1 2	A. Perforation B. Severe Bleeding C. Fever >38 °C D. Purulent Discharge E. Belly Pain F. Other	A. Perforation YES NO B. Severe Bleeding 1 2 C. Fever >38 °C 1 2 D. Purulent Discharge 1 2 E. Belly Pain 1 2 F. Other 1 2
333. How many nights did you spend in the hospital after that abortion (+re- admissions during the first month)?	NIGHTS 88 DK	NIGHTS 88 DK	NIGHTS 88 DK	NIGHTS 88 DK
334. Did you have any related health problems more than 6 months later as a result of that abortion?	1. YES 2. NO → Q336 3. NOT YET 6 MTH. → Q336 8. DON'T REMEMBER → Q336	 YES NO → Q336 NOT YET 6 MTH. → Q336 DON'T REMEMBER → Q336 	 YES NO → Q336 NOT YET 6 MTH. → Q336 DON'T REMEMBER → Q336 	1. YES 2. NO → Q336 3. NOT YET 6 MTH. → Q336 8. DON'T REMEMBER → Q336
335.What was the most important health problem?	1. BELLY PAIN 2. STERILITY 3. INFECTION 4. LACK OF MENSES 5. IRREGULAR BLEEDING 6. MORE PAINFUL PERIODS 7. OTHER	1. BELLY PAIN 2. STERILITY 3. INFECTION 4. LACK OF MENSES 5. IRREGULAR BLEEDING 6. MORE PAINFUL PERIODS 7. OTHER	1. BELLY PAIN 2. STERILITY 3. INFECTION 4. LACK OF MENSES 5. IRREGULAR BLEEDING 6. MORE PAINFUL PERIODS 7. OTHER	1. BELLY PAIN 2. STERILITY 3. INFECTION 4. LACK OF MENSES 5. IRREGULAR BLEEDING 6. MORE PAINFUL PERIODS 7. OTHER
336. Either before or after the most recent abortion, did a doctor talk to you about contraception?	1. YES, BEFORE ABORTION 2. YES, AFTER ABORTION 3. YES, BEFORE & AFTER 4. NO → GO TO Q337A	 YES, BEFORE ABORTION YES, AFTER ABORTION YES, BEFORE & AFTER NO → GO TO Q337A 	 YES, BEFORE ABORTION YES, AFTER ABORTION YES, BEFORE & AFTER NO → GO TO Q337A 	 YES, BEFORE ABORTION YES, AFTER ABORTION YES, BEFORE & AFTER NO → GO TO Q337A
337. After that abortion, did you receive a method of contraception or prescription for a method?	RECEIVED A METHOD RECEIVED PRESCRIPTION NO METHOD OR PRESCR. DON'T REMEMBER	RECEIVED A METHOD RECEIVED PRESCRIPTION NO METHOD OR PRESCR. DON'T REMEMBER	RECEIVED A METHOD RECEIVED PRESCRIPTION NO METHOD OR PRESCR. DON'T REMEMBER	RECEIVED A METHOD RECEIVED PRESCRIPTION NO METHOD OR PRESCR. DON'T REMEMBER
337A. After that abortion, did a doctor or nurse refer you to a Family Planning cabinet?	1. YES 2. NO 8. DON'T REMEMBER	1. YES 2. NO 8. DON'T REMEMBER	1. YES 2. NO 8. DON'T REMEMBER	1. YES 2. NO 8. DON'T REMEMBER

338. HOW MANY BIRTHS HAS THE RESPONDENT HAD BETWEEN JANUARY 1997 AND PRESENT (SEE PG. 11-15) 1. LIVE BIRTHS 2. STILLBIRTHS

___ (IF NO LIVE BIRTH OR STILLBIRTH GO TO MODULE IV PAGE 21)

339. COPY LINE #.	LAST BIRTH	NEXT TO LAST BIRTH	SECOND TO LAST BIRTH	
FROM PREGNANCY TABLE PAGE 9-13		———		
before you found out	0. NONE → GO TO Q342 1. 1-4 (JUST A FEW) 2. 5-10 CIGARETTES (OR ½ PACK) 3. 11 + (MORE THAN ½ PACK) 8. DON'T REMEMBER → GO TOQ342	0. NONE → GO TOQ342 1. 1-4 (JUST A FEW) 2. 5-10 CIGARETTES (OR ½ PACK) 3. 11 + (MORE THAN ½ PACK) 8. DON'T REMEMBER → GO TOQ342	0. NONE → GO TOQ342 1. 1-4 (JUST A FEW) 2. 5-10 CIGARETTES (OR ½ PACK) 3. 11 ++ (MORE THAN ½ PACK) 8. DON'T REMEMBER → GO TOQ342	
you found out that you were pregnant? 342. How many times per week did you drink	2. 5-10 CIGARETTES (OR ½ PACK) 3. 11 ++ (MORE THAN ½ PACK) 8. DON'T REMEMBER 1. 4 TIMES OR MORE /ALMOST DAIL' 2. 1-3 TIMES	2. 1-3 TIMES	2. 1-3 TIMES	
alcoholic beverages during that pregnancy? 343. When you got pregnant with this baby, were you using any method of contracep- tion?	 LESS THAN ONCE PER WEEK NEVER YES NO → GO TO Q345 DON'T REMEMBER → GO TO Q345 	3. LESS THAN ONCE PER WEEK 4. NEVER 1. YES 2. NO → GO TO Q345 8. DON'T REMEMBER → GO TO Q345	3. LESS THAN ONCE PER WEEK 4. NEVER 1. YES 2. NO → GO TO Q345 8. DON'T REMEMBER → GO TO Q345	
344. What method of	1. PILL 2. IUD 3. CONDOM 4. CONDOM+SP 5. CONDM+TRAD 6. SPERMICIDES 9. INJECTABLES 11. CALENDAR 12. WITHDRAWAL 13. CAL+WDR 20. OTHER 88. DR	1. PILL 2. IUD 3. CONDOM 4. CONDOM+SP 5.CONDM+TRAD 6. SPERMICIDES 9. INJECTABLES 11. CALENDAR 12. WITHDRAWAL 13. CAL+WDR 20. OTHER 88. DR	1. Pill 9. INJECTABLES 2. IUD 11. CALENDAR 3. CONDOM 12. WITHDRAWAL 4. CONDOM+SP 13. CAL+WDR 5. 20. OTHER CONDM+TRAD 88. DR 6. SPERMI- CIDES	
345. How many weeks or months pregnant were you when you learned that you were pregnant that time?	1 WEEKS OR 2 MONTHS 888 DK/DR	1 WEEKS OR 2 MONTHS 888 DK/DR	1 WEEKS OR 2 MONTHS 888 DK/DR	
346. During that pregnancy, did you have any prenatal care visits?	 YES NO → GO TO Q355 DON'T REMEMBER → GO TO Q355 	1. YES 2 NO → GO TO Q355 5 8. DON'T REMEMBER → GO TO Q355	1. YES 2 NO → GO TO Q355 8. DON'T REMEMBER → GO TO Q355	
347. How many weeks or months pregnant were you at the time of your first prenatal care visit?	1 WEEKS OR 2 MONTHS 888 DK/DR	1 WEEKS OR 2 MONTHS 888 DK/DR	1 WEEKS OR 2 MONTHS 888 DK/DR	
348 How many prenatal visits did you have during that pregnancy?	VISITS	VISITS	VISITS 88. DK 99. REF	
349. Where did you receive most of the prenatal care visits?	1. HEALTH POST ("AMBULANTZA") 2. RURAL/URBAN HEALTH CENTER 3. POLICLINIC 4. DISTRICT MATERNITY/HOSPITAL 5. TIRANA MATERNITY 6. PRIVATE CLINIC 7. AT HOME 8. OTHER	1 HEALTH POST ("AMBULANTZA") 2. RURAL/URBAN HEALTH CENTER 3. POLICLINIC 4. DISTRICT MATERNITY/HOSPITAL 5. TIRANA MATERNITY 6. PRIVATE CLINIC 7. AT HOME 8. OTHER	1 HEALTH POST ("AMBULANTZA") 2. RURAL/URBAN HEALTH CENTER 3. POLICLINIC 4. DISTRICT MATERNITY/HOSPITAL 5. TIRANA MATERNITY 6. PRIVATE CLINIC 7. AT HOME 8. OTHER	
350. Who provided most of the prenatal care?	GENERAL PRACTITIONER OB/GYN NURSE/MIDWIFE OTHER	1. GENERAL PRACTITIONER 2. OB/GYN 3. NURSE/MIDWIFE 7. OTHER	GENERAL PRACTITIONER OB/GYN NURSE/MIDWIFE OTHER	
351. During those visits, did you receive any information about: (READ A-H):	B. Smoking during Pregnancy 1 C. Drinking Alcohol during Pg. 1 D. Breastfeeding 1 E. Delivery 1 F. Contraception 1 G. Warning Signs of Pg Complic 1	2 A. Nutrition 1 2 2 B. Smoking during Pregnancy 1 2 2 C. Drinking Alcohol during Pg. 1 2 2 D. Breastfeeding 1 2 2 E. Delivery 1 2 2 F. Contraception 1 2 2 G. Warning Signs of Pg Complic 1 2	A. Nutrition 1 2 B. Smoking during Pregnancy 1 2 C. Drinking Alcohol during Pg. 1 2 D. Breastfeeding 1 2 E. Delivery 1 2 F. Contraception 1 2 G. Warning Signs of Pg Complic 1 2 H. Postnatal Care 1 2	

	LAST BIRTH	NEXT TO LAST BIRTH	SECOND TO LAST BIRTH
252 D : 41			
352. During this preg-	YES NO	YES NO	YES NO
nancy, were any of the following done at least	A. WEIGHT 1 2	A. WEIGHT 1 2	A. WEIGHT 1 2
once:	A. WEIGHT 1 2 B. HEIGHT 1 2	A. WEIGHT 1 2 B. HEIGHT 1 2	A. WEIGHT 1 2 B. HEIGHT 1 2
A. Were you eighed?	C. URINE SAMPLE 1 2	C. URINE SAMPLE 1 2	C. URINE SAMPLE 1 2
B. Was your height measured?	D. BLOOD SAMPLE 1 2	D. BLOOD SAMPLE 1 2	D. BLOOD SAMPLE 1 2
C. Did you give a urine sample? D. Did you give a blood sample?	D. BEOOD STANIEE	D. BEOOD STANLE	D. BEOOD STANLED 1 2
	1 VEC	1 VEC	1. YES
353 . During those visits, did you have your blood	1. 1E3 2. NO \rightarrow CO 0355	1. YES 2. NO → GO Q355	2. NO → GO Q355
pressure measured?	8. DON'T REMEMBER \rightarrow GO TO Q355	8. DON'T REMEMBER \rightarrow GO Q355	8. DON'T REMEMBER \rightarrow GO Q355
254 D : (1 ::/			
354 . During those visits, were you ever told that	1. YES 2. NO	1. YES 2. NO	1. YES 2. NO
you have high blood	8. DON'T REMEMBER	8. DON'T REMEMBER	8. DON'T REMEMBER
pressure?	6. DOIV I REWEINBER	6. BOW I KEMEMBER	6. BOW I REWEINBER
355. Did you have an	1. YES	1. YES	1. YES
ultrasound (US) exam	2. NO \rightarrow GO TO Q357	2. NO \rightarrow GO TO Q357	2. NO \rightarrow GO TO Q357
during that pregnancy?	8. DON'T REMEMBER→ GO TO Q357	8. DON'T REMEMBER→ GO TO Q357	8. DON'T REMEMBER→ GO TO Q357
356. How many weeks	1 WEEKS OR	1 WEEKS OR	1 WEEKS OR
or months pregnant were			
you at the time of your	2 MONTHS	2 MONTHS 888 DK/DR	2 MONTHS 888 DK/DR
first US?			
357 . During this preg-	1. YES	1. YES	1. YES
nancy, were you given an injection in the arm	2. NO	2. NO	2. NO
to prevent the baby from	8. DON'T REMEMBER	8. DON'T REMEMBER	8. DON'T REMEMBER
getting tetanus (convul-			
sions after birth)?	<u> </u>	<u> </u>	
358. During this preg-	1. YES	1. YES	1. YES
nancy, have you taken	2. NO \rightarrow GO TO Q360	2. NO \rightarrow GO TO Q360	2. NO \rightarrow GO TO Q360
any iron supplements (iron tablets, injection or	8. DON'T REMEMBER \rightarrow GO TO Q360	8. DON'T REMEMBER \rightarrow GO TO Q360	8. DON'T REMEMBER \rightarrow GO TO Q360
iron syrup) ?			
358A. In what week	1 WEEKS OR	1 WEEKS OR	1 WEEKS OR
or month of pregnancy	i weeks or	1 WEEKS OR	1 WEEKS OK
did you start taking iron	2 MONTHS 888 DK/DR	2 MONTHS 888 DK/DR	2 MONTHS 888 DK/DR
supplements?			
359. How often did you	1. EVERY DAY	1. EVERY DAY	1. EVERY DAY
take iron supplements?	2. SEVERAL TIMES PER WEEK	2. SEVERAL TIMES PER WEEK	2. SEVERAL TIMES PER WEEK
	3. ONCE A WEEK	3. ONCE A WEEK	3. ONCE A WEEK
	4. LESS THAN ONCE A WEEK	4. LESS THAN ONCE A WEEK	4. LESS THAN ONCE A WEEK
	8. DK/DR	8. DK/DR	8. DK/DR
360 . During that	1. YES	1. YES	1. YES
pregnancy, did you	2. NO \rightarrow GO TO Q364	2. NO \rightarrow GO TO Q364	2. NO → GO TO Q364
have any complications that required medical	8. DON'T REMEMBER \rightarrow GO TO Q364	8. DON'T REMEMBER \rightarrow GO TO Q364	8. DON'T REMEMBER → GO TO Q364
attention?			
361. What complica-	YES NO	YES NO	YES NO
tions did you have? Did	A. Weak Cervix 1 2		A. Weak Cervix 1 2
you have:			B. Bleeding During First 6 Mth 1 2
			C. Bleeding at 6 Mths or More 1 2
(READ EACH CON-	D. High BP Related to Preg. 1 2	D. High BP Related to Preg. 1 2	D. High BP Related to Preg. 1 2
DITION FROM A-K)	E. Diabetes Related to Preg. 1 2		E. Diabetes Related to Preg. 1 2
			F. Water Retention or Edema 1 2
	G. Anemia Related to Preg. 1 2		G. Anemia Related to Preg. 1 2
	H. Urinary Tract Infection 1 2		H. Urinary Tract Infection 1 2
	I. Risk of Preterm Delivery 1 2 J. Rh Isoimmunization 1 2		I. Risk of Preterm Delivery 1 2 J. Rh Isoimmunization 1 2
			K. Other 1 2
262 37	1 2	1 2	1 2
362. Not including the	TIMES OF MENER HOSE	TIMES OF MEMER HOSE	TIMES OF MEMER HOSE
delivery, how many times were you hospital-	TIMES 00. NEVER HOSP.	TIMES 00. NEVER HOSP. 88. DK/DR	TIMES 00. NEVER HOSP.
ized for pregnancy	88. DK/DR IF "00" GO TO Q364	IF "00" GO TO Q364	88. DK/DR IF "00" GO TO Q364
complications?	11 00 00 10 0504	11 00 00 10 0304	11 00 00 10 0004
363. Altogether, how	NIGHTS	NIGHTS 85. 85+ NIGHTS	NIGHTS 85. 85+ NIGHTS
many nights were you	88. DK/DR	88. DK/DR	88. DK/DR
in the hospital for these complications?			
complications:	1. DISTRICT MATERNITY HOSPITAL	1. DISTRICT MATERNITY HOSPITAL	1. DISTRICT MATERNITY HOSPITAL
364 . Where did you	2. TIRANA MATERNITY	2. TIRANA MATERNITY	2. TIRANA MATERNITY
give birth to this baby?	3. PRIVATE CLINIC/HOSPITAL	3. PRIVATE CLINIC/HOSPITAL	3. PRIVATE CLINIC/HOSPITAL
	4. BIRTH HOUSE/HEALTH CENTER	4. BIRTH HOUSE/HEALTH CENTER	4. BIRTH HOUSE/HEALTH CENTER
	5. AT HOME \rightarrow Q370	5. AT HOME \rightarrow Q370	5. AT HOME \rightarrow Q370
	6. ON THE WAY TO HOSP. \rightarrow Q366	6. ON THE WAY TO HOSP. \rightarrow Q366	6. ON THE WAY TO HOSP. \rightarrow Q366
365. How many hours	HOURS 85. 85+ HOURS	HOURS 85. 85+ HOURS	HOURS 85. 85+ HOURS
before delivery were	88. DK/DR	88. DK/DR	88. DK/DR
you admitted to the			, , , , , , , , , , , , , , , , , , ,
place where you gave			
birth?	<u> </u>	<u> </u>	

Appendix C

	LAST BIRTH	NEXT TO LAST BIRTH	SECOND TO LAST BIRTH
366. How many nights were you in that place after delivery?	NIGHTS	NIGHTS	NIGHTS
367. Where was your husband or partner at the time of delivery, was he: (READ 1-4)	 In the Delivery Room, At the Hospital/clinic, At Home or with friends At Work Travelling DK/DR 	1. In the Delivery Room, 2. At the Hospital/clinic, 3. At Home or with friends 4. At Work 5. Travelling 8. DK/DR	In the Delivery Room, At the Hospital/clinic, At Home or with friends At Work Travelling DK/DR
368. Was that baby born by vaginal delivery, forceps, or C-section?	1. VAGINAL DELIVERY→ GO TO Q370	1. VAGINAL DELIVERY→ GO TO Q370 2. FORCEPS ("APARAT")→ GO TO Q370 3. CESAREAN SECTION	1. VAGINAL DELIVERY→ GO TO Q370 2. FORCEPS ("APARAT")→ GO TO Q370 3. CESAREAN SECTION
369. Do you know what was the most important reason that you had to deliver by cesarean section?	1. BABY TOO BIG (CPD) 2. MALPRESENTATION 3. BABY STARTED TO SUFFER 4. PROLONGED LABOR/FAILED INDUCTION 5. OBSTETRIC HEMORRHAGE 6. PREVIOUS C- SECTION 7. ON REQUEST 20. OTHER 88. DON'T KNOW	1. BABY TOO BIG (CPD) 2. MALPRESENTATION 3. BABY STARTED TO SUFFER 4. PROLONGED LABOR/FAILED INDUCTION 5. OBSTETRIC HEMORRHAGE 6. PREVIOUS C- SECTION 7. ON REQUEST 20. OTHER 88. DON'T KNOW	1. BABY TOO BIG (CPD) 2. MALPRESENTATION 3. BABY STARTED TO SUFFER 4. PROLONGED LABOR/FAILED INDUCT. 5. OBSTETRIC HEMORRHAGE 6. PREVIOUS C- SECTION 7. ON REQUEST 20. OTHER 88. DON'T KNOW
370. How long had you been in labor with that pregnancy (regular contractions 5' apart)	HOURS 77. C-SECTION BEFORE LABOR 88. DK/DR	HOURS 77. C-SECTION BEFORE LABOR 88. DK/DR	HOURS 77. C-SECTION BEFORE LABOR 88. DK/DR
371. Who attended the delivery of that child?	1. PHYSICIAN 2. NURSE/MIDWIFE 3. TRADITIONAL BIRTH ATTENDANT 4. OTHER 5. UNATTENDED	1. PHYSICIAN 2. NURSE/MIDWIFE 3. TRADITIONAL BIRTH ATTENDANT 4. OTHER 5. UNATTENDED	1. PHYSICIAN 2. NURSE/MIDWIFE 3. TRADITIONAL BIRTH ATTENDANT 4. OTHER 5. UNATTENDED
372. How much did the baby weigh at birth?	GRAMS → GO TO Q374 8888 DON'T KNOW	GRAMS → GO TO Q374 8888 DON'T KNOW	GRAMS → GO TO Q374 8888 DON'T KNOW
373. Do you know if the baby weighed less than 2500 g or was considered too small?	1. YES, WAS LESS THAN 2500g 2. NO, WAS MORE THAN 2500g 8. DK/DR	1. YES, WAS LESS THAN 2500g 2. NO, WAS MORE THAN 2500g 8. DK/DR	1. YES, WAS LESS THAN 2500g 2. NO, WAS MORE THAN 2500g 3. DK/DR
374. During the first 6 weeks after birth, did you have any of the following complications: (READ A-I)	A. Severe Bleeding 1 2 B. Bad-smelling Vaginal Discharge 1 2 C. Infection of Surgical Wound 1 2 D. Faint/coma 1 2 E. High Fever (39-40c) 1 2 F. Painful Urination 1 2 G. Painful Uterus (pelvic pain) 1 2 H. Breast Infection 1 2 I. Other 1 2	A. Severe Bleeding 1 2 B. Bad-smelling Vaginal Discharge 1 2 C. Infection of Surgical Wound 1 2 D. Faint/coma 1 2 E. High Fever (39-40c) 1 2 F. Painful Urination 1 2 G. Painful Uterus (pelvic pain) 1 2 H. Breast Infection 1 2 I. Other	A. Severe Bleeding 1 2 B. Bad-smelling Discharge 1 2 C. Infection of Surgical Wound 1 2 D. Faint/coma 1 2 E. High Fever (39-40c) 1 2 F. Painfu Urination 1 2 G. Painful Uterus (pelvic pain) 1 2 H. Breast Infection 1 2 I. Other_ 1 2
375. After leaving the hospital (DO NOT READ IF HOME DELIVERY) did you have any postdelivery check-ups?	 YES NO → GO TO Q378 DO NOT REMEMBER → GO TO Q378 	 YES NO → GO TO Q378 DON'T REMEMBER → GO TO Q378 	 YES NO → GO TO Q378 DO NOT REMEMBER→GO TO Q378
376. How many days or weeks after the delivery did the first check take place?	1 DAYS 000. SAME DAY OR 88. DON'T REMEMBER 2 WEEKS	1 DAYS	1 DAYS
377. During those visit(s) did you receive information about: (READ A-F)	A. Breastfeeding 1 2 B. Breast Care 1 2 C. Child Care 1 2 D. Immunization 1 2 E. Nutrition 1 2 F. Contraception 1 2	YES NO	YES NO
378. For how many months after birth did you not have a period?	MONTHS 88. DK/DR 77. NOT YET	MONTHS 88. DK/DR	MONTHS 88. DK/DR
379. How many months after birth did you resume sexual relations?	MONTHS 88. DK/DR 77. NOT YET	MONTHS 88. DK/DR	MONTHS 88. DK/DR

			· · · · · · · · · · · · · · · · · · ·
	$\begin{array}{c} \text{LAST BIRTH} \\ \text{IF STILLBIRTH} \ \rightarrow \ \text{NEXT BIRTH} \end{array}$	NEXT TO LAST BIRTH IF STILLBIRTH → NEXT BIRTH	SECOND TO LAST BIRTH IF STILLBIRTH → MODULE IV
380. After leaving the hospital (DO NOT READ IF HOME DE-LIVERY) did a health professional check on the baby's health?	1. YES 2. NO → GO TO Q382 3. NO, BABY DIED- → GO TO Q382 8. DO NOT REMEMBER → GO TO Q382	1. YES 2. NO → GO TO Q382 3. NO, BABY DIED- → GO TO Q382 8. DO NOT REMEMBER → GO TO Q382	1. YES 2. NO → GO TO Q382 3. NO, BABY DIED- → GO TO Q382 8. DO NOT REMEMBER → GO TO Q382
381. How many days or weeks after delivery did the first health check take place?	1 DAYS OR 2 WEEKS 000. SAME DAY 888. DO NOT REMEMBER	1 DAYS OR 2 WEEKS 000. SAME DAY 888. DO NOT REMEMBER	1 DAYS OR 2 WEEKS 000. SAME DAY 888. DO NOT REMEMBER
was sick or was a rou- tine health exam?	HEALTH CHECK FOR SICKNESS ROUTINE HEALTH CHECK DO NOT REMEMBER	HEALTH CHECK FOR SICKNESS ROUTINE HEALTH CHECK DO NOT REMEMBER	HEALTH CHECK FOR SICKNESS ROUTINE HEALTH CHECK DO NOT REMEMBER
weeks after the delivery did you register the		1 DAYS OR 2 WEEKS 000. NOT REGISTERED YET 777. BABY DIED AND NOT REGISTERED 888. DO NOT REMEMBER	1DAYS OR 2WEEKS 000. NOT REGISTERED YET 777. BABY DIED AND NOT REGISTERED 888. DO NOT REMEMBER
383. Did you breast- feed?	 YES NO → GO TO Q387 NO, INFANT DIED → NEXT BIRTH 	1. YES 2. NO \rightarrow GO TO Q387 3. NO, INFANT DIED \rightarrow NEXT BIRTH	1. YES 2. NO → GO TO Q387 3. NO, INFANT DIED → MODULE IV
384. How long after birth did you start breastfeeding?	1HOURS 777. LESS THAN 1HR OR 2DAYS 888. DON'T REMEMB.	1 HOURS 777. LESS THAN 1HR OR 2 DAYS 888. DON'T RE- MEMB.	1 HOURS 777. LESS THAN 1HR OR 2 DAYS 888. DON'T REMEMB.
385. Are you still breastfeeding?	1. YES \rightarrow GO TO Q387 2. NO 3. NO, INFANT DIED \rightarrow NEXT BIRTH		
386. How old was the baby when you stopped breastfeeding?	1 DAYS OR 2 WEEKS OR 888. DK/DR 3 MTHS	1 DAYS OR 2 WEEKS OR 888. DK/DR 3 MTHS	1 DAYS OR 2 WEEKS OR 888. DK/DR 3 MTHS
387. How old was the baby when you gave him/her water or other liquids?	2. WEEKS OR 888. DK/DR	1 DAYS OR 777. NOT YET 2 WEEKS OR 888. DK/DR 3 MTHS	1 DAYS OR 777. NOT YET 2 WEEKS OR 888. DK/DR 3 MTHS
baby when you started feeding with formula or other milk?	2 WEEKS OR	1 DAYS OR	1 DAYS OR 777. NOT YET 2 WEEKS OR 888. DK/DR 3 MTHS
389. How old was the baby when you started feeding with solid or semi-solid food?	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 WEEKS OR 777. NOT YET 2 MTHS 888. DK/DR	1WEEKS OR 777. NOT YET 2MTHS 888. DK/DR
390. Why did you stop breastfeeding this baby? FOR WOMEN WHO DID NOT BREAST-FEED (Q383=2) ASK: Why did you not breastfeed this baby?	3. CHILD DIED 4. NIPPLE/BREAST PROBLEMS 5. NOT ENOUGH MILK 6. MOTHER WORKING 7. CHILD REFUSED 8. BECAME PREGNANT 9. WEANING AGE/AGE TO STOP 10. PREFERRED BOTTLE-FEEDING 20. OTHER 88. DK/DR	1. MOTHER WEAK/ILL 2. CHILD WEAK/ILL 3. CHILD DIED 4. NIPPLE/BREAST PROBLEMS 5. NOT ENOUGH MILK 6. MOTHER WORKING 7. CHILD REFUSED 8. BECAME PREGNANT 9. WEANING AGE/AGE TO STOP 10. PREFERRED BOTTLE-FEEDING 20. OTHER 88. DK/DR	1. MOTHER WEAK/ILL 2. CHILD WEAK/ILL 3. CHILD DIED 4. NIPPLE/BREAST PROBLEMS 5. NOT ENOUGH MILK 6. MOTHER WORKING 7. CHILD REFUSED 8. BECAME PREGNANT 9. WEANING AGE/AGE TO STOP 10. PREFERRED BOTTLE-FEEDING 20. OTHER
	NEXT BIRTH	NEXT BIRTH	GO TO MODULE IV

MODULE IV: FAMILY PLANNING KNOWLEDGE/ SEXUAL EXPERIENCE

For each of the following methods of preventing pregnancy, please tell me:

METHOD	400. Have you ever heard of it?	401. Do you know how to use it?	402. Have you ever used it?	403. Do you know where to get it?	404. What was the most important source of information about this method (SEE CODES BELOW)
A. The Pill (Oral Contraceptives)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{B}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
B. IUD (Spirali)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{C}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
C. Condoms (Prezervativ)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{D}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
D. Foam/Jelly/ Cream/Foamy Tablets (Spermicides)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{E}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
E. Tubal Ligation	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{F}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
F. Vasectomy (Male Sterilization)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{G}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
G. Injectables (e.g. Depo-Provera)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{H}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
H. Emergency Hormonal Contraception ("Morning After Pill"; Postinor)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{I}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$	
I. Rhythm/Calendar Method	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{J}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$		
J. Withdrawal (Coitus Interruptus)	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{K}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$		
K. Other contraceptive methods (SPECIFY):	$1 \text{ YES} \rightarrow \text{Q401}$ $2 \text{ NO} \rightarrow \text{Q405}$	$1 \text{ YES} \rightarrow \text{Q402}$ $2 \text{ NO} \rightarrow \text{Q402}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$		

CODES FOR Q404 (DO NOT READ)

1. MOTHER	10. NURSE, MIDWIFE, FELDCHER
2. FATHER	11. COMMUNITY HEALTH WORKER
3. RELATIVE	12. TEACHER
4. BOYFRIEND	13. PHARMACIST
5. FRIENDS	14. BOOKS
6. CO-WORKER	15 NEWSPAPERS, MAGAZINES, BROCHURE, FLYERS
7. COLLEAGUES, PEER	16. RADIO
8.PARTNER/HUSBAND	17. TV
9. DOCTOR	20. OTHER (SPECIFY):
	88 DON'T REMEMBER

405.	Looking at this CARD, please tell me which do you think is the most effective contraceptive method? (SHOW CARD A)
	1. The Pill 2. IUD

- 6. Foams/jelly/creams/Foamy Tablets
- 7. Tubal Ligation
- 8. Emergency Hormonal Contraception ("Morning After Pill")
- 9. Injectables (Depo-Provera)
- 10. Vasectomy (Male Sterilization)
- 11. Rhythm Method
- 12. Withdrawal

3. Condom

- 77. NONE OF THEM
- 88. DON'T KNOW/NOT SURE

406.	How would you rate each of the following methods with regard to effectiveness at preventing pregnancy?
	Would you say that is very effective, effective, somewhat effective, not very effective or
	not at all effective? (INTERVIEWER: ASK THE QUESTION FOR EACH OF THE METHODS LISTED
	BELOW, UNLESS RESPONDENT HAS SAID IN Q400 THAT SHE NEVER HEARD OF THAT SPECIFIC
	METHOD; MARK "9" FOR THOSE CASES WITHOUT ASKING)

	Very <u>Effective</u>	Effective	Somewhat <u>Effective</u>	Not Very <u>Effective</u>	Not <u>Effective</u>	DO NOT KNOW	NEVER <u>HEARD</u>
1. The Pill	1	2	3	4	5	8	9
2. Iud	1	2	3	4	5	8	9
3. Condom	1	2	3	4	5	8	9
7. Tubal Ligation	1	2	3	4	5	8	9
9. Injectables	1	2	3	4	5	8	9
11. Calendar	1	2	3	4	5	8	9
12. Withdrawal	1	2	3	4	5	8	9

BOX 4-I

IF RESPONDENT IS 15-24 YEARS OF AGE CONTINUE; IF S	SHE IS 25-44 YEARS GO TO Q420 PAGE 24
--	---------------------------------------

408.	How old were you when you had your first menstruation	AGE	00. NOT YET
			88. DON'T REMEMBER
			99. REFUSE TO ANSWER

- 409. Did you know what menstruation was at that time?
 - 1. YES
 - 2. NO
 - 8 NO SR410.

410.		al intercourse. When did you have sexual intercourse for (PROBE: Can you tell me what year that was?)
	88. De	EVER HAD INTERCOURSE \rightarrow GO TO Q601, PG 36 ON'T REMEMBER EFUSE TO ANSWER
411.	How old were you at that time? Y	EARS 88. DON'T REMEMBER
412.	At the time you first had sexual intercourse, what	was your relationship to that man?
	 HUSBAND, CONSENSUAL PARTNER FIANCEE BOYFRIEND FRIEND LOVER ACQUAINTANCE 	 7. JUST MET 8. RELATIVE 9. RAPE → GO TO Q421 10 INCEST → GO TO Q421 20. OTHER(SPECIFY) 88. DO NOT REMEMBER/REF
413.	How long were you and your first partner dating	when you first had sexual relations?
	1 DAYS OR 2 WEEKS OR 000=FIRST TIME WE MET 888=DON'T REMEMBER 999=NO RESPONSE 777=OTHER	3MONTHS OR 4YEARS
414.	How old was your first partner?	YEARS 88. DK/DR
415.	Before you had sex for the first time, did you and 1. YES 2. NO 8. DON'T REMEMBER	your partner ever talk about using contraception?
416.	At the time you had first sexual intercourse, did y 1. YES 2. NO → GO TO Q419 8. DK/DO NOT REMEMBER → GO TO Q421 9. REF → GO TO Q421	
417.	Which contraceptive method did you or your part 1 THE PILL 2 IUD 3 CONDOM 6 FOAM/JELLY/CREAM/VAGINAL FILMS 8 EMERGENCY HORMONAL CONTRACEP 9 INJECTABLES 10 OTHER MODERN METHODS 11 CALENDAR METHOD 12 WITHDRAWAL 19 DOUCHE 20 OTHER: 88 DON'T KNOW/DON'T REMEMBER	TION

	 You Your partner Both you and your partner DON'T REMEMBER
	GO TO Q421
419.	What was the main reason for not using a contraceptive method at that time?
	 SEX WAS NOT EXPECTED THOUGHT IT WAS A SAFE TIME OF THE MONTH DID NOT KNOW WHERE TO GET A METHOD//DIFFICULT TO GET/NOT AVAILABLE RESPONDENT WAS AGAINST IT PARTNER WAS AGAINST IT DID NOT KNOW ABOUT CONTRACEPTION WANTED TO GET PREGNANT THOUGHT THAT CONTRACEPTIVE METHODS ARE HARMFUL DID NOT THINK ABOUT USING A METHOD/NEGLIGENCE RESPONDENT AFRAID OF PARTNER'S REACTION TOO DRUNK (PARTNER OR RESPONDENT) RESPONDENT WAS TOO EMBARRASSED TO USE A METHOD OTHER (SPECIFY) DON'T REMEMBER/DON'T KNOW
	GO TO Q421
420.	How old were you at the time of your first sexual intercourse? YEARS 00. NEVER HAD INTERCOURSE- → GO TO Q601 PAGE 36 88. DK/DR
421.	During the past 30 days (past month) have you had sexual intercourse? 1. YES 2. NO → GO TO Q436 9. REF → GO TO Q436
422.	How often have you had sexual intercourse during the past 30 days (READ 1-5)? 1. Every day 2. 3-5 times per week, 3. 1-2 times per week, 4. 2-3 times per month, or 5. Only once 9. REF

Who made the decision to use contraception at that time? (READ 1-3)

418.

436.	During the past 3 months, have you had sexual intercourse?				
	 YES NO → GO TO Q453 REF → GO TO Q453 				
445.	During the past 3 months, with sexual partner, even those you			u had intercourse? Please count every	
	PARTNERS	88. DK 99. NR			
453.	When was the last time you ha	d sexual intercour	rse?		
	MONTH		YEAR	88. DK/DR 99. REFUSE TO ANSWER	
454.	At the time of your last interco	ourse, what was yo	our relationship v	with that man?	
	 HUSBAND, CONSENSU FIANCEE BOYFRIEND FRIEND LOVER ACQUAINTANCE 	AL PARTNER	10INCEST 20. OTHER		
455.	At the time you had your last s	exual intercourse,	, did you or your	partner use any contraceptive method?	
	1. YES 2. NO \rightarrow GO TO Q460 9. DK/REF \rightarrow GO TO Q460				
456.	Which contraceptive method d	id you or your par	rtner use at the la	ast intercourse?	
460.	1. THE PILL 2. IUD 3. CONDOM 4. CONDOM +SPERMICIE 5. CONDOM +WITHDRAW 6. FOAM/JELLY/CREAMS 7. FEMALE STERILIZATION 8. EMERGENCY HORMON 9. INJECTABLES(DEPO PORT 10. OTHER MODERN MET 11. CALENDAR 12. WITHDRAWAL 13. WITHDRAWAL 14. WITHDRAWAL 15. WITHDRAWAL 16. OTHER TRADITIONAL 17. SEMAN OF SURE Counting all the men you had sexual intercourse with in your	VAL/CALENDAF /C-FILMS ON NAL CONTRACE ROVERA) HODS ALENDAR METHODS sexual intercourse	EPTION	once, how many partners have you had	
	PARTNERS	85. 85+ PAR 88. DK 99. NR	TNERS		

V. CURRENT AND PAST CONTRACEPTIVE USE

- 501. RECORD WHETHER RESPONDENT REPORTED HAVING USED ANY METHOD (ANY Q402=1 AT PG.20)
 - 1 NEVER USED (NO Q402=1)
 - 2 EVER USED (ANY Q402=1)- \rightarrow GO TO Q503
- 502. So, you said that you or any of your partners have never used any method to prevent pregnancy?
 - 1. NEVER USED \rightarrow GO TO Q515, PAGE 27
 - 2. EVER USED → CORRECT Q402 THEN CONTINUE
- Are you (or your partner) currently using (in the last 30 days) any method or doing anything to prevent pregnancy?
 - 1. YES
 - 2. NO \rightarrow GO TO Q515 PAGE 27
- 504. What method are you currently using?
- 1. THE PILL
- 2. IUD
- 3. CONDOM \rightarrow **GO TO Q506**
- 4. CONDOM +SPERMICIDE → GO TO Q506
- 5. CONDOM +WITHDRAWAL/CALENDAR \rightarrow GO TO Q506
- 6. FOAM/JELLY/CREAMS/C-FILMS
- 7. FEMALE STERILIZATION
- 8. EMERGENCY HORMONAL CONTRACEPTION
- 9. INJECTABLES(DEPO PROVERA)
- 10. OTHER MODERN METHODS
- 11. CALENDAR
- 12. WITHDRAWAL
- 13. WITHDRAWAL AND CALENDAR
- 20. OTHER TRADITIONAL METHODS
- 88. NOT SURE
- 505. In the last 30 days, did you and your partner ever use a condom in addition to the method you are using?
 - 1. YES
 - 2. NO

IF Q504=1,2,7, 9, 10, 11, or 88 GO TO Q507

- 506. In the last 30 days how often did you/your partner use this method (METHOD MENTIONED IN Q504) (READ 1-4)?
 - 1. Always, at each sexual intercourse,
 - 2. almost always,
 - 3. Sometimes,
 - 4. Only once
 - 9. REF
- 507. What was the most important reason for choosing this method?
 - 1. DOCTOR RECOMMENDED
 - 2. AFFORDABLE COST
 - 3. VERY EFFECTIVE
 - 4. VERY SAFE (FEW SIDE EFFECTS)
 - 5. SAW ADS (TV, RADIO, PRESS, BROCHURES)
 - 6. EASY TO USE
 - 7. PARTNER PREFERS IT
 - 8. KNOWS SOMEBODY WHO USES IT
 - 9. CURIOSITY/WANTED TO TRY IT
 - 10. ALLOWS SPONTANEITY DURING INTERCOURSE
 - 20. OTHER
 - 88. DO NOT KNOW/ DO NOT REMEMBER

BOX 5-I

IF Q504 = 1-10, OR 88 GO TO Q510; IF SHE USES NATURAL METHODS (Q504 =11-20), CONTINUE

Appendix C

508.	Please tell me whether each of the following	g reasons was very important, somewhat important, or not
	important at all in your decision to use	(CODE FROM Q504 FOR TRADITIONAL METHOD)
	instead of a modern method:	

	Very <u>Important</u>	Somewhat <u>Important</u>	Not <u>Important</u>	Not <u>Sure</u>
A. Difficult to get a modern method	1	2	3	8
B. Cost of these modern methods	1	2	3	8
C. Little knowledge of modern methods	1	2	3	8
D. Fear of or experience with side effects	1	2	3	8
E. Husband/Partner choice	1	2	3	8
F. Religious beliefs	1	2	3	8
G. Doctor's recommendation	1	2	3	8
H. Another person's advice	1	2	3	8

509.	How effective at preventing pr	egnancy do you think	(CODE FROM Q50	(CODE FROM Q504 FOR		
	TRADITIONAL METHOD)	is compared to modern methods	s, like the pill or the IUD?	(READ 1-3)		

1. Current method more effective

- 2. About equally effective
- 3. Current method less effective
- 8. DON'T KNOW/NOT SURE
- 510. Do you have any problems or concerns with using your current method?
 - 1. YES
 - 2. NO \rightarrow GO TO Q512
- 511. What is the most important problem?
 - 1. SIDE EFFECTS
 - 2. HEALTH CONCERNS
 - 3. ACCESS/AVAILABILITY
 - 4. COST
 - 5. SOMETIMES FORGET TO USE
 - 6. SOMETIMES DIFFICULT/INCONVENIENT TO USE
 - 7. HUSBAND/PARTNER DISAPPROVES
 - 8. LESS EFFECTIVE METHOD/GOT PREGNANT WHILE USING IT
 - 9. DEEPLY UNSATISFIED WITH THE METHOD
 - 0. OTHER
- 512. Would you prefer to use a different method of family planning from the one you are currently using?
 - 1. YES
 - 2. NO \rightarrow GO TO BOX 5-II
- 513. What method would you prefer to use (OTHER THAN THE METHOD SPECIFIED IN Q504)?
 - 1. THE PILL
 - 2. IUD
 - 3. CONDOM
 - 4. CONDOM +SPERMICIDE
 - 5. CONDOM +WITHDRAWAL/CALENDAR-
 - 6. FOAM/JELLY/CREAMS/C-FILMS
 - 7. FEMALE STERILIZATION
 - 8. EMERGENCY HORMONAL CONTRACEPTION
 - 9. INJECTABLES (DEPO PROVERA)
 - 10. OTHER MODERN METHODS_____
 - 11. CALENDAR
 - 12. WITHDRAWAL
 - 13. WITHDRAWAL AND CALENDAR
 - 20. OTHER TRADITIONAL METHODS
 - 88. DO NOT NOW/NO SR514.

- 514. What is the most important reason that you do not use that method? 1. DOCTOR WILL NOT PRESCRIBE IT 2. COST 3. NOT AVAILABLE/UNRELIABLE SUPPLIES/DIFFICULT TO OBTAIN 4. TOO FAR AWAY 5. DO NOT KNOW HOW/WHERE TO OBTAIN IT 6. HUSBAND/PARTNER OBJECTS TO IT 7. RELIGIOUS REASONS 8. FEAR OF SIDE EFFECTS 9. HAS NOT YET MADE UP HER MIND 10. DIFFICULT TO USE 11. FEAR OF SURGICAL PROCEDURE (IUD, TL, NORPLANT) 20. OTHER 88. DON'T KNOW BOX 5-II GO TO O 521 PAGE 28 515. What is the main reason that you or your partner are not currently using a contraceptive method? 1. DOES NOT CURRENTLY HAVE A PARTNER/ NOT SEXUALLY ACTIVE IN THE LAST MONTH 2. TRYING TO GET PREGNANT 3. POSTPARTUM/ BREASTFEEDING 4. CURRENTLY PREGNANT 5. HYSTERECTOMY/MENOPAUSE \rightarrow GO TO Q523 6. DOCTOR SAID SHE OR HER PARTNER CANNOT HAVE CHILDREN → GO TOQ523 SHE/COUPLE TRIED TO GET PREGNANT FOR AT LEAST 2 YEARS AND DIDN'T SUCCEED ightarrow Q523 8. FEAR OF SIDE EFFECTS 9. LOVEMAKING WOULD BE INTERRUPTED 10. RESPONDENT DID NOT THINK ABOUT USING CONTRACEPTION 11. COST, CANNOT AFFORD BIRTH CONTROL 12. BIRTH CONTROL IS THE PARTNER'S RESPONSIBILITY 13. BIRTH CONTROL IS NOT (VERY) EFFECTIVE 14. RESPONDENT DOES NOT WANT TO USE A METHOD 15. PARTNER OBJECTS TO USING METHOD 16. OBJECTS DUE TO RELIGIOUS REASONS 17. DOES NOT KNOW WHERE TO GET METHOD 18. RESPONDENT DOES NOT KNOW HOW TO USE BIRTH CONTROL METHODS 19. RESPONDENT DOES NOT THINK THAT SHE CAN GET PREGNANT 20. RESPONDENT USES DOUCHING 77. OTHER (SPECIFY) 88. DK/REF 516. Do you think that you will use a contraceptive method during the next 12 months (ADD:OTHER THAN DOUCHING IF Q515=20)? 1. YES \rightarrow GO TO Q518 2. NO 8. NOT SURE 517. Do you think that you will use a contraceptive method any time in the future? 1. YES 2. NO \rightarrow **GO TO Q521** 8. NOT SURE \rightarrow **GO TO Q521** 518. What method would you want to use most? 1. THE PILL 2. IUD 3. CONDOM 4. CONDOM +SPERMICIDE 5. CONDOM +WITHDRAWAL/CALENDAR-
 - 6. FOAM/JELLY/CREAMS/C-FILMS
 - 7. FEMALE STERILIZATION
 - 8. EMERGENCY HORMONAL CONTRACEPTION
 - 9. INJECTABLES(DEPO PROVERA)
 - 10. OTHER MODERN METHODS
 - 11. CALENDAR \rightarrow GO TO Q521
 - 12. WITHDRAWAL \rightarrow GO TO Q521
 - 13. WITHDRAWAL + CALENDAR \rightarrow GO TO Q521
 - 20. OTHER \rightarrow GO TO Q521
 - 88. NOT SURE \rightarrow GO TO Q521

Appendix C

519.	On average, how much are you willing to pay HUNDRED LEKE	for contraception, per month? 85. 85 HUNDRED LEKE OR MORE 98. NOT SURE/DON'T KNOW
520.	Where would you want to get your contracep 1. HEALTH POST 2. HEALTH CENTER 3. POLICLINIC 4. FAMILY PLANNING CLINIC 5. GOV HOSPITAL-MATERNITY WARD 6. PRIVATE CLINIC OR OFFICE 7. NGO	8. PHARMACY 9. OPEN MARKET 10. STORE/ KIOSK 11. PARTNER/HUSBAND 12. FRIEND 13. RELATIVE 20. OTHER (SPECIFY): 88. DON'T KNOW
521.	During the last year, how often did you talk a 1. NEVER → GO TO Q523 2. ONE OR TWO TIMES 3. THREE TIMES OR MORE 4. RESPONDENT HAD NO PARTNER DURING	bout contraception with your husband/ partner? G THE LAST YEAR → GO TO Q523
522.	Generally, does your husband/ partner agree of 1. AGREES 2. DISAGREES 3. NEITHER AGREES NOR DISAGREES 8. NOT SURE/DON'T KNOW	or disagree with the use of contraceptive methods?
523.		han birth control, for instance because they are concerned about tercourse. Have you ever used condoms for: (READ 1-4)
524.	Why have you and your partner(s) never used 1. PREVENTING PREGNANCY IS WOMAN' 2. PARTNER(S) OBJECTED TO USE CONDO 3. HAVE ONLY ONE PARTNER 4. THEY ARE ONLY FOR USE WITH PROST 5. THEY ARE ONLY FOR EXTRAMARITAL 6. CONDOMS DIMINISH PLEASURE/SPON' 7. CONDOMS ARE LESS EFFECTIVE IN PR 8. CONDOMS ARE TOO DIFFICULT TO USE 9. LOVEMAKING WOULD BE INTERRUPTI 10. CONDOM USE IS TOO MESSY 11. COST 12. SHE HAS NEVER THOUGHT ABOUT IT 13. IT IS EMBARRASSING TO BUY CONDON 14. PREFERS OTHER CONTRACEPTIVE MET 20. OTHER	S RESPONSIBILITY DMS ITUTES RELATIONS IANEITY EVENTING PREGNANCY E ED

BOX 5-III

88. DON'T KNOW

FIRST COMPLETE COLUMN 1 AND 4 (SEE PREGNANCY HISTORY PG.9-13 AND MARITAL HISTORY PAGE 3). USING INFO FROM THE COMPLETED COLUMNS, ASK THE MONTH-BY-MONTH CONTRACEPTIVE HISTORY STARTING WITH THE CURRENT MONTH AND GOING BACK TO JANUARY 1997.

- \rightarrow IF RESPONDENT HAS USED ANY CONTRACEPTIVE METHOD SINCE JANUARY 1997, FILL IN ALL FOUR COLUMNS OF THE CALENDAR
- \rightarrow IF NO METHOD HAS BEEN USED SINCE JANUARY 1997, WRITE "0" AT THE BEGINNING AND THE END OF THE 2ND COLUMN THEN GO TO Q551, PAGE 33

88. DK/DO NOT REMEMBER

When did you start using that method?

MONTH ___ YEAR ___ __ __

527. LAST CONTRACEPTIVE METHOD USED (COPY THE METHOD FROM THE CONTRACEPTIVE CALENDAR):

	1. THE PILL 2. IUD 3. CONDOM 4. CONDOM +SPERMICIDES 5. CONDOM +WITHDRAWAL/CALEND 6. FOAM/JELLY/CREAMS 7. FEMALE STERILIZATION 8. EMERGENCY HORMONAL CONTR	20. OTHER TRADITIONAL MET. → GO TO Q536 88. DO NOT REMEMBER → GO TO Q536					
528.	The next following questions concern the last method?	contraceptive method you have used. Where did you get that					
	 HEALTH POST HEALTH CENTER POLICLINIC FAMILY PLANNING CLINIC GOV HOSPITAL-MATERNITY WARD PRIVATE CLINIC OR OFFICE NGO 	8. PHARMACY 9. OPEN MARKET 10. STORE/ KIOSK 11. PARTNER/HUSBAND 12. FRIEND 13. RELATIVE 20. OTHER (SPECIFY): 88. DON'T KNOW					
529	Do (Did) you pay for this method?						
	1. YES 2. NO \rightarrow GO TO Q531 3. PARTNER GETS THE METHOD \rightarrow GO T	ГО Q531					
530.	On average, how much did you pay for contraception, per month?						
	HUNDRED LEKE	85. 85 HUNDRED LEKE OR MORE 98. NOT SURE/DON'T KNOW					
531.	At the time you started using the last contrace	eptive method, who advised you about how to use that method?					
	 OB/GYN GENERAL PRACTITIONER NURSE/MIDWIFE/FELDCHER PHARMACIST → GO TO Q536 MOTHER → GO TO Q536 	 6. OTHER RELATIVE → GO TO Q536 7. FRIEND- → GO TO Q536 8. PARTNER → GO TO Q536 9. NOBODY → GO TO Q536 20. OTHER → GO TO Q536 					
532.	When you received the information concernin contraceptive methods?	ng use of the method, did the health provider tell you about other					
	 YES NO → GO TO Q534 						
533.	Did the health provider explain how effective	your method is compared to other contraceptive methods?					
	1. YES 2. NO						
534.	Did the health provider explain the possible si	ide effects of your method?					
	1. YES 2. NO						

536.	OBSERVE THE CALENDAR AND RECORD IF RESPONDENT HAS USED PILLS OR IUD AT ANY TIME DURING THE PAST FIVE YEARS:						
	 ONLY PILLS PILL AND IUD ONLY IUD → GO TO QS NEITHER PILL NOR IU 	543 ID (OTHER MODERN OR TR	RAD. METHODS) → GO	TO BOX 5-V, PG. 33			
537.		AR AND VERIFY IN WHAT M S MOST RECENTLY (PAST O					
	MONTH	YEAR	88. DO NOT REMEM	MBER			
538.	What brand of pills did you us CURRENTLY USING PILI	se most recently? (SHOW CARLS)	RD B; ASK TO SEE PAC	KAGE, IF SHE IS			
	 BISECURIN CILEST CYCLO-PROGYNOVA DIANE-35 FEMODEN FERTILAN GYNOFEN 35 	8. MARVELON 9. MERCILON 10. MICROGYNON 11. NEOGYNON 12. OVIDON 13. POSTINOR 14. RIGEVIDON	15. SIGORAL 16. MICROLUT 20. OTHER 88. DO NOT KN				
539.		how long did your physician tel		nem? (Q539 REFERS TO			
		10. NEVER TALKED TO A DO 14. THREE OR MORE YEARS 15. AS LONG AS RESPONDEN 16. DID NOT SAY HOW LONG 17. OTHER (SPECIFY) 18. DON'T REMEMBER	(36 MONTHS OR MORE) IT WANTED/INDEFINITE I				
540.	At any time during the last us using pills?	age of pills have you had any he	alth problems or side effect	s that you think are related to			
	 YES NO → GO TO BOX IV 						
541.	What kind of problem or side	effect have you had? (CIRCLE	ALL MENTIONED, DO	NOT READ LIST)			
	B. BLURRED VISION, SEE C. WEIGHT GAIN D. NAUSEA E. BREAST TENDERNESS F. BLEEDING/SPOTTING E G. MOOD CHANGES (LESS	NES ING FLASHING LIGHTS BETWEEN MENSTRUAL PERIS INTEREST IN SEX, DEPRESS		2 2 2 2 2 2 2 2 2 2 2 2			

Appendix C

542.	Was this problem serious enough that you went to a doctor or clinic about it?						
	1. YES						
	2. NO						
BOX		A CAMERO CANANTA A CAMERO COMO DON A VIDA CICAR DA CAMERO CONTINUE					
L	IF RESPONDENT HA	AS USED ONLY PILLS (Q536=1) THEN GO TO BOX 5-V PAGE 33; ELSE CONTINUE					
543.		ENDAR AND VERIFY IN WHAT MONTH AND YEAR RESPONDENT HE LAST (OR CURRENT) IUD. You said you had an IUD inserted in					
	STARTED TO USE II	HE LAST (OR CURRENT) TOD. Tou said you had an TOD inserted in					
	MONTH	YEAR 88. DO NOT REMEMBER					
544.	Now, I want you to thin serted?	k back at the time when you had inserted your (last) IUD. Where did you have the IUD in-					
		1. HEALTH CENTER					
	2. POLICLINIC3. FAMILY PLANNING CLINIC						
	4. GOV HOSPITAL-MATERNITY WARD						
	5. PRIVATE CLINIC OR OFFICE6. MARIE STOPES						
545.	After the IUD was inserted, when did the physician tell you to come back for a routine check-up?						
	WEEKS	00 DID NOT SAY TO COME BACK FOR CHECK-UP					
		33 AFTER THE FIRST PERIOD 44 SAID TO COME BACK ANYTIME SHE WANTS					
		55 SAID TO COME BACK ONLY WHEN SHE HAS SPECIFIC PROBLEMS					
		77 OTHER (SPECIFY) 88 DON'T REMEMBER					
546.	When the IUD was inse	erted, did the physician tell you how to check that the IUD is in place?					
	1. YES						
	2. NO 8. DON'T REMEMBER						
547.	Did the physician tell ye	Did the physician tell you how long the IUD could be left in place?					
	1. YES						
	2. NO 8. DON'T REMEMBER						
548.	Thinking back to the fir think are related to your	st year after you had this IUD inserted, did you have any health problems or side effects that you r IUD?					
	1. YES						
	2. NO → GO TO BO ?	X 5-V ON NEXT PAGE					

549. What kind of problem or side effect did you have? ? (CIRCLE ALL MENTIONED, DO NOT READ LIST)

	MENTIONED	NOT MENTIONED
A. ABDOMINAL CRAMPING	1	2
B. HEAVY BLEEDING DURING MENSTRUAL PERI	ODS 1	2
C. SPOTTING/BLEEDING BETWEEN PERIODS	1	2
D. INFECTION/DISCHARGE/PID	1	2
E. PARTNER'S COMPLAINS ABOUT THE STRINGS	5 1	2
F. EXPULSION	1	2
G. OTHER (SPECIFY)	1	2

- 550. Did you see a doctor for this(ese) problem(s)?
 - 1. YES
 - 2. NO

BOX 5-V

IF ANY CONTRACEPTIVE METHOD WAS USED IN THE LAST MONTH (LAST CELL IN COLUMN 2 >"0") THEN GO TO Q553; ELSE CONTINUE

- Do you think you are physically able to get pregnant at the present time?
 - 1. YES \rightarrow GO TO Q553
 - 2. NO
 - 3. NOT SURE
 - 4. CURRENTLY PREGNANT \rightarrow **GO TO Q553**
- What is the main reason why you think you cannot get pregnant?
 - 1. RESPONDENT DOES NOT HAVE A PARTNER/ IS NOT SEXUALLY ACTIVE
 - 2. CURRENTLY BREAST-FEEDING /POSTPARTUM
 - 3. PELVIC IINFLAMMATORY DISEASE (PID)
 - 4. ENDOCRINE DYSFUNCTION
 - 5. HYSTERECTOMY (SURGICAL REMOVAL OF UTERUS) → GO TO Q558 PAGE 34
 - 6. PREMENOPAUSE/MENOPAUSE \rightarrow GO TO Q558 PAGE 34
 - 7. OVARIAN CYSTS/ OVARIAN DYSFUNCTION \rightarrow **GO TO Q557 PG. 34**
 - 8. RESPONDENT HAD BOTH TUBES REMOVED OR OBSTRUCTED \rightarrow GO TO Q557 PG. 34
 - 9. HAS TRIED TO GET PREGNANT IN THE PAST 2 YEARS AND DID NOT SUCCEED ightharpoonup GO TO Q557 PG. 34
 - 10. PARTNER HAD A MEDICAL OPERATION AND CANNOT HAVE CHILDREN → GO TO Q557 PG. 34
 - 11. PARTNER IS INFERTILE \rightarrow GO TO Q557 PG. 34
 - 12. CURRENTLY USES A METHOD (GO BACK TO Q504 AND CORRECT IT)
 - 20. OTHER (SPECIFY)
 - 88. DO NOT KNOW
 - 99. REFUSE TO ANSWER
- Looking to the future, do you yourself intend to have (a/another) baby at some time (**IF CURRENTLY PREGNANT ADD** "...after this pregnancy"?)
 - 1. WANTS A BABY
 - 2. DOES NOT WANT A BABY \rightarrow **GO TO Q555**
 - 3. RESPONDENT WANTS A BABY BUT PARTNER DISAGREES
 - 4. RESPONDENT DOES NOT WANT A BABY BUT PARTNER WANTS → GO TO O555
 - 8. DK \rightarrow **GO TO Q555**

554.	When do you, yourself, actually want to get pregnant (ag	gain)(READ 1-4)	
	 Right away, (DO NOT READ IF THE WOMAN IS Within the next 12 months, Within 1-2 years, or after 2 years? AFTER SHE MARRIES WHEN GOD WANTS 	ALREADY PREGNANT	Γ)
	8. DK		
555.	IF Q553 =1,3, OR 8 BEGIN WITH: "After having all Do you think you would be interested in having an operation."		
	1. YES \rightarrow GO TO Q558		
	 2. NO 3. ALREADY STERILIZED → GO TO Q558 8. NOT SURE 		
556.	What is the most important reason you wouldn't be inter	ested in such a procedure?	
	1. HEALTH RISKS/FEAR OF SIDE EFFECTS		
	 FEAR OF OPERATION DOESN'T KNOW ENOUGH ABOUT /NEVER HE 	ARD OF STERILIZATIO	N
	4. MIGHT WANT ANOTHER CHILD 5. COST		
	6. DOES NOT HAVE A PARTNER/NOT SEXUALLY		
	7. AGE TOO YOUNG OR TOO OLD (APPROACHIN8. HAVEN'T THOUGHT ABOUT IT	IG MENOPAUSE)	
	9. NOT CULTURALLY ACCEPTABLE 10. RELIGIOUS REASONS		
	11. PREFERS (OR USES) OTHER CONTRACEPTIVE		
	12. CANNOT GET PREGNANT (INFERTILITY, MED) 20. OTHER	ICAL REASONS)	
88.	DON'T KNOW		
	GO ТО	0559	
	GOTO	Q336	
557. L	Looking to the future, do you yourself intend to seek any me	edical help to have a(nother	r) baby ?
	1. YES 2. NO		
	3. RESPONDENT WANTS A BABY BUT PARTNER I		
	4. RESPONDENT DOES NOT WANT A BABY BUT P 8. DK	ARTNER WANTS	
558.	The next questions are about any infertility services you become pregnant that you or your husband(s)/partner(s) ever been to a doctor or other medical care provider to ta	may have received. Have y	ou or your husband(s)/partner(s)
	 YES NO → GO TO Q571 DK/NR → GO TO Q571 		
565.	Thinking back to your or your partner's first visit when y and year was that visit (IF PARTNER 1ST VISIT PREC		
	MONTH	YEAR	88. DK/NOT REMEMBER

566.	When you first went for medical help in (MONTH/YEAR), how many months or years had you (and your husband/partner) been trying to become pregnant?								
	1	MONTHS	OR	2	YEARS		888. DK/DR		
567.							come pregnant were y AND CODE ALL TH		ou
	B. Bloc	ked tubes?					rus fixes to other place	1	NO 2 2 2 2 2
	D Seme	en or sperm pro	blems (l	ow count	, poor motility,	varicocele)) ?	1	2 2 2
568.	During	the past 12 mos	nths, we	re you (a	nd your (husbar	nd/partner)	pursuing medical hel	p to become pregn	ant?
	1. YES 2. NO	S → GO TO Q5	70						
569.	During nant?	the past 12 mo	nths, hov	w many v	isits have you o	or your hus	band/partner made to	a doctor to help yo	u to get preg-
		_VISITS	88	8. DK/DR					
570.	In what	t month and yea	ır was yo	our (most	recent/last) vis	it for help t	to become pregnant?		
	A	MONTH	I	В	l	YEAR	88. DK/NOT REME	EMBER	
571.	pelvic i abdomi	Have you ever been treated for an infection in your fallopian tubes, womb, or ovaries, also called a pelvic infection, pelvic inflammatory disease, or P.I.D.? (IF DON'T KNOW, PROBE: This is a female infection that sometimes causes abdominal pain or lower stomach cramps.) NOTE: INFECTIONS OF THE VAGINA ALONE, ENDOMETRIOSIS, PELVIC TUMORS, AND CYSTS DO NOT COUNT AS PELVIC INFECTIONS							
		S → GO TO M ('NR → GO TO							
572.	Were you having any symptoms, such as pain, discharge, or bleeding, that caused you to go for treatment?								
	1. YES 2. NO	S							
573.	Please try to remember when you first received treatment for a pelvic infection or P.I.D. In what month and year was that?								
		MONTH		_		_YEAR	88. DK/N	OT REMEMBER	
574.	In what	In what month and year did you last receive treatment for a pelvic infection or P.I.D.?							
		MONTH		_		_YEAR	88. DK/N	OT REMEMBER	
575.	Altoget	Altogether, how many different times have you been hospitalized one night or longer for a pelvic infection?							
	2. ONO 3. 2-3 4. 4 TI	TIMES MES OR MOR	E	U LE VI					
576.		NOT REMEMI		you spend	l in the hospital	for a pelvi	ic infection or P.I.D.?		_ NIGHTS

VI. WOMEN'S HEALTH

Now I would like to ask you some questions about your health.

- In the past 12 months, have you visited any health facility for care for yourself, including obtaining preventive services, such as family planning counselling or health check-ups?
 - 1. YES
 - 2. NO \rightarrow GO TO O604
 - 8. DK/DO NOT REMEMBER \rightarrow GO TO Q604
- 602. Where did you receive these services (CIRCLE ALL MENTIONED AND PROBE "Any Other Place")?

<u>MENTIONED</u>	NOT MENTIONED
A. GOVT. HEALTH CLINIC OR HOSPITAL 1	2
B. PRIVATE HEALTH CLINIC OR HOSPITAL 1	2
C. INTERNATIONAL RELIEF ORGANIZATION (e.g. Red Cross) 1	2
D. LOCAL NGO (e.g. Albanian Family Planning)	2
E MARIE STOPES	2
F. OTHER 1	2

- During your visit in the past 12 months at the health facility, did a doctor or medical provider talk to you about family planning methods?
 - 1. YES
 - 2. NO
 - 8. DK
- Many different factors can prevent women from getting medical advice or treatment for themselves. When you want to get medical advice or treatment, is each of the following a big problem or not (**READ A -G**)?

<u>BIG I</u>	<u>PROBLEM</u>	NOT A BIG PROBLEM
A. Knowing where to go.	. 1	2
B. Getting permission to go	. 1	2
C. Getting money needed for treatment	1	2
D. The distance to the health facility	1	2
E. Having to take transport	. 1	2
F. Not wanting to go alone	. 1	2
G. Concern that there may not be a female health provider	. 1	2

- Have you ever had a routine gynecologic exam (PHYSICAL EXAMINATION OF EXTERNAL AND INTERNAL GENITAL AREA FOR DIAGNOSTIC OTHER THAN PREGNANCY)?
 - 1. YES \rightarrow GO TO Q607
 - 2. NO
 - 8. NR
- 606. What is the most important reason that you have never had a routine gynecologic exam?
 - 1. DOES NOT NEED TO GO TO GYNECOLOGIC EXAM
 - 2. SHE IS HEALTHY AND HAS NOT GYNECOLOGIC PROBLEMS
 - 3. THERE IS NOT TIME TO GO FOR EXAM
 - 4. SHE FORGETS ABOUT IT
 - 5. SHE DOES NOT LIKE GYNECOLOGIC EXAM
 - 6. IT IS DIFFICULT TO GET APPOINTMENT
 - 7. DOES NOT LIKE PLACE/FACILITY
 - 8. DOES NOT LIKE THE STAFF
 - 9. WAITING TIME IS TOO LONG
 - 10. DOCTOR DID NOT RECOMMEND
 - 11. SHE IS EMBARRASSED TO HAVE GYNECOLOGIC EXAM
 - 12. NEVER THOUGHT ABOUT IT
 - 13. DOES NOT KNOW WHERE TO GO FOR SUCH AN EXAM
 - 14. CANNOT AFFORD THE COST
 - 15. NEVER HAD SEXUAL INTERCOURSE (VIRGIN)
 - 20. OTHER
 - 88. DK/NOT RESPONSE

GO TO Q608

- 607. When was your last routine gynecologic exam (not pregnancy related)? (READ 1-4)
 - 1. During the past 12 months
 - 2. 1-2 years ago (12-23 MTH)
 - 3. 2-3 years ago (24-35 MTH)
 - 4. 3 or more years ago
 - 8. DK/DR
- Have you ever had a cervical smear (a test that takes a sample of cells from the cervix, or opening to the uterus to detect cancer), also called Papanicolau test?
 - 1. YES \rightarrow GO TO Q610
 - 2. NO
 - 8. DK
 - 9. REF
- 609. What is the main reason you have never had a Pap smear?
 - 1. NEVER HEARD OF IT
 - 2. DOCTOR HAS NOT RECOMMENDED IT
 - 3. SHE IS HEALTHY AND HAS NO GYNECOLOGIC PROBLEMS
 - 4. SHE DOES NOT FEEL TEST IS NECESSARY
 - 5. DOES NOT HAVE TIME TO GO FOR A TEST/ SHE FORGETS ABOUT IT
 - 6. NEVER THOUGHT OF IT
 - 7. SHE IS AFRAID OF THE RESULTS
 - 8. SHE IS AFRAID IT COULD BE PAINFUL
 - 9. TOO EMBARRASSED TO GET THE TEST OR A PELVIC EXAM.
 - 10. SHE HAD NO PARTNER/ NOT SEXUALLY ACTIVE
 - 11. NEVER HAD SEXUAL INTERCOURSE
 - 20. OTHER (SPECIFY):
 - 88. DON'T KNOW
 - 99. REFUSE TO ANSWER

GO TO Q611

- 10. When did you have your last Pap smear? Was it...(READ 1-4)
 - 1. within the last year, (O TO 11 MONTHS AGO)
 - 2. 1 to 2 years ago, (12 TO 23 MONTHS AGO)
 - 3. 2-3 years ago, (24 to 35 MONTHS AGO)
 - 4. more than 3 years ago? (36+MONTHS AGO)
 - 8. DON'T KNOW
- Have you heard about breast self-examinations?
 - 1. YES
 - 2. NO \rightarrow GO TO Q614
- Do you ever do breast self-examinations?
 - 1. YES
 - 2. NO \rightarrow GO TO Q614
- 613. How often do you do it, on average?
 - 1. ONCE A MONTH/AFTER EACH MENSTRUATION
 - 2. EVERY 2-5 MONTHS
 - 3. EVERY 6-11 MONTHS
 - 4. ONCE PER YEAR OR LESS

614.	Have you ever tried cig	arette smoking, even	one or two puffs?		
	1. YES 2. NO → GO TO 621				
615.	How old were you whe	n you smoked a cigar	rette for the first time?	?	
	YEARS	88. DO NOT R 99. REFUSE TO			
616.	Have you smoked at lea	ast 100 cigarettes in y	our entire life? (PRC	DBE: 100 cigarettes is about 5 packs)	
	1. YES 2. NO → GO TO 621 8. DK → GO TO 621 9. REF → GO TO 621				
617.	How old were you whe	n you first started sm	oking fairly regularly	?	
	YEARS	00. NEVER SM 88. DO NOT R 99. REFUSE T		LY	
618.	During the last 30 days	, did you smoke ciga	rettes: (READ 1-4)		
	 Every Day Almost Every Day Some Days Not at All in the last REF → GO TO Q62 		Q6 2 0		
619.	During the last 30 days	, on the days you smo	oked, how many cigar	rettes did you smoke per day?	
	 1. 1 CIGARETTE PER 2. 2-5 CIGARETTES 3. 6-10 CIGARETTES 4. 11-19 CIGARETTE 5. 20 OR MORE CIGA 	PER DAY PER DAY S PER DAY			
			GO TO Q621		
				ı	
620.	In what month and year	r did you last smoke o	cigarettes at all? (PR	OBE FOR SEASON IF MONTH IS UNKNOV	VN)
	MONTH			88. DO NOT REMEMBER 99. REF	,
621.	Now, I will ask you abo			have had. Has a doctor or other medical care prov	vider
	 YES NO → GO TO Q6 NOT SURE → GO REFUSAL → GO TO 	TO Q623			
622.	Were you ever told you	had diabetes when y	ou were not pregnant	?	
	1. YES 2. NO 3. NEVER BEEN PRE	GNANT			

623. Has a doctor or other medical care provider ever told you that you had Anemia, or "thin blo	623.	Has a doctor	or other medical	care provider	ever told you tha	t vou had Anemia	or "thin blood
--	------	--------------	------------------	---------------	-------------------	------------------	----------------

- 1. YES
- 2. NO \rightarrow **GO TO Q625**
- 8. NOT SURE \rightarrow **GO TO Q625**
- 9. REFUSAL \rightarrow **GO TO Q625**
- Were you ever told you had anemia or "thin blood" when you were not pregnant?
 - 1. YES
 - 2. NO
 - 3. NEVER BEEN PREGNANT
- 625. Has a doctor or other medical care provider ever told you that you had Hypertension or High Blood Pressure?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q627**
 - 8. NOT SURE \rightarrow **GO TO Q627**
 - 9. REFUSAL \rightarrow **GO TO Q627**
- 626. Were you ever told you had Hypertension or High Blood Pressure when you were not pregnant?
 - 1. YES
 - 2. NO
 - 3. NEVER BEEN PREGNANT
- 627. In the past 12 months have you had any of the following symptoms?

	<u>YES</u>	<u>NO</u>	NOT SURE
A. Vaginal discharge with a bad smell	1	2	8
B. Itching or burning in the genital area	1	2	8
C. Burning pain on urination	1	2	8
D. Pain during sexual intercourse	1	2	8
E. Sore, ulcer or warts in genital area	1	2	8
F. Swelling in genital area	1	2	8

IF ALL Q627 A—Q627 F > 1 (NO SYMPTOMS IN THE PAST 12 MONTHS) GO TO Q631; ELSE CONTINUE

- 628. Did you have any treatment for this(ese) condition(s)?
 - 1. YES
 - 2. NO \rightarrow GO TO Q630
 - 8. NOT SURE \rightarrow GO TO Q630
- 629. Who treated you?
 - 1. OB/GYN
 - 2. FAMILY DOCTOR/GP
 - 3. DERMATOLOG
 - 4. INFECTIOUS DISEASES DOCTOR
 - 5. NURSE/MIDWIFE
 - 6. PHARMACIST

- 7. PARTNER
- 8. FRIEND/RELATIVE
- 9. SELF-TREATMENT
- 20. OTHER:
- 99. REFUSE TO ANSWER

GO TO Q631

630.	What was the main reason you did r	not seek treatment?
	 SERVICES TOO FAR AWAY / I DON'T KNOW WHERE TO GO CANNOT AFFORD SERVICES AFRAID OF KNOWING THE I IT IS EMBARRASSING DID NOT THINK WAS AN STI SYMPTOM(S) DISAPPEARED OTHER (SPECIFY) REFUSE 	O FOR SERVICES G OR TREATMENT RESULTS D
631.	In the past 3 months, have you had a queur, vodka, or whiskey?	a drink containing alcohol, that is a beer, a glass of wine, a cocktail, a shot of li-
	 YES NO → GO TO MODULE VI NOT SURE/DO NOT REMEM REFUSE → GO TO MODU 	$MBER \rightarrow GO TO MODULE VII$
632.	In the past 3 months, on the days that	at you drank alcohol, how many drinks did you usually have?
	# OF DRINKS	00. NO DRINKS/ONLY FEW SIPS \to GO TO MODULE VII 88. NOT SURE/DO NOT REMEMBER \to GO TO MODULE VII 99. REFUSE \to GO TO MODULE VII
633.	In the past 3 months, how often did	you drink that amount (PROBE: per day, week, or month)?
	 EVERYDAY ALMOST EVERY DAY 1-2 TIMES A WEEK 2-3 TIMES A MONTH ONCE A MONTH 1-2 TIMES IN THREE MONTH 	HS
634.	In the past 3 months, have there bee	on days when you had more than usual (# FROM Q632) drinks?
	1. YES 2. NO → GO TO MODULE VII 8. NOT SURE/DO NOT REMEMB 9. REFUSE → GO TO MODULE	
635.	In the past 3 months, how many drin (CHECK IF # FROM Q635># FR	nks did you have on the days that you drank more than usual (# FROM Q632)? ROM Q632)
	# OF DRINKS	88. NOT SURE/DO NOT REMEMBER \rightarrow GO TO MODULE VII 99. REFUSE \rightarrow GO TO MODULE VII
636.	How often did you drink that amour	nt?
	 EVERYDAY ALMOST EVERY DAY 1-2 TIMES A WEEK 2-3 TIMES A MONTH ONCE A MONTH 1-2 TIMES IN THREE MONTH 	IS

VII REPRODUCTIVE HEALTH KNOWLEDGE/ATTITUDES

700. What do you think is the ideal number of children for a young family in Albania?

0. 0 CHILDREN	6. 3-4 CHILDREN
1. 1 CHILD	7. 4 CHILDREN
2. 1-2 CHILDREN	8. 5 OR MORE
3. 2 CHILDREN	9. AS MANY AS GOD GIVES
4. 2-3 CHILDREN	77. AS MANY AS POSSIBLE
5. 3 CHILDREN	88. DON'T KNOW

- 701. During a woman's menstrual cycle, are there certain days when she is more likely to become pregnant if she has sexual relations?
 - 1. YES
 - 2. NO \rightarrow **GO TO 702**
 - 8. DO NOT KNOW \rightarrow **GO TO 702**
- 701A. When is it most likely for a woman to become pregnant, just before her period begins, during her period, right after her period has ended, or halfway between two periods?
 - 1 Just before her period starts
 - 2 During her period
 - 3 Right after period ends
 - 4 Halfway between her periods
 - 8 DON'T KNOW
- 702. Do you think that breastfeeding increases, decreases or has no effect on a woman's chance to get pregnant?
 - 1. INCREASES THE CHANCE
 - 2. DECREASES THE CHANCE
 - 3. HAS NO EFFECT
 - 8. DO NOT KNOW
- 703. Do you think that a woman always has the right to decide about her pregnancy, including whether or not to have an abortion?
 - 1. YES \rightarrow **GO TO Q705**
 - 2. NO
 - 3. DO NOT KNOW
- 704. Under which of the following conditions is it all right for a woman to have an abortion (READ A-F)?

	YES	<u>NO</u>	<u>DEPENDS</u>	<u>DK</u>
A. Her life is endangered by the pregnancy	1	2	3	8
B. The fetus has a physical deformity	1	2	3	8
C. The pregnancy has resulted from rape	1	2	3	8
D. Her health is endangered by the pregnancy	1	2	3	8
E. She is unmarried	1	2	3	8
F. The couple cannot afford to have a(nother) child	1	2	3	8

- 705. If a woman had an unwanted pregnancy what should she do? (**READ 1-3**):
 - 1. Have the baby and keep it
 - 2. Have the baby and give it up for adoption
 - 3. Have an abortion
 - 8. DON'T KNOW

706. I would like to know if you are in agreement with the following statements (**READ A-I**):

	AGREE	DISAGREE	<u>DK</u>
A. A woman can become pregnant the first time she has sexual intercourse	1	2	8
B. All people should get married	1	2	8
C. A woman should be a virgin when she marries	1	2	8
D. The main job for a woman is to take care of the home and cook for her family	1	2	8
E. A married woman needs her husband's permission to work outside the home	1	2	8
F. If a woman works, she should give her money to her husband	1	2	8
G. If a woman works, her husband should help her with the household chores	1	2	8
H. The men in the family should have the final say in all family matters	1	2	8
I. Child care is a woman job	1	2	8

- 707. Who do you think should decide how many children a couple should have (READ 1-5)?
 - 1. The woman,
 - 2. The man,
 - 3. Both
 - 4. Mother in law, or
 - 5. God?
 - 8 DON'T KNOW

How would you rank each of the following birth control methods (SHOW CARD C) with regard to their risk of developing health problems; please tell me if the risk is low, medium, or high:

	Low <u>Risk</u>	Medium <u>Risk</u>	High <u>Risk</u>	<u>DK</u>
A. Pill	1	2	3	8
B. IUD	1	2	3	8
C. Condom	1	2	3	8
D. Tubal Ligation	1	2	3	8
E. Injectables	1	2	3	8
F. Abortion on Request	1	2	3	8

BOX 7-I

IF Q400_A=2 ON PAGE 20 (NEVER HEARD OF PILLS), GO TO BOX 7-II BELOW

710. Please tell me if you agree or disagree with the following statements about birth control pills (READ A-J):

	AGREE	DISAGREE	<u>DK</u>
A. Pills are easy to use	1	2	8
B. Pills are easy to get	1	2	8
C. Pills are too expensive	1	2	8
D. It is stressful to remember to take the pill every day	1	2	8
E. Pills protect against some gynecologic cancers	1	2	8
F. Pills may make you gain weight	1	2	8
G. Pills make women's periods more regular	1	2	8
H. Pills decrease blood loss during menstruation	1	2	8
I. Pills decrease menstrual cramps and pain	1	2	8
J. Pills are bad for blood circulation	1	2	8

BOX 7-II

IF Q400 B=2 ON PAGE 20 (NEVER HEARD ABOUT IUD), GO TO Q712

711. Please tell me if you agree or disagree with the following statements about IUDs (READ A-G:

	<u>AGREE</u>	DISAGREE	<u>DK</u>
A. IUD is easy to use	1	2	8
B. IUD increases the risk of pelvic inflammatory disease	1	2	8
C. IUD is a relatively inexpensive contraceptive method	1	2	8
D. IUD may cause spotting between periods	1	2	8
E. IUD may increase the blood loss during menses	1	2	8
F. IUD increases menstrual pains	1	2	8
G. IUD decreases the risk of ectopic pregnancy	1	2	8

- 712. Do you want to have more information about contraceptive methods?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q714**
 - 8. DON'T KNOW \rightarrow **GO TO Q714**
- 713. Who do you think would be the best source of information about contraceptive methods?
 - 1. MOTHER
 - 2. OTHER RELATIVE
 - 3. BOYFRIEND
 - 4. HUSBAND, PARTNER
 - 5. SOMEBODY WHO USES CONTRACEPTION
 - 6. CO-WORKER
 - 7. FRIEND, COLLEAGUE, PEER
 - 8. GYNECOLOGIST
 - 9. GENERAL PRACTITIONER

- 10. NURSE, MIDWIFE
- 11. TEACHER
- 12. PHARMACIST
- 13. BOOKS
- 14 NEWSPAPERS, MAGAZINES, BROCHURES
- 15. RADIO → **GO TO Q715**
- 16. TV- \rightarrow **GO TO Q715**
- 20. OTHER (SPECIFY): ____
- 88. DON'T REMEMBER
- 714. Do you think that information about contraception should be broadcast on radio or television?
 - 1. YES
 - 2. NO
 - 8. DO NOT KNOW
- 715. Some people use condoms to keep from getting sexual transmitted diseases. How effective do you think a properly used condom is for this purpose? (**READ 1-3**)
 - 1. Very Effective
 - 2. Somewhat effective
 - 3. Not effective
 - 8. DON'T KNOW

BOX 7-IV

IF RESPONDENT IS 15-24 YEARS OF AGE CONTINUE; IF SHE IS 25-44 YEARS GO TO SECTION VIII

- 718. Have you ever talked to a partner about him using a condom?
 - 1. YES
 - 2. NO
 - 3. NEVER HAD A SEXUAL PARTNER \rightarrow **GO TO Q721**
 - 8. DON'T REMEMBER
 - 9. REFUSE
- 719. Have you ever asked a partner to use a condom?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q721**
 - 8. DON'T REMEMBER \rightarrow **GO TO Q721**
 - 9. REFUSE \rightarrow **GO TO Q721**
- 720. Has any of the following ever happened because you asked a partner to wear a condom....... (READ A-F)
 (ANY OF THESE INCIDENTS COULD HAVE HAPPENED MORE THAN ONCE, WITH THE SAME PARTNER OR DIFFERENT PARTNERS)

$\underline{\mathbf{Y}}$	<u>ES</u>	NO	<u>DK</u> <u>I</u>	REF
A. Did a partner refuse to wear a condom?	1	2	8	9
B. Did a partner refuse to have sexual intercourse with you?	1	2	8	9
C. Did a partner threaten to break up with you?	1	2	8	9
D. Did a partner yell at you or threaten to hurt you?	1	2	8	9
E. Did a partner make you have sex anyway without a condom?	1	2	8	9
F. Did a partner physically hurt you?	1	2	8	9

721. If your partner/husband would want to use a condom when having sex with you, would you feel: (READ A-E)

	<u>AGREE</u>	<u>DISAGREE</u>	<u>DK</u>	<u>KEF</u>
A. Insulted or angry?	1	2	8	9
B. Safe from getting pregnant?	1	2	8	9
C. Like you had done something wrong?	1	2	8	9
D. Safe from getting STD or HIV/AIDS?	1	2	8	9
E. Suspicious that he may sleep around?	1	2	8	9

722. Please indicate whether you agree or disagree with the following statements about condoms (READ A-H):

	AGREE	DISAGREE	<u>DK</u>	<u>REF</u>
A. Using condoms with a new partner is a smart idea	1	2	8	9
B. Using condoms is not necessary if you know your partner	1	2	8	9
C. Women should ask their partners to use condoms	1	2	8	9
D. It is easy to discuss using a condom with a prospective partner	1	2	8	9
E. Condoms diminish sexual enjoyment	1	2	8	9
F. Same condoms can be used more than once	1	2	8	9
G. People who use condoms sleep around a lot	1	2	8	9
H. It is embarrassing to ask for condoms in FP clinics or pharmacies	1	2	8	9

VIII. SOCIOECONOMIC CHARACTERISTICS

800.	Please tell me whether this household or any	member of	it has th	e following items: (1	READ A-I):	
		YES	NO_			
	A. Flush Toilet	1	2			
	B. Heating System	1	2			
	C. Refrigerator	1	2			
	D. TV	1	2			
	E. Working Automobile	1	2			
	F. VCR	1	2			
	G. Household phone	1	2			
	H. Cellular phone	1	2			
	I. Vacation home (villa)	1	2			
	J. Air Conditioner	1	2			
	K. Gas or Electric Stove	1	2			
	L. Computer	1	2			
	M. Satellite Antenna	1	2			
801.	Does your family have access to a garden what is a YES	here you gro	w your o	own vegetables?		
	2. NO					
802.	What is the main source of drinking water for PIPED WATER (PIPED INTO RE PIPED WATER (PUBLIC TAP) WELL WATER (RESIDENCE OR PUBLIC WELL SURFACE WATER (SPRING, RIV RAIN WATER → GO TO Q804 BOTTLED WATER → GO TO Q8	SSIDENCE (YARD) \rightarrow VER, POND	OR YAR	D) → GO TO Q80 4 Q804	ı	
803.	How long does it take to go to the water sou	rce, get wate	er and co	me back, in minutes	?	MINUTES
804.	Which of the following describes your living 1. In your privately owned flat or house 2. In rented space (room, flat or house) 3. With your immediate family (NO RENT) 4. With other relatives (NO RENT) 5. With friends (NO RENT) 7. OTHER (SPECIFY):	-			-5)	
805.	How many rooms are occupied by you and y	our family ((not inclu	iding bathrooms and	l kitchen):	ROOMS
806.	How many hours per day do you have electr	icity?		_HOURS	88 DK/NOT SUF	RE
807.	What is your ethnic background?					
	1. ALBANIAN	5. ALBANI	AN FRO	M KOSOVO		
	2. GREEK	6. MIXED I	ETHNIC	ITY (SPECIFY)		
		7. OTHER (
		9. REFUSÈ				
808.	What is your religion? 1. MUSLIM. 2. ORTHODOX 3. CATHOLIC 4. PROTESTANT (BAPTIST, LUTHERA) 7. OTHER (SPECIFY): 8. NO RELIGION → GO TO Q900 9. UNDECLARED → GO TO Q900	N, PENTEC —	COSTAL,	ETC)		
0.00						
809.	About how often do you usually attend relig 1. At least once a week 2. At least once a month, but less than 3. Less than once a month 4. Only on holidays, or 5. Never			D 1-5)		

IX-A. AIDS/STDs

The next set of questions are about sexually transmitted infections Including HIV/ AIDS. For each of the following conditions please tell me if:

CONDITION	900. Have you ever heard of it?	901. Have you ever been tested for?	902. Have you ever been told that you have?	903. Did you take any treatment for?	904. Who treated you for? (SEE CODES BELOW)
A. Syphilis	1. YES 2. NO → B	1. YES 2. NO → B 8. DK → B	1. YES 2. NO \rightarrow B 8. DK/DR \rightarrow B	1. YES 2. NO → B 8. DK/DR → B	
B. Gonorrhea	1. YES 2. NO → C	1. YES 2. NO → C 8. DK → C	1. YES 2. NO \rightarrow C 8. DK/DR \rightarrow C	1. YES 2. NO → C 8. DK/DR → C	
C. Chlamydia	1. YES 2. NO → D	1. YES 2. NO → D 8. DK → D	$\begin{array}{c} \text{1. YES} \\ \text{2. NO} \rightarrow \text{D} \\ \text{8. DK/DR} \rightarrow \text{D} \end{array}$	1. YES 2. NO \rightarrow D 8. DK/DR \rightarrow D	
D. Yeast Infection	1. YES 2. NO → E	1. YES 2. NO → E 8. DK → E	1. YES 2. NO \rightarrow E 8. DK/DR \rightarrow E	1. YES 2. NO → E 8. DK/DR → E	
E. Genital Herpes	1. YES 2. NO → F	1. YES 2. NO → F 8. DK → F	1. YES 2. NO \rightarrow F 8. DK/DR \rightarrow F	1. YES 2. NO → F 8. DK/DR → F	
F. Genital Warts	1. YES 2. NO → G	1. YES 2. NO → G 8. DK → G	1. YES 2. NO \rightarrow G 8. DK/DR \rightarrow G	1. YES 2. NO → G 8. DK/DR → G	
G. Trichomoniasis	1. YES 2. NO → H	1. YES 2. NO → H 8. DK → H	1. YES 2. NO \rightarrow H 8. DK/DR \rightarrow H	1. YES 2. NO → H 8. DK/DR → H	
H. HIV/AIDS	1. YES 2. NO → Q905	1. YES → Q905 2. NO → Q905 8. DK → Q905			

CODES FOR Q904:

- 1. OB/GYN
- 2. FAMILY DOCTOR/GP
- 3. DERMATOLOG
- 4. INFECTIOUS DISEASES DOCTOR
- 5. NURSE/MIDWIFE
- 6. PHARMACIST

- 7. PARTNER
- 8. FRIEND/RELATIVE
- 9. SELF-TREATMENT
- 20. OTHER:
- 99. REFUSE TO ANSWER

905. If a woman has a sexually transmitted disease, what symptoms might she have? (RECORD ALL MENTIONED, DO NOT READ LIST)

	YES	<u>NO</u>
A. ABDOMINAL PAIN	1	2
B. VAGINAL DISCHARGE	1	2
C. FOUL SMELLING DISCHARGE	1	2
D. BURNING PAIN ON URINATION	1	2
E. REDNESS/INFLAMMATION IN GENITAL AREA	1	2
F. SWELLING IN GENITAL AREA	1	2
G. GENITAL SORES/ULCERS OR WARTS	1	2
H. GENITAL ITCHING	1	2
I. WEIGHT LOSS		1
J. HARD TO GET PREGNANT/HAVE A CHILD	1	2

- 906. Do you know a place where you could get an HIV/AIDS test?
 - 1. YES
 - 2. NO
- 907. In general, what has been your most important source of information about STDs including AIDS? (Where or from whom have you learned the most about STDs?)

1. MOTHER	11. FAMILY DOCTOR, GP
2. FATHER	12. NURSE, MIDWIFE, FELDCHER
3. OTHER RELATIVE	13. TEACHER
4. BOYFRIEND	14. PHARMACIST
5. HUSBAND, PARTNER	15. SPECIALITY BOOKS
6. SOMEBODY WHO HAD STDs	16. NEWSPAPERS, MAGAZINES, BROCHURES, FLYERS
7. FRIENDS COLLEAGUES, PEERS	17. RADIO
8. OB/GYN DOCTOR	18. TV
9. DERMATOLOGIST	20. OTHER (SPECIFY):
10. INFECTIOUS DISEASES DOCTOR	77. NEVER HEARD OF ANY STDs (Q900_AQ900_H=2)
	99. DR/REF.

908. In the past 6 months, have you seen or heard any public announcements or ads on television or radio about: (READ A-D, PROBE FOR BOTH)

					DO NOT
	YES, RADIO	YES, TV	YES, BOTH	<u>NO</u>	<u>REMEMBER</u>
A. HIV/AIDS	1	2	3	4	8
B. Other STDs	1	2	3	4	8
C. Condoms	1	2	3	4	8
D. Modern Contraceptive Methods	1	2	3	4	8

IF Q900_H =2 (NEVER HEARD OF HIV/AIDS) GO TO Q914; ELSE CONTINUE

- 909. Do you think that a person can be infected with the HIV virus but have no symptoms of disease?
 - 1. YES
 - 2. NO
 - 8. DK
- 910. Please tell me whether you think that the AIDS virus can be transmitted in the following ways? (READ A-M)

	YES	<u>NO</u>	<u>DK</u>
A. Through blood transfusion	1	2	8
B. Using public toilets	1	2	8
C. Through kissing	1	2	8
D. Through unprotected sexual intercourse between a man and a woman	1	2	8
E. Through unprotected sexual intercourse between men	1	2	8
F. By shaking hands	1	2	8
G. Using non-sterile syringes or needles	1	2	8
H. Through mosquito bites	1	2	8
I. Sharing plates, forks, or glasses with someone who has HIV/AIDS	1	2	8
J. From a woman who has the AIDS virus to her baby during pregnancy/delivery	1	2	8
K. From a mother to her child through breast milk	1	2	8
L. Getting a manicure, pedicure or haircut	1	2	8
M. Having dental or surgical treatment	1	2	8

911. What can a person do to reduce the risk of getting AIDS?
PROBED

	SPONTANEOUS		PROBED	
	<u>YES</u>	YES	<u>NO</u>	<u>DK</u>
A. USE CONDOMS	1	3	4	8
B. ABSTAIN FROM SEX	1	3	4	8
C. HAVE ONLY ONE PARTNER/STAY FAITHFUL TO ONE PARTN	ER 1	3	4	8
D. LIMIT NUMBER OF SEXUAL PARTNERS	1	3	4	8
E. AVOID SEX WITH PROSTITUTES	1	3	4	8
F. AVOID SEX WITH BISEXUALS	1	3	4	8
G. DO NOT DONATE BLOOD	1	3	4	8
H. AVOID TRANSFUSIONS	1	3	4	8
I. ASK PARTNER TO GET BLOOD TESTED FOR AIDS	1	3	4	8
J. STERILIZE NEEDLES AND SYRINGES	1	3	4	8
K. DO NOT SHARE RAZORS/BLADES, NEEDLES OR SYRINGES	1	3	4	8
L. OTHER (SPECIFY)	1	3	4	8

- 912. How much of a risk do you think you personally have of getting HIV/AIDS? Would you say you are at (READ 1-4):
 - 1. Great risk,
 - 2. Moderate Risk,
 - 3. Little risk, or
 - 4. No risk at all \rightarrow GO TO Q913A
 - 8. DON'T KNOW \rightarrow GO TO Q913B
- 913. Why do you think you have any risk of getting AIDS?
 - 1. RECEIVED BLOOD TRANSFUSIONS/BLOOD PRODUCTS
 - 2. HAD MANY SEXUAL PARTNERS/ TRADED SEX FOR MONEY
 - 3. HAD UNPROTECTED INTERCOURSE WITH CASUAL PARTNER(S)
 - 4. USED IV DRUGS/SHARED NEEDLES
 - 5. PARTNER HAD/HAS SEX WITH OTHER WOMEN
 - 6. SHE MAY GET INFECTED WHILE RECEIVING MEDICAL OR DENTAL TREATMENT
 - 7. SHE MAY GET INFECTED GETTING A MANICURE, PEDICURE, OR HAIRCUT
 - 8. OTHER (SPECIFY)
 - 9. DK/REF

GO TO Q913B

- 913A Why do you think you have no risk of getting AIDS?
 - 1. ONLY ONE PARTNER
 - 2. NO SEXUAL RELATIONS
 - 3. USES CONDOMS
 - 4. CONFIDENCE IN PARTNER
 - 5. DOES NOT GET/NEED TRANSFUSIONS
 - 6. DOES NOT SHARE NEEDLES
 - 7. OTHER (SPECIFY)
 - 9. DK/REF
- How much of a risk do you think you personally have of getting other STD? Would you say you are at (READ 1-4):
 - 1. Great risk,
 - 2. Moderate Risk,
 - 3. Little risk, or
 - 4. No risk at all
 - 8. DON'T KNOW
- 913C Is there a cure for AIDS?
 - 1. Yes Common 9. Don't Know

IX-B VIOLENCE

- 914. Thinking back to your childhood and adolescence, did you ever see or hear your parents or step-parents physically abuse each other?
 - 1. YES
 - 2. NO
 - 3. DID NOT LIVE WITH 2 PARENTS \rightarrow GO TO Q916
 - 8 DR/REI
- 915. As a child, have you ever being beaten or physically mistreated in any way by anyone in your family?
 - 1. YES
 - 2. NO
 - 8. DR/REF

IF Q916=0 GO TO Q936; IF Q916>0 CONTINUE

The next set of questions is about violence and physical abuse that may have happened between you and a partner or ex-partner. When we say a partner we mean a husband, ex-husband, as well as any other man you have been living with as husband and wife.

918. Please tell me	if any of your part	919. When was the last time when	920. During the last year, how many
ners or ex-partners ev			times did
_ ^	ver (READ A-H):	(A-H) happened to you?	(A-H) happen to you?
A. Insulted you, or	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
swore at you?	2. NO \rightarrow Q918 B	2. 1-3 YEARS AGO \rightarrow Q918 B	66. ALMOST DAILY
	8. DK \rightarrow Q918 B	3. 4-5 YEARS AGO \rightarrow Q918 B	TIMES 77. WEEKLY
		4. 5 YEARS AGO OR MORE \rightarrow Q918 B	88. DON'T REMEMB.
	_	_	99. REFUSES
B. Threatened	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
to hurt you or	2. NO → Q918 C	2. 1-3 YEARS AGO \rightarrow Q918 C	66. ALMOST DAILY
someone you care	8. DK \rightarrow Q918 C	3. 4-5 YEARS AGO \rightarrow Q918 C	TIMES 77. WEEKLY
about?		4. 5 YEARS AGO OR MORE \rightarrow Q918 C	88. DON'T REMEMB.
	_	_	99. REFUSES
C. Pushed you,	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
shook you, shove	2. NO \rightarrow Q918 D	2. 1-3 YEARS AGO \rightarrow Q918 D	66. ALMOST DAILY
you, or threw	8. DK \rightarrow Q918 D	3. 4-5 YEARS AGO \rightarrow Q918 D	TIMES 77. WEEKLY
		4. 5 YEARS AGO OR MORE \rightarrow Q918 D	88. DON'T REMEMB.
	` -		99. REFUSES
D. Slapped you	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
or twisted your	2. NO \rightarrow Q918 E	2. 1-3 YEARS AGO \rightarrow Q918 E	66. ALMOST DAILY
arm?	8. DK \rightarrow Q918 E	3. 4-5 YEARS AGO \rightarrow Q918 E	TIMES 77. WEEKLY
	9. REF \rightarrow Q918 _ E	4. 5 YEARS AGO OR MORE \rightarrow Q918_E	88. DON'T REMEMB.
	` -		99. REFUSES
E. Hit you with his	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
fist or with some-	2. NO \rightarrow Q918_F	2. 1-3 YEARS AGO \rightarrow Q918_F	66. ALMOST DAILY
thing else?	8. DK \rightarrow Q918 \overline{F}	3. 4-5 YEARS AGO \rightarrow Q918 F	TIMES 77. WEEKLY
	9. REF \rightarrow Q918 F	4. 5 YEARS AGO OR MORE \rightarrow Q918_F	88. DON'T REMEMB.
	_	_	99. REFUSES
F. Threatened you	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
with a knife or	2. NO \rightarrow Q918_G	2. 1-3 YEARS AGO \rightarrow Q918_G	66. ALMOST DAILY
other weapon?	8. DK \rightarrow Q918_G	3. 4-5 YEARS AGO \rightarrow Q918 G	TIMES 77. WEEKLY
	9. REF \rightarrow Q918_G	4. 5 YEARS AGO OR MORE \rightarrow Q918_G	88. DON'T REMEMB.
		_	99. REFUSES
G. Kicked you,	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
choke you or beat	2. NO \rightarrow Q918_H	2. 1-3 YEARS AGO → Q918_H	66. ALMOST DAILY
you up?	8. DK \rightarrow Q918 H	3. 4-5 YEARS AGO \rightarrow Q918 H	TIMES 77. WEEKLY
	9. REF \rightarrow Q918 _ H	4. 5 YEARS AGO OR MORE \rightarrow Q918_H	88. DON'T REMEMB.
	_	- -	99. REFUSES
H. Physically forced	1. YES → Q919	1. WITHIN THE LAST YEAR \rightarrow Q920	
you to have	2. NO \rightarrow BOX 9-I	2. 1-3 YEARS AGO \rightarrow BOX 9-I	66. ALMOST DAILY
sexual relations	8. DK → BOX 9-I	3. 4-5 YEARS AGO \rightarrow BOX9-I	TIMES 77. WEEKLY
even though you	9. REF → BOX 9-I	4. 5 YEARS AGO OR MORE \rightarrow BOX 9-I	88. DON'T REMEMB.
did not want to?			99. REFUSES

BOX 9-I

IF ALL Q918 A--Q918 H >1 (NEVER EXPERIENCED ANY TYPE OR ABUSE) GO TO Q936; ELSE CONTINUE

921.	You told me before that you lived with a man as husband and wife times (RECORD THE NUMBER OF
	TIMES FROM Q916). During which of these periods has a partner physically abused you as you have just men-
	tioned? MARK THE INTERVAL(S) NUMBER FROM THE UNION TABLE AT PAGE 3 (ALLOW FOR MUL-
	TIPLE RESPONSES): I
	II
	III
	IV
	

BOX 9-II

< IF ANY PHYSICAL VIOLENCE TOOK PLACE DURING THE LAST YEAR (ANY Q919_C--Q919_H=1), CONTINUE;</p>
< IF ANY F PHYSICAL VIOLENCE TOOK PLACE MORE THAN ONE YEAR AGO (ANY Q919_C--Q919_H>1) GO TO Q925;
< IF R. SUFFERED ONLY VERBAL VIOLENCE (Q918_C--Q918_H>1) THEN GO TO Q935

- 922. In the past 12 months, did you have any swelling, bruises, cuts, or other physical injuries as a result of this/these incident(s)?
 - 1. YES
 - 2. NO \rightarrow GO TO Q925
 - 8. DON'T REMEMBER \rightarrow **GO TO Q925**
- 923. In the past 12 months, did you see a doctor, or other medical care provider for medical treatment of these injuries?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q925**
 - 8. DO NOT REMEMBER \rightarrow **GO TO Q925**
- 924. Did this(these) injury(ies) require hospitalization?
 - 1. YES
 - 2. NO
 - 8. DO NOT REMEMBER
- 925. During or after a violent incident, does your partner want to have sexual relations with you sometimes, always, or never?
 - 1. YES, SOMETIMES
 - 2. YES, ALWAYS
 - 3. NO, NEVER
 - 8. DO NOT REMEMBER/REFUSE
- 926. Do you believe that violence incidents affected your health?
 - 1 YES
 - 2. NO \rightarrow GO TO Q928
 - 8. DO NOT KNOW \rightarrow **GO TO Q928**
- 927. What health problems did you have that you think were related to violence? (READ A—K)

	$\underline{\mathbf{YES}}$	<u>NO</u>	<u>DR/REF</u>
A. Injuries?	1	2	8
B. Chronic pains?	1	2	8
C. General deterioration of health?	1	2	8
D. Depression?	1	2	8
E. Sleep disorders?	1	2	8
F. Suicide attempt(s)?	1	2	8
G. Low self-esteem?	1	2	8
H. Unplanned pregnancy?	1	2	8
I. Miscarriage or other pregnancy complications?	1	2	8
J. Gynecological disorders?	1	2	8
K. Anything else?	1	2	8

- 928. (READ ONLY IF RESPONDENT HAS EVER HAD A LIVING CHILD) Would you say that this violence has affected your child(ren)?
 - 1. YES
 - 2. NO \rightarrow **GO TO 0930**
 - 3. NO CHILDREN \rightarrow **GO TO Q930**
 - 8. NOT SURE \rightarrow **GO TO Q930**
- 929. Please tell me if your child(ren) were affected in the following ways (READ A—F):

		YES	NO
A.	Witnessed violence	1	2
B.	Children living in fear	1	2
C.	Children injured too	1	2
D.	Children left home, live with relative	1	2
E.	Decreased Learning abilities	1	2
F.	Anything else (specify)		1

- 930. Did you talk to anyone about this(these) incidents of violence?
 - 1. YES
 - 2. NO \rightarrow GO TO Q932
- 931. Who did you talk with? (MARK ALL MENTIONED AND PROBE FOR ANYONE ELSE)?

	<u>MENTIONED</u>	NOT MENTIONED
A. YOUR MOTHER	1	2
B. OTHER RELATIVE	1	2
C. HUSBAND'S (PARTNER'S) FAMILY	1	2
D. CHILDREN	1	2
E. FRIEND	1	2
F. NEIGHBOR	1	2
G. DOCTOR/HEALTH PROVIDER/SOCIAL WORKER	1	2
H. POLICE	1	2
I. LEGAL ADVISER	1	2

IF Q931 G, Q931 H, AND Q931 I=1 GO TO Q933; ELSE CONTINUE

- 932. What is the main reason you have never sought any medical or legal help?
 - 1. DID NOT KNOW WHERE TO SEEK HELP
 - 2. NO USE/WOULD NOT DO ANY GOOD
 - 3. EMBARRASSED
 - 4. AFRAID OF MORE BEATINGS/BEING PUNISHED
 - 5. AFRAID OF DIVORCE/END OF RELATIONSHIP
 - 6. AFRAID OF LOOSING THE CHILDREN
 - 7. THOUGHT WOULD NOT BE TAKEN SERIOUSLY/NOT BELIEVED/LAUGHED AT
 - 8. VIOLENCE IS NORMAL/NO NEED TO COMPLAIN
 - 9. THOUGHT SHE WOULD BE BLAMED
 - 10. BRING BAD NAME TO FAMILY
 - 20. OTHER
 - 88. DK/REF
- 933. Did anyone intervene or try to stop the violence? (MARK ALL MENTIONED AND PROBE FOR ANYONE ELSE)?

	MENTIONED	NOT MENTIONED
A. YOUR MOTHER	1	2
B. OTHER RELATIVE	1	2
C. HUSBAND'S (PARTNER'S) FAMILY	1	2
D. CHILDREN	1	2
E. FRIEND	1	2
F. NEIGHBOR	1	2
G. DOCTOR/HEALTH PROVIDER/SOCIAL WORKER	1	2
H. POLICE	1	2
I. LEGAL ADVISER	1	2

Appendix C

934.	Could you tell me a little more about what usually happens when your partner is situations that make him violent? (CIRCLE ALL THAT APPLY PROBING	"ANY O	THER")		
		MENT	IONED NO	OT MENTION	<u>IED</u>
	A. WHEN DRUNK B. WHEN SHE DOES NOT LOOK AFTER CHILDREN C. WHEN THE FAMILY HAS MONEY TROUBLES		1 1 1	2 2 2	
	D. WHEN HE IS UNEMPLOYED		1	2	
	E. WHEN SHE IS UNEMPLOYED/HAS NO INCOME		1	2	
	F. WHEN THERE ARE FAMILY PROBLEMS/MOTHER-IN-LAW PROBLE	MS	1	2	
	G. WHEN HE IS JEALOUS		1	2	
	H. WHEN SHE IS PREGNANT I. WHEN HE CANNOT GET ALCOHOL/DRUGS		1	2 2	
	J. WHEN HE CANNOT GET ALCOHOL/DRUGS J. WHEN HE DOES NOT HAVE FOOD AT HOME (DINNER NOT READY	7	1	2	
	K. WHEN HE ACTS ACCORDING TO THE "KANUN"	,	1	2	
	L. OTHER		1	2	
935.	In Tirana there is a hotline number where a woman can ask advice about domes hotline number?	stic viole	nce. Do you	ı want to know	the
	1. YES, NUMBER GIVEN (TELEPHONE NUMBER: 233 408) 2. NO				
936.	Sometimes a husband is annoyed or angered by things that his wife does. In you hitting or beating his wife in the following situations (READ A—H):	our opinio	on, is a husb	and justified in	!
		<u>YES</u>	<u>NO</u>	<u>DK</u>	
	A. If she goes out without telling him?	1	2	8	
	B. If she neglects the children?	1	2	8	
	C. If she argues with him?D. If she refuses to have sex with him?	1 1	2 2	8	
	E. If he is not happy with her household work or food provisions?	1	2	8	
	F. If she asks him whether he has other girlfriends?	1	2	8	
	G. If he finds out that she has been unfaithful?	1	2	8	
	H. If she dresses too sexy or spends too much on her "look"?	1	2	8	
937.	At any time in your life, have you ever been forced by a man to have sexual int (For this question, sexual intercourse includes vaginal, anal or oral penetration)		against you	r will?	
	 YES NO → END OF INTERVIEW, GO TO Q940 DON'T REMEMBER → END OF INTERVIEW, GO TO Q940 				
938.	How old were you the first time you were forced by a man to have sexual interest	course ag	ainst your w	vill?	
	AGE 88. DON'T REMEMBER				
939.	At that time, what was your relationship with the person(s) who forced you to h	nave sexu	al intercour	se?	
	1. STRANGER				
	2. ACQUAINTANCE				
	3. FRIEND				
	4. DATE				
	5. BOYFRIEND				
	6. HUSBAND OR PARTNER 7. EX-HUSBAND OR EX-PARTNER				
	8. FATHER OR STEP-FATHER				
	9. OTHER RELATIVE (SPECIFY)				
	10. CO-WORKER				
	11. TEACHER				
	77. OTHER (SPECIFY)				
	98. DON'T REMEMBER/REF				
940.	THANK THE WOMAN FOR GIVING HER TIME AND RECORD THE	TIME T	HE INTER	VIEW ENDE	D:
	TIME INTERVIEW ENDED::				

ALBANIA REPRODUCTIVE HEALTH SURVEY 2002 MALE QUESTIONNAIRE

of me	o. I'm from the National Institute of Public Fen and women in Albania. The purpose of the survey is to h services in Albania.							
be co	ald like to ask you about your health and where you obtain nfidential. The interview is completely voluntary and if wer, just let me know and we'll go on to the next question. And like to start now, is that OK?	e should co	me to an	y ques	tion th	at you	don't	
SIGN	NATURE OF THE INTERVIEWER	_ DAY _		M	ONTH			
MAR	RK IF THE MAN AGREES TO BE INTERVIEWED		1. YE 2. NO					EW
TIME	STARTED:::	ID NUM	IBER _					
I. BAC	CKGROUND CHARACTERISTICS							
100.	In what month and year were you born?							
	MONTH YEAR			98 E	ON'T	KNO	W	
101.	How old are you (at last birthday)?YEARS	OLD		98.	DON'	T KNO	OW	
	MAKE SURE THAT AGE AND DATE	E OF BIRT	TH COR	RESP	OND			
102.	What is the highest level of education you completed, r	not counting	g the curi	ent gr	ade yo	u are i	n?	
	000. NEVER ATTENDED (NO FORMAL EDUCATI	ION)						
	1. GENERAL SCHOOL		1	2	3	4	5	88
	2. THEORETICAL HIGH SCHOOL/ GIMNAZIU	M	1		3			88
	3. PROFESSIONAL (VOCATIONAL) SCHOOL		1		3		5	88
	4. TECHNICAL SCHOOL (POSTSECONDARY)		1		3	4	5	88
	5. UNIVERSITY6. POST UNIVERSITY/POSTGRADUATE STUD888. DON'T REMEMBER/ DON'T KNOW	DIES	1	2	3	4	5+ 5+	88 88
	IF Q102 = 2 OR 3 CONTINUI	E; ELSE G	о то Q	104				
103.	Do you have a high school diploma?							
	1. YES 2. NO							
104.	Do you currently work outside of the home (at least 20	hours per v	veek)?					
	 YES → GO TO Q106 NO 							

105.	What is the main reason that you are not working at this time?
	 ATTENDING SCHOOL I NTERNAL DISPLACEMENT LOOKING FOR WORK LAID OFF DOES NOT NEED/WANT/LIKE TO WORK MEDICAL LEAVE CARING FOR CHILDREN INABILITY TO FIND/AFFORD CHILD CARE HOMEMAKER PERMANENT DISABILITY PARTNER/SPOUSE DOES NOT ALLOW RESPONDENT TO WORK PARENTS DO NOT ALLOW RESPONDENT TO WORK ODD JOBS (<20 HOURS PER WEEK) TEMPORARILY BACK FROM WORK ABROAD OTHER (SPECIFY)
106.	I would like to ask you about where you have lived. For most of the time until you were 12 years old, did you live in a town, or in a village? 1. TOWN 2. VILLAGE
107.	In what month and year did you start to live continuously in (NAME THE PLACE OF RESIDENCE)?
	MONTH YEAR O0. ALWAYS, SINCE BIRTH \rightarrow GO TO Q108 88. DON'T REMEMBER
107A.	Just before you moved here (CURRENT PLACE OF RESIDENCE), did you live in a town, a village, or outside Albania? 1. A town (URBAN AREA), 2. A village (RURAL AREA), or 3. Outside Albania?
108.	Are you currently married, not married but living with someone, separated, divorced, widowed, or have you never been married? 1. MARRIED → GO TO Q111 2. NOT MARRIED BUT LIVING WITH A PARTNER → GO TO Q111 3. SEPARATED → GO TO Q111 4. DIVORCED → GO TO Q111 5. WIDOWED → GO TO Q111 6. NEVER MARRIED
109.	Have you ever lived with a girlfriend or partner? (LIVING TOGETHER MEANS HAVING A SEXUAL RELATIONSHIP WHILE SHARING THE SAME USUAL RESIDENCE.) 1. YES → GO TO Q111 2. NO
110.	If you could choose exactly the number of children to have in your whole life, how many would that be? CHILDREN 22. AS MANY AS GOD GIVES 33. AS MANY AS WIFE WOULD WANT 88. NOT SURE/DON'T REMEMBER GO TO Q122

Male Questionnaire

111. How many times have you been married or lived with a woman as husband and wife?

TIMES

9. REFUSAL \rightarrow **GO TO Q118**

TIMES	112. In what month and year did you begin living with your (first, second, third, or fourth) wife / partner?	113. How old was your I, II, III, IV wife / partner when you started to live together?	114. What was the highest level in school that your I,II,III,IV wife / partner attended when you got married / started to live together?	115. What is your current union relationship with your I, II, III, IV, wife / partner, are you still in the relationship or how did the relationship end?	116. In what month and year did your union with your I,II,III,IV, .wife / partner end?	117. IF:
I	MTH YR 88. DON'T KNOW/REF.	AGE 88. DK	0. NEVER ATTENDED 1. PRIMARY (1-8) 2. SECONDARY (9-12) 3. VOCATIONAL 4. TECHNICAL SCH. 5. UNIVERSITY 8. UNKNOWN	1. Married →Q117 2. Living with partner→ Q117 3. Separated 4. Divorced 5. Widowed	MTH YR 88. DON'T KNOW / REF.	Q111=1 GO TO Q118 ELSE CON- TINUE
II	MTH YR 88. DON'T KNOW/REF.	AGE 88. DK	0.NEVER ATTENDED 1. PRIMARY (1-8) 2. SECONDARY (9-12) 3. VOCATIONAL 4. TECHNICAL SCH. 5. UNIVERSITY 8. UNKNOWN	1. Married → Q117 2. Living with partner→ Q117 3. Separated 4. Divorced 5. Widowed	MTH YR 88. DON'T KNOW / REF.	Q111=2 GO TO Q118 ELSE CON- TINUE
III	MTH YR 88. DON'T KNOW/REF.	AGE 88. DK	0.NEVER ATTENDED 1. PRIMARY (1-8) 2. SECONDARY (9-12) 3. VOCATIONAL 4. TECHNICAL SCH. 5. UNIVERSITY 8. UNKNOWN	1. Married →Q117 2. Living with partner→ Q117 3. Separated 4. Divorced 5. Widowed	MTH YR 88. DON'T KNOW / REF.	Q111=3 GO TO Q118 ELSE CON- TINUE
IV	MTH YR 88. DON'T KNOW/REF.	AGE 88. DK	0.NEVER ATTENDED 1. PRIMARY (1-8) 2. SECONDARY (9-12) 3. VOCATIONAL 4. TECHNICAL SCH. 5. UNIVERSITY 8. UNKNOWN	1. Married →Q117 2. Living with partner→ Q117 3. Separated 4. Divorced 5. Widowed	MTH YR 88. DON'T KNOW / REF.	GO TO Q118

118.	When you first	t got married/started	living together as	husband and	wife did you	wish to have a	ny children?
110.	Which you mist	i goi marricu/startcu	nving together as	nusbanu anu	wiic aia voa	wish to have a	nv cimulaten:

- 1. YES
- 2. NO \rightarrow **GO TO Q120**
- 8. NOT SURE \rightarrow **GO TO Q120**

119.	Llow mony	ahildran	did was	wich to	horro whon	vou first got	marriad?
119.	пом шапу	children	aia voi	i wish to	nave when	. vou mst got	manneur

____ CHILDREN 22. A 33. A

- 22. AS MANY AS GOD GIVES
- 33. AS MANY AS WIFE WANTS
- 88. NOT SURE/DON'T REMEMBER

120.	How many	children d	id vour	wife/partner	wish to	have when	you first got	married?
140.	110 W IIIaliy	ciiiiui cii u	iu voui	wilc/bartifci	WISH tO	nave when	vou msi goi	marricus

___ CHILDREN

- 22. AS MANY AS GOD GIVES
- 33. AS MANY AS RESPONDENT WANTS
- 77. NEVER DISCUSSED NUMBER OF CHILDREN
- 88. NOT SURE/DON'T REMEMBER

IF CURRENTLY SEPARATED, DIVORCED OR WIDOWED (Q115_LAST=3,4,5) GO TO Q122; ELSE CONTINUE

- 121. Is your wife currently employed?
 - 1. YES
 - 2. NO
 - 8. DON'T KNOW
- 122. Since 1991, have you worked outside Albania?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q124**
 - 8. DON'T KNOW→ GO TO Q124

Appendix D

	TIMES				
123.	When was the last time you worked out	side Albani	a ? (BEGINNING	THE TRIP – MONTH AN	ID YEAR)
	MONTHYE		. DON'T REMEN . REFUSAL	1BER	
123A.	In what month and year did you return to	from the las	t trip? (END OF T	RIP – MONTH AND YEA	AR)
	MONTHYE		. DON'T REMEN . REFUSAL	1BER	
124.		0. NEVER	→ GO TO Q128 OT HAVE ACCE YERY DAY	SS TO RADIO \rightarrow GO TO	Q128
125.	What stations do you most often listen t	o? (PROB	BE FOR MORE T	THAN ONE STATION, I NOT	OO NOT READ LIS
			MENTIONED	MENTIONED	
	A. TOP ALBANIA		1	2	
	B. RADIO TIRANA C. CLUB FM		1	2 2	
	D. RASH		1	2	
	E. STINET		1	2	
	F. GOLD MUSIC		1	2	
	G. EUROPE PLUS		1	2	
	H. ITALIAN STATIONS I. BBC		l 1	2 2	
	J. OTHER		1	2	
126.	What types of programs do you most of READ LIST)	ten listen to	? (PROBE FOR	MORE THAN ONE PR	OGRAM, DO NOT
	READ EIST)			NOT	
			MENTIONED	MENTIONED	
	A. NEWS		1	2	
	B. SPORTS C. MUSIC		1 1	2 2	
	D. PLAYS/DRAMAS		1	2	
	E. CHURCH/RELIGIOUS PROGRAM	AS	1	2	
	F. WOMEN'S PROGRAMS		1	2	
	G. HEALTH PROGRAMS		1	2	
	H. POLITICAL EVENTS I. OTHER		1	2 2	
127.	What times do you most often listen to LIST)	the radio? (PROBE FOR M	ORE THAN ONE TIME	E, DO NOT READ
			MENTIONED	NOT <u>MENTIONED</u>	
	A. 6 - 8 AM		1	2	
	B. 8-10 AM		1	2	
	C. 10AM-NOON		1	2	
			1		
	D. NOON-2 PM		-	2	
	E. 2 - 4 PM		1	2	
	F. 4 - 6 PM		1	2	
	G. 6 - 8 PM		1	2	
	H. 8-10 PM		1	2	
	I. AFTER 10 PM		1	2	

1

2

J. NO REGULAR TIMES

128.	More or less how many hours a day do you spend watching televisi	on?	
	— — HOURS A DAY 00. NEVER → GO TO Q132 55. DOES NOT HAVE ACC 66. WHEN THE HOUSEHO 77. NOT EVERY DAY 88. DON'T KNOW		
129.	What channels do you most often watch? (PROBE FOR MORE T	THAN ONE CHA	ANNEL, DO NOT READ LIST
		<u>METIONEI</u>	D NOT METIONED
	A. TVSH	1	2
	B. TVKLAN	1	2
	C. TVA	1	2
	D. TVKOHA	1	2
	E. VISION PLUS	1	2
	F. SHIJAK TV	1	2
	G. TELENORBA	1	2
	H. TVALBA	1	2
	I. CALVIN	1	2
	J. FOREIGN CHANNELS (e.g. CNN, BBC, EURONEWS, RAI) K. OTHER	1 1	2 2
130.	What types of programs do you most often watch? (PROBE FOR MCLIST)	ORE THAN ONI	E PROGRAM, DO NOT READ
		MENTIONEI	D NOT METIONED
	A. NEWS	1	2
	B. COMERCIALS	1	2
	C. ENTERTAINMENT PROGRAMS	1	$\frac{\overline{}}{2}$
	D. SERIALS/MOVIES	1	2
	E. SPORTS	1	2
	F. MUSIC PROGRAMS, VIDEO CLIPS	1	2
	G. PLAYS/DRAMAS	1	2
	H. CHILDREN'S PROGRAMS	1	2
	I. CHURCH/RELIGIOUS PROGRAMS	1	2
	J. WOMEN'S PROGRAMS	1	2
	K. HEALTH PROGRAMS	1	2
	L. POLITICAL EVENTS	1	2
	M. OTHER	1	2
131.	What times do you most often watch television? (CIRCLE ALL M	ENTIONED, DO	O NOT READ LIST)
		MENTIONEI	
	A. 6 - 8 AM	1	2
	B. 8-10 AM	1	2
	C. 10AM-NOON	1	2
	D. NOON-2 PM	1	2
	E. 2 - 4 PM	1	2
	F. 4 - 6 PM	1	2
	G. 6 - 8 PM H. 8-10 PM	1 1	2 2
	I. AFTER 10 PM	1	2
	J. NO REGULAR TIMES	1	2
132.	How often do you read a newspaper?		
	 DAILY/NEARLY EVERY DAY ABOUT 3-4 TIMES PER WEEK 		

3. ONCE OR TWICE PER WEEK4. LESS THAN ONCE PER WEEK5. NEVER/ALMOST NEVER

II. SEX EDUCATION

The next set of questions is about sex education.

- Do you think schools should teach courses about human reproduction, contraception, and prevention of sexually transmitted diseases (STDs)?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q203**
 - 8. DK
 - 9. NR \rightarrow **GO TO Q203**
- 202. At what year of age should schools begin to teach about? (READ A-C)

A. Human Reproduction?	 77. SHOULD NOT BE TAUGHT IN SCHOOL
B. Contraception?	 88. DK
C. Sexually Transmitted Diseases (STDs)	99. NR

GO TO BOX 2-I

Now I want to read some reasons for which one may oppose sex education in school. Please tell me if you agree or don't agree. (**READ A-D**)

	<u>AGREE</u>	<u>DISAGREE</u>	<u>DK</u>	NR
A. Sex education will give adolescents the idea to begin sex e	arlier 1	2	8	9
B. Sex education should be taught only in the house	1	2	8	9
C. Sex education goes against my religious beliefs	1	2	8	9
D. Teachers do not have enough training to teach such course	es 1	2	8	9

BOX 2-I

IF RESPONDENT IS 15-24 YEARS OF AGE CONTINUE; IF HE IS 25-49 YEARS GO TO SECTION III

204. Before you were 18 years old, did a parent ever talked to you about.....(READ A-F)

	<u>YES</u>	<u>NO</u>	<u>DK/DR</u>	<u>REF</u>
B. How Pregnancy Occurs?	1	2	8	9
D. Contraceptive Methods? (How to avoid getting a woman pregnant?)	1	2	8	9
E. HIV/AIDS?	1	2	8	9
F. Other Sexually Transmitted Diseases?	1	2	8	9

READ EACH QUESTION 205-207 FROM THE TABLE FOR EACH TOPIC OF SEX EDUCATION:

TOPIC	205. Before you were 18 years old, have you ever been taught about (READ A-G) while at school?	206. How old were you when you first were taught about(READ A-G) at school?
A. Menstrual Cycle	1 YES \rightarrow GO TO Q206 2 NO \rightarrow GO TO Q205_B 8 DK \rightarrow GO TO Q205_B 9 NR \rightarrow GO TO Q205_B	
B. Female Reproductive System	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{GO TO Q206} \\ 2 \text{ NO} \rightarrow \text{GO TO Q205_C} \\ 8 \text{ DR} \rightarrow \text{GO TO Q205_C} \\ 9 \text{ NR} \rightarrow \text{GO TO Q205_C} \end{array}$	
C. Male Reproductive System	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
D. How Pregnancy Occurs	1 YES \rightarrow GO TO Q206 2 NO \rightarrow GO TO Q205_E 8 DR \rightarrow GO TO Q205_E 9 NR \rightarrow GO TO Q205_E	
E. Contraceptive Methods	1 YES \rightarrow GO TO Q206 2 NO \rightarrow GO TO Q205_F 8 DR \rightarrow GO TO Q205_F 9 NR \rightarrow GO TO Q205_F	
F. HIV/AIDS	1 YES \rightarrow GO TO Q206 2 NO \rightarrow GO TO Q205_G 8 DR \rightarrow GO TO Q205_G 9 NR \rightarrow GO TO Q205_G	
G. Other Sexually Transmitted Diseases	$\begin{array}{c} 1 \text{ YES} \rightarrow \textbf{GO TO Q206} \\ 2 \text{ NO} \rightarrow \textbf{GO TO Q208} \\ 8 \text{ DR} \rightarrow \textbf{GO TO Q208} \\ 9 \text{ NR} \rightarrow \textbf{GO TO Q208} \end{array}$	

208. In your opinion, who or what was the most important source of information you have had about topics related to sexual matters?

1. MOTHER	10. NURSE, MIDWIFE
2. FATHER	11. TEACHER
3. RELATIVE	12. PHARMACIST
4. GIRLFRIEND	13. BOOKS
5. FRIENDS	14. NEWSPAPERS, MAGAZINES, BROCHURES, FLYERS
6. CO-WORKER	15. RADIO
7. COLLEAGUES, PEER	16. TV
8. PARTNER/WIFE	20. OTHER (SPECIFY):
9. DOCTOR	88. DON'T REMEMBER

III. FERTILITY/PREGNANCY

305.	Have you ever mad	de a woman pregnant?	
	 YES → GO TO NO NOT SURE NEVER HAD S 	Q307 $GEX \rightarrow GO TO MODULE I$	V, PAGE 12
306.	Has a female partne	er/wife ever had a stillbirth, ec	topic pregnancy, miscarriage, or an induced abortion?
	 YES → GO TO NO → GO TO 	O Q312 MODULE IV, PAGE 12	
307.	Have you ever had	any live-born children?	
	 YES NO → GO TO 	Q312	
308.	How many living c	children do you have, including	g those who do not live with you?
	CHIL	DREN	
309.	Have you ever had	a child born alive who later di	ed or died in the first hours or days after birth?
	 YES NO → GO TO 	Q312	
310.	How many children	n died? CHILI	DREN
311.	So altogether you h	nad a total of (Q308+0	Q310) live births?
	1. YES 2. NO → CHECK	Q308 AND Q310 AND MAI	KE CHANGES IF NECESSARY
312.			ou got a woman pregnant. Please think about any tion. How did that first pregnancy end?
	4. STILLBIRTH (6. SPONTANEOU 7. INDUCED AB 8. ECTOPIC PRE	GNANCY	GE)
	9. MOLAR PREC 10. CURRENTLY 88. DON'T KNOW	PREGNANT (FIRST TIME)	→ GO TO Q315
313.	In what month and	year did that first pregnancy e	nd?
	MONTH	YEAR	88. DON'T REMEMBER

Male Questionnaire

314.	How old were you at that	time?	YEARS	88. DON'T REMEMBER
315.	Thinking back to the time get pregnant or not?	e when your	partner got pregnant, wi	th that first pregnancy, did you want her to
	1. YES			
	2. NO8. NOT SURE			
	6. NOT SUKE			
316.	How old was your partne	r when she	got pregnant with that fir	st pregnancy?
	AGE	88 DON	I'T KNOW	
317.	What was your relationship	to her when	she first got pregnant?	
	1. WIFE/PARTNER		6. JUST MET	
	2. FIANCEÉ		7 CASUAL SEXU	AL PARTNER
	3. GIRLFRIEND		8. RELATIVE	
	4. FRIEND		11. SHE WAS A P	
	5. ACQUAINTANCE		20. OTHER (SPEC 88. DON'T REME	
		IF Q312=	10 DO NOT ASK Q318	B BUT CIRCLE="1"
318.	As far as you know, is any v	voman curre	ently pregnant by you?	
	1. YES			
	2. NO \rightarrow GO TO BOX			
	3. NOT SURE \rightarrow GO T	O BOX 3-1		
319.	How many months pregnan	t is the wom	an?	
	MONTHS	88. DOI	ES NOT KNOW	
		99. REF	USED / NO RESPONSE	3
	IF Q312=1	10 DO NOT	ASK Q320 BUT WRIT	ΓΕ THE ANSWER FROM Q315
320.	Thinking back to the time w	hen she got	pregnant, did you want l	ner to get pregnant or not?
	1. YES			
	2. NO			
	3. NOT SURE			
	BOX	2.1		
	KUX	.3-1		

IF Q311=0 (NEVER HAD A LIVE BIRTHS) GO TO Q327; OTHERWISE CONTINUE WITH HISTORY OF ALL LIVE BIRTHS

HISTORY OF ALL LIVE BIRTHS

Now I would like to talk to you about all live births you and your partner(s) have ever had. Please, make sure you include all births you have fathered regardless of which partner was the mother of the child. Let's start with your most recent birth, please give me the following information:

WRITE ## OF LIVE BIRTHS _____ (FROM Q311)

#	When was that live birth? (month & year)	How many weeks or months had your partner been pregnant when she gave birth?	Was the baby a boy or a girl?	324 Is the child still alive?	How old was the child when he/she died? (RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YRS.)	326 IF Q321 < 1997→GO TO NEXT LIVE-BIRTH Just before you got pregnant, did you want to get pregnant then, did you want to get pregnant later, or did you not want to get pregnant then or any time in the future?
1 LAST LIVE BIRTH	MTH YR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF	1. BOY 2. GIRL 3. BOTH	1. YES → Q326 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
2	MTHYR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF	1. BOY 2. GIRL 3. BOTH	1. YES → Q326 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
3	MTH YR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF	1. BOY 2. GIRL 3. BOTH	1. YES → Q326 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE
4	MTH YR 98. DK/NR	1 WEEKS OR 2 MONTHS 888. DK 999. NR/REF	1. BOY 2. GIRL 3. BOTH	1. YES → Q326 2. NO	1 DAYS OR 2 MTHS OR 3 YEARS 888. DK 999. NR/REF	1. WANTED TO GET PREG. THEN 2. WANTED TO GET PREG. LATER 3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE 8. NOT SURE

#	321	322	323	324	325	326
					How old was the child when he/she died?	IF Q321 < 1997 →GO TO NEXT LIVE BIRTH
	live birth? (month & year)	How many weeks or months had your partner been pregnant when she gave birth?	Was the baby a boy or a girl?	Is the child still alive?	(RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YRS.)	Just before she got pregnant, did you want to get pregnant then, did you want to get pregnant later, or did you not want to get pregnant then or any time in the future?
<u>5</u>	MTH	1 WEEKS			1 DAYS OR	1. WANTED TO GET PREG. THEN
	MTH	OR	1. BOY		2 MTHS OR	2. WANTED TO GET PREG. LATER
	YR	2 MONTHS 888. DK	2. GIRL 3. BOTH	1. YES \rightarrow Q326 2. NO	3 YEARS	3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE
		999. NR/REF			888. DK 999. NR/REF	8. NOT SURE
<u>6</u>	MTH	1 WEEKS			1 DAYS OR	1. WANTED TO GET PREG. THEN
	YR	2. MONTHS	1. BOY		2 MTHS OR	2. WANTED TO GET PREG. LATER
		888. DK 999. NR/REF	2. GIRL 3. BOTH	 YES → Q326 NO 	3YEARS	3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE
					888. DK 999. NR/REF	8. NOT SURE
7	MTH	1 WEEKS			1 DAYS OR	1. WANTED TO GET PREG. THEN
	YR	2 MONTHS	1. BOY		2 MTHS OR	2. WANTED TO GET PREG. LATER
		888. DK 999. NR/REF	2. GIRL 3. BOTH	1. YES \rightarrow Q326 2. NO	3 YEARS 888. DK	3. DID NOT WANT PREGNANCY THEN OR ANY TIME IN THE FUTURE
					999. NR/REF	8. NOT SURE

VERIFY THAT SUM OF LIVE BIRTHS = Q311, IF NOT, CORRECT HISTORY OF LIVE BIRTH TABLE VERIFY THAT THE LAST ROW IN THE TABLE CORRESPONDS TO THE FIRST LIVE BIRTH ASK: "Was this your first child?"

327.	Has your wife/partner ever had a spontaneous or induced abortion (therapeutic, induced, or planned) in the last five years?
	 SPONTANEOUS ABORTION, → CONTINUE WITH Q328 INDUCED ABORTION, OR → GO TO Q329 BOTH, SPONTANEOUS AND INDUCED ABORTION? → CONTINUE WITH Q328 NONE (IN THE LAST 5 YEARS) → GO TO MODULI IV
328.	How many spontaneous abortions in the last five years? SPONTANEOUS ABORTIONS
329.	How many induced, therapeutic or planned abortions in the last five years?
	INDUCED ABORTIONS

MODULE IV: FAMILY PLANNING KNOWLEDGE/ SEXUAL EXPERIENCE

For each of the following methods of preventing pregnancy, please tell me:

METHOD	400. Have you ever heard of it?	401. Do you know how to use it?	402. Have you ever used it?	403. Do you know where to get it?	What was the most important source of information about this method (SEE CODES BELOW)
A. The Pill (Oral Contraceptives)	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{B} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q403} \\ 2 \text{ NO} \rightarrow \text{Q403} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	
B. IUD (Spirali)	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{C} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q403} \\ 2 \text{ NO} \rightarrow \text{Q403} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	——
C. Condoms (Prezervativ)	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{D} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q403} \\ 2 \text{ NO} \rightarrow \text{Q403} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	
D. Foam/Jelly/ Cream/Foamy Tablets (Spermicides)	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{E} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q403} \\ 2 \text{ NO} \rightarrow \text{Q403} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	
E. Tubal Ligation	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{F} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q403} \\ 2 \text{ NO} \rightarrow \text{Q403} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	
F. Vasectomy (Male Sterilization)	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{G} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$1 \text{ YES} \rightarrow \text{Q403}$ $2 \text{ NO} \rightarrow \text{Q403}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	
G. Injectables (e.g. Depo-Provera)	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{H} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q403} \\ 2 \text{ NO} \rightarrow \text{Q403} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	
H. Emergency Hormonal Contraception ("Morning After Pill"; Postinor)	1 YES → Q401 2 NO- → I	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q403} \\ 2 \text{ NO} \rightarrow \text{Q403} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$	
I. Rhythm/Calendar Method	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{J} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO} \rightarrow \text{Q402} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$		
J. Withdrawal (Coitus Interruptus)	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q401} \\ 2 \text{ NO-} \rightarrow \text{K} \end{array}$	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q402} \\ 2 \text{ NO-} \rightarrow \text{Q402} \end{array}$	$1 \text{ YES} \rightarrow \text{Q404}$ $2 \text{ NO} \rightarrow \text{Q404}$		
K. Other contraceptive methods (SPECIFY):	1 YES → Q401 2 NO- → Q405	1 YES → Q402 2 NO- → Q402	$\begin{array}{c} 1 \text{ YES} \rightarrow \text{Q404} \\ 2 \text{ NO} \rightarrow \text{Q404} \end{array}$		

CODES FOR Q404 (DO NOT READ)

9. DOCTOR

1. MOTHER
2. FATHER
3. RELATIVE
4. BOYFRIEND
5. FRIENDS
6. CO-WORKER
7. COLLEAGUES, PEER
8. PARTNER/HUSBAND

10.	NURSE, MIDWIFE, FELDCHER
11	COMMUNITY HEALTH WORKER

12. TEACHER 13. PHARMACIST

14. BOOKS

15 NEWSPAPERS, MAGAZINES, BROCHURE, FLYERS

16. RADIO17. TV

20. OTHER (SPECIFY): _____

88. DON'T REMEMBER

405.	Looking at this CAF (SHOW CARD A)	RD, please tell	me which do	you think is	the most effe	ctive contrac	eptive method?	
	 The Pill IUD Condom Foams/jelly/cre Tubal Ligation Emergency Hor 			rning After Pi	10. V 11. R 12. V 77. N	Vasectomy (Nahythm Methovithdrawal NONE OF TH		1)
406.	How would you rate Would you say that at all effective?	e each of the fo	llowing met	hods with regarderive, effective	ard to effective, somewhat	veness at preverge effective, not	venting pregnand very effective of	cy? or not
	(INTERVIEWER: A DENT HAS SAID I CASES WITHOUT	N Q400 THAT						
		Very <u>Effective</u>	<u>Effective</u>	Somewhat Effective	Not Very Effective	Do Not <u>Know</u>	Never <u>Heard</u>	
1.	The pill	1	2	3	4	8	9	
2.	IUD	1	2	3	4	8	9	
3.	Condom	1	2	3	4	8	9	
7.	Tubal ligation	1	2	3	4	8	9	
9.	Injectables	1	2	3	4	8	9	
11.	Calendar	1	2	3	4	8	9	
12.	Withdrawal	1	2	3	4	8	9	
410.	VA-I IF RESPONDENT Now I have some question what month and MONTH	nestions about year was that	your first sex	cual intercours Can you tel 00. NE 88. DC	se. When did I me what ye	you have see ear that was ' NTERCOUR MBER	xual intercourse	for the first time
411.	How old were you a	t that time?	YE	ARS 88.	DON'T RE	MEMBER		
412.	At the time you first	had sexual int	ercourse, wh	nat was your r	elationship to	that woman'	?	
	 WIFE FIANCEE GIRLFRIEND FRIEND LOVER ACQUAINTAN JUST MET → 		ı	9. RA 10. IN 11. PR 20. O 88. DO	ELATIVE APE \rightarrow GO CEST \rightarrow G COSTITUTE- THER (SPEC D NOT REM FUSAL	O TO Q421 → GO TO IFY)	Q415	_
413.	How long were you	and your first	partner datin	g when you fi	rst had sexua	l relations?		
	1 DAYS O 000=FIRST TIME V 888=DON'T REME 999=NO RESPONS 777=OTHER	VE MET MBER E/REFUSAL	WEEKS OI	R 3	MONTHS (OR 4	_YEARS	
414.	How old was your fi	irst partner?		YI	EARS 88.	DK/DR		

Appendix D

415.	Before you had sex for the first time, did you and your partner ever talk about using contraception?
	1. YES
	2. NO
	8. DON'T REMEMBER
416.	At the time you had first sexual intercourse, did you or your partner use any contraceptive method?
	1. YES
	2. NO \rightarrow GO TO Q419 2. NO NOT REMEMBER \rightarrow CO TO Q421
	8. DK/DO NOT REMEMBER \rightarrow GO TO Q421 9. REF \rightarrow GO TO Q421
417.	Which contraceptive method did you or your partner use at the first intercourse?
	1. THE PILL
	2. IUD
	3. CONDOM 6. FOAM/JELLY/CREAM/VAGINAL FILMS
	8. EMERGENCY HORMONAL CONTRACEPTION
	9. INJECTABLES
	10. OTHER MODERN METHODS
	11. CALENDAR METHOD
	12. WITHDRAWAL 19. DOUCHE
	20. OTHER:
	88. DON'T KNOW/DON'T REMEMBER
418.	Who made the decision to use contraception at that time? (READ 1-3)
	1. You
	2. Your partner
	3. Both you and your partner 8. DON'T REMEMBER
	8. DON 1 REMEMBER
	GO TO Q421
419.	What was the main reason for not using a contraceptive method at that time?
	1. SEX WAS NOT EXPECTED
	2. THOUGHT IT WAS A SAFE TIME OF THE MONTH
	3. DID NOT KNOW WHERE TO GET A METHOD//DIFFICULT TO GET/NOT AVAILABLE
	4. RESPONDENT WAS AGAINST IT 5. PARTNER WAS AGAINST IT
	6. DID NOT KNOW ABOUT CONTRACEPTION
	7. WANTED TO GET PREGNANT
	8. THOUGHT THAT CONTRACEPTIVE METHODS ARE HARMFUL
	9. DID NOT THINK ABOUT USING A METHOD/NEGLIGENCE 10. RESPONDENT AFRAID OF PARTNER'S REACTION
	11. TOO DRUNK (PARTNER OR RESPONDENT)
	12. RESPONDENT WAS TOO EMBARRASSED TO USE A METHOD
	20. OTHER (SPECIFY)
	88. DON'T REMEMBER/DON'T KNOW
	GO TO Q421
420.	How old were you at the time of your first sexual intercourse?
	YEARS 00. NEVER HAD INTERCOURSE → GO TO Q601, PG26
	88. DK/DR
421.	During the past 30 days (past month) have you had sexual intercourse?
	1. YES
	2. NO \rightarrow GO TO Q436, PG.17
	9. REF \rightarrow GO TO Q436, PG.17

	BOX 4-1
	2. NO 9. DOES NOT REMEMBER / REFUSAL
427A.	During the last 30 days did you use a condom? 1. YES
	1. YES → GO TO BOX 4-1 2. NO 9. DON'T REMEMBER / REFUSE
427.	At the time or your last sexual intercourse, did you or your partner use a condom in addition to your current method?
	1. THE PILL 2. IUD 3. CONDOM → GO TO Q431 4. SPERMICIDE (FOAM/JELLY/CR1EAM/VAGINAL FILMS) 5. CONDOM+SPERMICIDE → GO TO Q431 6. CONDOM +CALENDAR / WITHDRAWAL → GO TO Q431 7. TUBAL LIGATION 8. EMERGENCY HORMONAL CONTRACEPTION / MORNING AFTER PILL 9. INJECTABLES (EXAMPLE: DEPO-PROVERA) 10. OTHER MODERN METHOD (SPECIFY) 11. CALENDAR METHOD 12. WITHDRAWAL → GO TO Q427A 13. WITHDRAWAL +CALENDAR → GO TO Q427A 20. OTHER NATURAL METHOD (SPECIFY) 88. DON'T KNOW/DON'T REMEMBER
426.	Which method did you use?
1 43.	 1. YES 2. NO → GO TO Q428 9. DR/ REF → GO TO Q428
425.	000=FIRST TIME WE MET 888=DON'T REMEMBER 999=NO RESPONSE 777=OTHER At the time or your last sexual intercourse, did you or your partner use any contraceptive method?
424.	1 DAYS OR 2 WEEKS OR 3 MONTHS OR 4 YEARS
424.	2. FIANCEE 3. GIRLFRIEND 11. PROSTITUTE → GO TO Q425 4. FRIEND 20. OTHER (SPECIFY) 5. LOVER 88. DO NOT REMEMBER 6. ACQUAINTANCE 99. REFUSAL How long were you and your last partner dating when you last had sexual relations?
423.	At the time of your last sexual intercourse, what was your relationship with that woman? 1. WIFE → GO TO Q425 7. JUST MET → GO TO Q425
	 Every day, 3-5 times per week, 1-2 times per week, 2-3 times per month, or Only once REFUSED
422.	How many times have you had sexual intercourse during the past 30 days (READ 1-3)?

Appendix D 427B. During the last 30 days did you or your partner use that current method: (READ 1-4) 1. At every sexual intercourse, 2. At almost all acts of sexual intercourse, 3. From time to time, or 4. Only once? 9. REFUSAL **GO TO Q432** 428. In the last 30 days, did you or your partner use any contraceptive method to avoid pregnancy? 2. NO \rightarrow GO TO Q445, PAGE 18 429. Which contraceptive method did you use? 1. THE PILL 2. IUD 3. CONDOM \rightarrow **GO TO Q431** 4. SPERMICIDE (FOAM/JELLY/CR1EAM/VAGINAL FILMS) 5. CONDOM+SPERMICIDE \rightarrow **GO TO Q431** 6. CONDOM +CALENDAR / WITHDRAWAL \rightarrow GO TO Q431 7. TUBAL LIGATION 8. EMERGENCY HORMONAL CONTRACEPTION / MORNING AFTER PILL 9. INJECTABLES (EXAMPLE: DEPO-PROVERA) 10. OTHER MODERN METHOD (SPECIFY) 11. CALENDAR METHOD 12. WITHDRAWAL 13. WITHDRAWAL+CALENDAR 20. OTHER NATURAL METHOD (SPECIFY) 88. DON'T KNOW 430. In the last 30 days, did you or your partner use a condom? 1. YES 2. NO 9. REFUSAL IF Q429=1, 2, 7, 9, 10, 11, GO TO Q432 431. During the last 30 days did you or your partner use that current method: (READ OPTIONS 1-4) 1. At every sexual intercourse? 2. At almost all acts of sexual intercourse, or 3. From time to time, or 4. Only once? 9. REFUSAL 432. Why did you choose that current method? (REFERS TO METHOD CITED IN Q426 OR Q429) 1. DOCTOR RECOMMENDED 2. COST 3. VERY EFFECTIVE 4. NO SIDED EFFECTS (FEW SIDE EFFECTS) 5. SAW ADS (TV, RADIO, PRESS, BROCHURES) 6. EASY TO USE 7. PARTNER PREFERS IT

20. OTHER_____ 88 DON'T KNOW

8. KNOWS SOMEBODY WHO USES IT 9. CURIOSITY / WANTED TO TRY IT

10. ALLOWS SPONTANEITY DURING INTERCOURSE11. TRADITIONAL METHOD / CULTURALLY ACCEPTABLE

155.	your partner get the method of contraception you used the last time you had sex?				
	1. HEALTH POST	9. OPE	N MARKET		
	2. HEALTH CENTER	10. STO	RE/ KIOSK		
	3. POLICLINIC		TNER/WIFE		
	4. FAMILY PLANNING CLINIC	12. FRII			
	 GOV HOSPITAL-MATERNITY WARD PRIVATE CLINIC OR OFFICE 	13. REL			
	7. NGO	20. OTF	IER (SPECIFY): FURAL METHOD → GO TO Q445		
	8. PHARMACY		N'T KNOW		
434.	Do (Did) you pay for this method?				
	1. YES				
	2. NO \rightarrow GO TO Q445				
	3. PARTNER GETS THE METHOD \rightarrow GO TO	Q445			
435.	On average, how much did you pay for the contract	ceptive metho	od, per month?		
	HUNDRED LEKI	85. 8	35 HUNDRED LEKI OR MORE		
		88. 1	NOT SURE/DON'T KNOW		
	G	O TO Q445			
436.	During the past 3 months, have you had sexual int	tercourse?			
	1. YES				
	2. NO \rightarrow GO TO Q453, PAGE 19				
	9. REF → GO TO Q453, PAGE 19				
1 37.	At the time of your last sexual intercourse, what w	vas the relation	onship of your partner to you?		
	1. WIFE \rightarrow GO TO Q439	7. JUS	$\Gamma MET \rightarrow GO TO Q439$		
	2. FIANCEE		ATIVE \rightarrow GO TO Q439		
	3. GIRLFRIEND	11. PRC	STITUTE \rightarrow GO TO Q439		
	4. FRIEND 5. LOVER	20. OTF	IER (SPECIFY)		
	6. ACQUAINTANCE	99. REF	NOT REMEMBER USAL		
138.	How long were you and your last partner dating when you last had sexual relations?				
.30.	1 DAYS OR 2 WEEKS OR 3 MONTHS OR 4 YEARS				
	000=FIRST TIME WE MET 888=DON'T REMEMBER				
	999=NO RESPONSE				
	777=OTHER				
439.	At your last sexual intercourse, did you or your partner use any contraceptive method to avoid pregnancy?				
	1. YES				
	2. NO \rightarrow GO TO Q445				
	8. DON'T REMEMBER \rightarrow GO TO Q445				
	9. REFUSED \rightarrow GO TO Q445				
440.	Which contraceptive method did you use?				
	1. THE PILL		9. INJECTABLES (EXAMPLE: DEPO-PROVERA)		
	2. IUD 3. CONDOM > CO TO 04414		10. OTHER MODERN METHOD (SPECIFY)		
	 CONDOM → GO TO Q441A SPERMICIDE (FOAM/JELLY/CR1EAM/VAGINA 	L FILMS)	11. CALENDAR METHOD 12. WITHDRAWAL → GO TO Q445		
	5. CONDOM+SPERMICIDE \rightarrow GO TO Q441A	,	13. WITHDRAWAL+CALENDAR \rightarrow GO TO Q445		
	6. CONDOM +CALENDAR / WITHDRAWAL \rightarrow GO	O TO Q441A	20. OTHER NATURAL METHOD (SPECIFY)		
	7. TUBAL LIGATION 8. EMERGENCY HORMONAL CONTRACEPTION	/ MORNING	88. DON'T KNOW		
	AFTER PILL	, INIORINIU			

Appendix D

441.	At your last sexual intercourse, did you or your partner use a condom in addition to your current method?		
	 YES NO → GO TO Q442 DON'T REMEMBER → GO TO Q442 REFUSED → GO TO Q442 		
441A.	During the last 3 months how often did you use a condom when you had sexual relations with that woman? Did you use a condom: (READ OPTIONS 1-3)		
	 At every sexual intercourse? At almost all acts of sexual intercourse, or From time to time? DON'T KNOW REFUSAL 		
442.	Where did you or your partner get the method of contraception you used the last time you had sex?		
	1. HEALTH POST 2. HEALTH CENTER 3. POLICLINIC 4. FAMILY PLANNING CLINIC 5. GOV HOSPITAL-MATERNITY WARD 6. PRIVATE CLINIC OR OFFICE 7. NGO 77. NATURAL METHOD → GO TO Q445 8. PHARMACY 88. DON'T KNOW		
443.	Do (Did) you pay for this method?		
	 1 YES 2 NO → GO TO Q445 3 PARTNER GETS THE METHOD → GO TO Q445 		
444.	On average, how much did you pay for the contraceptive method, per month?		
	HUNDRED LEKI 85. 85 HUNDRED LEKI OR MORE 88. NOT SURE/DON'T KNOW		
445.	During the past 3 months, with how many different women have you had intercourse?		
	85. 85+ WOMEN PARTNERS 88. DON'T KNOW / NOT SURE 99. NO RESPONSE		
	IF Q445>1 CONTINUE; IF Q445=1, 88 OR 99 GO TO Q460, PAGE 20		
446.	You told me that in the last 3 months you had sexual relations with more than 1 woman. What was the relationship with the next-to-last woman when you last had sexual intercourse with her?		
	1. WIFE → GO TO Q449 7. JUST MET → GO TO Q449 2. FIANCEE 8. RELATIVE → GO TO Q449 3. GIRLFRIEND 11. PROSTITUTE → GO TO Q449 4. FRIEND 20. OTHER (SPECIFY)		
447.	How long had you and that partner been together when you last had sexual relations?		
	1DAYS OR 2WEEKS OR 3MONTHS OR 4YEARS 000=FIRST TIME WE MET 888=DON'T REMEMBER 999=NO RESPONSE 777=OTHER		

Male Questionnaire

449.	Did you and that next-to-last partner use any contraceptive method to avoid pregnancy the last time you had sexual relations?		
	1. YES		
	2. NO \rightarrow GO TO Q460		
	9. DON'T REMEMBER / REFUSE \rightarrow GO TO Q 4	460	
450.	Which contraceptive method did you use?		
	1. THE PILL		
	2. IUD		
	 3. CONDOM → GO TO Q452 4. SPERMICIDE (FOAM/JELLY/CR1EAM/VAG 	INAL FILMS)	
	5. CONDOM+SPERMICIDE \rightarrow GO TO Q452		
	6. CONDOM +CALENDAR / WITHDRAWAL -	→ GO TO Q452	
	7. TUBAL LIGATION	ON / MODNING AFTER BULL	
	8. EMERGENCY HORMONAL CONTRACEPTI 9. INJECTABLES (EXAMPLE: DEPO-PROVER		
	10. OTHER MODERN METHOD (SPECIFY)		
	11. CALENDAR METHOD		
	12. WITHDRAWAL \rightarrow GO TO Q460	70	
	13. WITHDRAWAL+CALENDAR \rightarrow GO TO Q4 20. OTHER NATURAL METHOD (SPECIFY)	00	
	88. DON'T KNOW		
451.	At your last sexual intercourse with this (next-to-last) partner, did you or your partner use a condom in addition to your current method?		
	1. YES		
	2. NO \rightarrow GO TO Q460		
	8. DON'T REMEMBER \rightarrow GO TO Q460 9. REFUSE \rightarrow GO TO Q460		
	9. REFUSE → GO TO Q400		
452.	During the last 3 months how often did you use a condom when you had sexual relations with that (next-to-last) woman? Did you use a condom: (READ OPTIONS 1-4)		
	1. At every sexual intercourse?		
	2. At almost all acts of sexual intercourse,		
	3. From time to time, or 4. Only once?		
	9. DON'T KNOW / REFUSAL		
	GO T	O Q460	
453.	When was the last time you had sexual intercourse?		
	MONTH YEAI		
		99. NR	
454.	At the time of your last intercourse, what was your	relationship with your partner?	
	1. WIFE	8. RELATIVE	
	2. FIANCEE 3. GIRLFRIEND	9. RAPE \rightarrow GO TO Q460 10. INCEST \rightarrow GO TO Q460	
	4. FRIEND	11. PROSTITUTE	
	5. LOVER	20. OTHER (SPECIFY)	
	6. ACQUAINTANCE	88. DO NOT REMEMBER	
	7. JUST MET	99. REFUSAL	
455.	At the time you had your last sexual intercourse did	I you or your partner use any contraceptive method?	
	1. YES		
	2. NO \rightarrow GO TO Q460		
	9 DK/RFF \rightarrow GO TO O460		

Appendix D

456.	456. Which contraceptive method did you or your partner use at the last intercourse?			
	1. THE PILL 2. IUD 3. CONDOM 4. CONDOM +SPERMICIDE 5. CONDOM + WITHDRAWAL/CALE 6. FOAM/JELLY/CREAM/VAGINAL I 7. TUBAL LIGATION 8. EMERGENCY HORMONAL CONT	FILMS/DIAFRAGM	9. INJECTABLES (EXAMPLE: DEPO-PROVERA) 10. OTHER MODERN METHOD (SPECIFY) 11. CALENDAR METHOD → GO TO Q460 12. WITHDRAWAL ("MAN FINISHES OUTSIDE") → GO TO Q460 13. WITHDRAWAL AND CALENDAR → GO TO Q460 20. OTHER TRADITIONAL METHOD: 88. DON'T KNOW / DON'T REMEMBER	
457.	Where did you or your partner get the method of contraception you used the last time?			
	 HEALTH POST HEALTH CENTER POLICLINIC FAMILY PLANNING CLINIC GOV HOSPITAL-MATERNITY PRIVATE CLINIC OR OFFICE NGO PHARMACY 		9. OPEN MARKET 10. STORE/ KIOSK 11. PARTNER/WIFE 12. FRIEND 13. RELATIVE 20. OTHER (SPECIFY):	
458.	Do (Did) you pay for this method? 1 YES 2 NO → GO TO Q460 3 PARTNER GETS THE METHOD → GO TO Q460			
459.	On average, how much did you pay	for the contraceptive	re method, per month?	
	HUNDRED LEKI		85. 85 HUNDRED LEKI OR MORE 88. NOT SURE/DON'T KNOW	
460. How many women have you had sexual intercourse with <u>in the last 12 months</u> ? (only once).		h in the last 12 months? (even those you had intercourse with		
	WOMEN	85. 85 OR MOR 88. DON'T KNO 99. NO RESPO	OW / DON'T REMEMBER	
460A. Counting all the women you had sexual intercourse with, even those you had intercourse with in your life?				
	WOMEN	85. 85 OR MOR 88. DON'T KNO 99. NO RESPO	OW / DON'T REMEMBER	
461.	Have you ever had sexual relations with a prostitute? 1. YES 2. NO → GO TO MODULE V 2. DON'T REMEMBER / REFUSE → GO TO MODULE V			
462.	When was the last time you had sexual relations with a prostitute? Did you have relations: (READ 1-4)? 1. In the last month? 2. 2-3 months ago 3. In the last year, but not in the last month, or 4. More than a year ago 9. DON'T REMEMBER / REFUSE			
463.	Did you use a condom the last time you had sexual relations with a prostitute? 1. YES 2. NO 9 DON'T REMEMBER / REFUSE			

V. CURRENT AND PAST CONTRACEPTIVE USE

- 503A. VERIFY WHETHER RESPONDENT REPORTED CURRENTLY (LAST 30 DAYS) USING ANY METHOD (SEE Q425 AND Q428: PAGE 15 AND 16). CIRCLE "1" OR "2".
 - 1. DID NOT USE A METHOD IN THE PAST 30 DAYS (Q425=2 AND Q428=2 OR BLANK) CONTINUE
 - 2. USED A METHOD IN THE LAST 30 DAYS (Q425=1 OR Q428=1 \rightarrow GO TO BOX 5-I
- 503. So, you said that you or any of your partners are not currently (in the last 30 days) using any method to prevent pregnancy?
 - 1. CURRENTLY USING \rightarrow CORRECT Q425 OR Q428, AND THEN CONTINUE
 - 2. NOT CURRENTLY USING \rightarrow GO TO Q515

BOX 5-I

IFCURRENTLY USES TRADITIONAL METHOD (SEE Q426 AND Q429) CONTINUE, ELSE GO TO Q510

Please tell me whether each of the following reasons was very important, somewhat important, or not important at all in your decision to use _____ (WRITE NAME OF TRADITIONAL METHOD) instead of a modern method:

	VERY <u>IMPORTANT</u>	SOMEWHAT IMPORTANT	NOT <u>IMPORTANT</u>	DON'T <u>KNOW</u>
A. Difficult to get a modern method	1	2	3	8
B. Cost of these modern methods	1	2	3	8
C. Little knowledge of modern methods	1	2	3	8
D. Fear of or experience with side effects	1	2	3	8
E. Husband/Partner choice	1	2	3	8
F. Religious beliefs	1	2	3	8
G. Doctor's recommendation	1	2	3	8
H. Another person's advice	1	2	3	8

- 509. How effective at preventing pregnancy do you think (**TRADITIONAL METHOD NAMED**) is compared to modern methods, like the pill or the IUD? (**READ 1-3**)
 - 1. Current method more effective
 - 2. About equally effective
 - 3. Current method less effective
 - 8. DON'T KNOW/NOT SURE
- 510. Do you have any problems or concerns with using your current method?
 - 1. YES
 - 2. NO \rightarrow GO TO Q512
- 511. What is the most important problem?
 - 1. SIDE EFFECTS
 - 2. HEALTH CONCERNS
 - 3. ACCESS/AVAILABILITY
 - 4. COST
 - 5. SOMETIMES FORGET TO USE
 - 6. SOMETIMES DIFFICULT/INCONVENIENT TO USE
 - 7. WIFE / PARTNER DISAPPROVES
 - 8. LESS EFFECTIVE METHOD/GOT PREGNANT WHILE USING IT
 - 9. DEEPLY UNSATISFIED WITH THE METHOD
 - 10. OTHER

Appendix D 512. Would you prefer to use a different method of family planning from the one you are currently using? 1. YES 2. NO \rightarrow **GO TO 521** What method would you prefer to use (OTHER THAN THE METHOD ALREADY SPECIFIED)? 513. 1. THE PILL 2. IUD 3. CONDOM 4. CONDOM +SPERMICIDE 5. CONDOM +WITHDRAWAL/CALENDAR-6. FOAM/JELLY/CREAMS/C-FILMS 7. FEMALE STERILIZATION 8. EMERGENCY HORMONAL CONTRACEPTION 9. INJECTABLES (DEPO PROVERA) 10. OTHER MODERN METHODS 11. CALENDAR 12. WITHDRAWAL 13. WITHDRAWAL AND CALENDAR 20. OTHER NATURAL METHODS 88. DO NOT KNOW/NOT SURE 514. What is the most important reason that you do not use that method? 1. DOCTOR WILL NOT PRESCRIBE IT 2. COST 3. NOT AVAILABLE/UNRELIABLE SUPPLIES/DIFFICULT TO OBTAIN 4. TOO FAR AWAY 5. DO NOT KNOW HOW/WHERE TO OBTAIN IT 6. WIFE/PARTNER OBJECTS TO IT 7. RELIGIOUS REASONS 8. FEAR OF SIDE EFFECTS 9. HAS NOT YET MADE UP HIS/THEIR MIND 10. DIFFICULT TO USE 11. FEAR OF SURGICAL PROCEDURE (IUD, TL, NORPLANT) 20. OTHER 88. DON'T KNOW BOX 5-II **GO TO Q 521** 515. What is the main reason that you or your partner are not currently using a contraceptive method? 1. DOES NOT CURRENTLY HAVE A PARTNER/ NOT SEXUALLY ACTIVE IN THE LAST MONTH 2. TRYING TO GET PREGNANT 3. PARTNER/WIFE POSTPARTUM/ BREASTFEEDING 4. PARTNER/WIFE CURRENTLY PREGNANT 5. PARTNER/WIFE HYSTERECTOMY/MENOPAUSE → GO TO Q523 6. DOCTOR SAID HE OR HIS WIFE/PARTNER CANNOT HAVE CHILDREN ightarrow GO TO Q523 7. COUPLE TRIED TO GET PREGNANT FOR AT LEAST 2 YEARS AND DIDN'T SUCCEED → GO TO Q523 8. FEAR OF SIDE EFFECTS 9. LOVEMAKING WOULD BE INTERRUPTED 10. RESPONDENT DID NOT THINK ABOUT USING CONTRACEPTION 11. COST, CANNOT AFFORD BIRTH CONTROL 12. BIRTH CONTROL IS THE PARTNER'S RESPONSIBILITY 13. BIRTH CONTROL IS NOT (VERY) EFFECTIVE 14. RESPONDENT DOES NOT WANT TO USE A METHOD 15. PARTNER OBJECTS TO USING METHOD 16. OBJECTS DUE TO RELIGIOUS REASONS

17. DOES NOT KNOW WHERE TO GET METHOD 18. RESPONDENT DOES NOT KNOW HOW TO USE BIRTH CONTROL METHODS 20. RESPONDENT HAS NO TIME TO GO TO A FP CLINIC/ OR BUY CONDOMS

19. RESPONDENT DOES NOT THINK THAT HE AND PARTNER CAN GET PREGNANT

21. RESPONDENT'S PARTNER USES DOUCHING

77. OTHER (SPECIFY)

88. DON'T KNOW

Do you think that you will use a contraceptive method during the next 12 months (ADD:OTHER THE DOUCHING IF Q515=21)? (YOU OR YOUR PARTNER)				
	1. YES → GO TO Q518			
	2. NO 8. NOT SURE			
517.	Do you think that you will use a contraceptive meth	od any time in the future?		
	1. YES			
	2. NO \rightarrow GO TO Q521 8. NOT SURE \rightarrow GO TO Q521			
518.	What method would you want to use most?			
	1. THE PILL			
	2. IUD 3. CONDOM			
	4. CONDOM +SPERMICIDE			
	5. CONDOM +WITHDRAWAL/CALENDAR-			
	6. FOAM/JELLY/CREAMS/C-FILMS 7. FEMALE STERILIZATION			
	8. EMERGENCY HORMONAL CONTRACEPTION			
	9. INJECTABLES(DEPO PROVERA)			
	10. OTHER MODERN METHODS 11. CALENDAR \rightarrow GO TO Q521			
	12. WITHDRAWAL \rightarrow GO TO Q521			
	13. WITHDRAWAL + CALENDAR \rightarrow GO TO Q521 20. OTHER \rightarrow GO TO Q521			
	88. NOT SURE \rightarrow GO TO Q521			
519.	On average, how much are you willing to pay for co	ontraception, per month? (YOU OR YOUR PARTNER) 85. 85 HUNDRED LEKI OR MORE 88. NOT SURE/DON'T KNOW		
520.	Where would you want to get your contraceptive method? (YOU OR YOUR PARTNER)			
	1. HEALTH POST	8. PHARMACY		
	2. HEALTH CENTER	9. OPEN MARKET		
	3. POLICLINIC	10. STORE/ KIOSK		
	4. FAMILY PLANNING CLINIC 5. GOV HOSPITAL-MATERNITY WARD	11. PARTNER/WIFE 12. FRIEND		
	6. PRIVATE CLINIC OR OFFICE	13. RELATIVE		
	7. NGO	20. OTHER (SPECIFY): 88. DON'T KNOW		
		66. DON I KNOW		
521.	During the last year, how often did you talk about c	ontracention with your wife / partner?		
	1. NEVER \rightarrow GO TO Q523			
	2. ONE OR TWO TIMES			
	 3. THREE TIMES OR MORE 4. RESPONDENT HAD NO PARTNER DURING THE LAST YEAR → GO TO Q523 			
	4. RESPONDENT HAD NO PARTNER DURING	THE LAST YEAR → GO TO Q323		
522.	Generally, does your wife / partner agree or disagre	e with the use of contraceptive methods?		
	1. AGREES			
	2. DISAGREES 3. NEITHER AGREES NOR DISAGREES			
	8. NOT SURE/DON'T KNOW			

- 523. Some people use condoms for reasons other than birth control, for instance because they are concerned about getting diseases that can result from sexual intercourse. Have you ever used condoms for: (READ 1-4)
 - 1. Birth Control Only → **GO TO BOX 5-III**
 - 2. Disease Prevention Only \rightarrow GO TO BOX 5-III
 - 3. Both, or \rightarrow **GO TO BOX 5-III**
 - 4. You Never Used a Condom?
 - 5. USED CONDOM OUT OF CURIOSITY
 - 8. NOT SURE/ DO NOT REMEMBER
- Why have you and your partner(s) never used condoms?
 - 1. PREVENTING PREGNANCY IS WOMAN'S RESPONSIBILITY
 - 2. PARTNER(S) OBJECTED TO USE CONDOMS
 - 3. HAVE ONLY ONE PARTNER
 - 4. THEY ARE ONLY FOR USE WITH PROSTITUTES
 - 5. THEY ARE ONLY FOR EXTRAMARITAL RELATIONS
 - 6. CONDOMS DIMINISH PLEASURE/SPONTANEITY
 - 7. CONDOMS ARE LESS EFFECTIVE IN PREVENTING PREGNANCY
 - 8. CONDOMS ARE TOO DIFFICULT TO USE
 - 9. LOVEMAKING WOULD BE INTERRUPTED
 - 10. CONDOM USE IS TOO MESSY
 - 11. COST
 - 12. HE HAS NEVER THOUGHT ABOUT IT
 - 13. IT IS EMBARRASSING TO BUY CONDOMS
 - 14. PREFERS OTHER CONTRACEPTIVE METHODS
 - 20. OTHER
 - 88. DON'T KNOW

BOX 5-III

VERIFY Q425 AND 428 (PAGES 15 & 16); IF RESPONDENT CURRENTLY USING A METHOD GO TO Q553

- 551. Do you think that you can get your partner pregnant now?
 - 1. YES
 - 2. NO
 - 3. NOT SURE
 - 4. PARTNER IS PREGNANT NOW
- 552. What is the reason why you think you cannot get your partner pregnant now?
 - 1. DOES NOT CURRENTLY HAVE A PARTNER / NOT SEXUALLY ACTIVE
 - 2. PARTNER IS POSTPARTUM / BREASTFEEDING
 - 3. GENITAL INFECTION (ANEXITA, ENDOMETRITIS)
 - 4. SYSTEMATIC OR ENDOCRINAL DISEASE
 - 5. HYSTERECTOMY (OPERATION TO REMOVE THE UTERUS) → GO TO MODULE VI
 - 6. MENOPAUSAL \rightarrow GO TO MODULE VI
 - 7. OVARIAN CYST OR DYSFUNCTION → **GO TO MODULE VI**
 - 8. OBSTRUCTED OR MISSING FALLOPIAN TUBES \rightarrow GO TO MODULE VI
 - 9. NO PREGNANCY FOR 2 YEARS DESPITE NO CONTRACEPTION ightarrow GO TO MODULE VI
 - 10. RESPONDENT HAD OPERATION SO CANNOT HAVE KIDS ightarrow GO TO MODULE VI
 - 11. RESPONDENT STERILE → GO TO MODULE VI
 - 12. USING A CONTRACEPTIVE METHOD → VERIFY Q425 & Q428 (P. 15-16), CORRECT IF NECESSARY
 - 20. OTHER (SPECIFY)
 - 88. DON'T KNOW

- Looking to the future, do you yourself intend to have (a/another) baby at some time (IF CURRENTLY PREGNANT ADD "...after this pregnancy"?)
 - 1. WANTS A BABY
 - 2. DOES NOT WANT A BABY \rightarrow **GO TO Q555**
 - 3. RESPONDENT WANTS A BABY BUT PARTNER DISAGREES
 - 4. RESPONDENT DOES NOT WANT A BABY BUT PARTNER WANTS → GO TO Q555
 - 8. DK \rightarrow **GO TO Q555**
- 554. When do you, yourself, actually want to get your wife/partner pregnant (again)...(READ 1-4)
 - 1. Right away, (DO NOT READ IF THE HIS WIFE / PARTNER IS ALREADY PREGNANT)
 - 2. Within the next 12 months,
 - 3. Within 1-2 years,
 - 4. or after 2 years?
 - 6. AFTER HE MARRIES
 - 7. WHEN GOD WANTS
 - 8. DON'T KNOW
- 555. IF Q553 =1, 3, OR 8 BEGIN WITH: "After having all the children you want,...")

Do you think you would be interested in your partner having an operation (tubal ligation) to prevent having any more children?

- 1. YES \rightarrow GO TO MODULI VI
- 2 NC
- 3. WIFE / PARTNER IS ALREADY STERILIZED → GO TO MODULI VI
- 4. HE HAS HAD A VASECTOMY \rightarrow GO TO MODULI VI
- 8. NOT SURE
- 556. What is the most important reason you wouldn't be interested in her having such a procedure?
 - 1. HEALTH RISKS/FEAR OF SIDE EFFECTS
 - 2. FEAR OF OPERATION
 - 3. DOESN'T KNOW ENOUGH ABOUT / NEVER HEARD OF STERILIZATION
 - 4. MIGHT WANT ANOTHER CHILD
 - 5. COST
 - 6. DOES NOT HAVE A PARTNER/NOT SEXUALLY ACTIVE
 - 7. AGE TOO YOUNG OR TOO OLD (APPROACHING MENOPAUSE)
 - 8. HAVEN'T THOUGHT ABOUT IT
 - 9. NOT CULTURALLY ACCEPTABLE
 - 10. RELIGIOUS REASONS
 - 11. PREFERS (OR USES) OTHER CONTRACEPTIVE METHODS
 - 12. CANNOT GET PREGNANT (INFERTILITY, MEDICAL REASONS)
 - 20. OTHER
 - 88. DON'T KNOW

VI. MEN'S HEALTH

Now I would like to ask you some questions about your health.

- In the past 12 months, have you visited any health facility for care for yourself, including obtaining preventive services, such as family planning counseling or health check-ups?
 - 1. YES
 - 2. NO \rightarrow GO TO Q604
 - 8. DK/DO NOT REMEMBER \rightarrow GO TO Q604
- 603. During your visit in the past 12 months at the health facility, did a doctor or medical provider talk to you about

			DON'T KNOW
	YES	<u>NO</u>	DON'T REM.
A. Condoms	1	2	8
B. STDs (Sexually Transmitted Diseases)	1	2	8
C. Control for pregnancy	1	2	8

Many different factors can prevent us from getting medical advice or treatment. When you want to get medical advice or treatment, are any of the following major problems or not (**READ A -G**)?

	BIG <u>PROBLEM</u>	NOT A BIG PROBLEM
A. Knowing where to go	1	2
C. Getting money needed for treatment	1	2
D. The distance to the health facility	1	2
E. Having to take transport	1	2
G. Concern that there may not be a male health provider	1	2

- 614. Have you ever tried cigarette smoking, even one or two puffs?
 - 1. YES
 - 2. NO \rightarrow GO TO 621
- 615. How old were you when you smoked a cigarette for the first time?

- 616. Have you smoked at least 100 cigarettes in your entire life? (PROBE: 100 cigarettes is about 5 packs)
 - 1. YES
 - 2. NO \rightarrow **GO TO 621**
 - 8. DK \rightarrow GO TO 621
 - 9. REFUSAL \rightarrow **GO TO 621**
- 617. How old were you when you first started smoking fairly regularly?

____YEARS 00. NEVER SMOKED REGULARLY 88. DO NOT REMEMBER 99. REFUSE

- 618. During the last 30 days, did you smoke cigarettes: (READ 1-4)
 - 1. Every Day
 - 2. Almost Every Day
 - 3. Some Days
 - 4. Not at All in the last 30 days \rightarrow **GO TO Q620**
 - 9. REFUSAL \rightarrow **GO TO Q620**

- 619. During the last 30 days, on the days you smoked, how many cigarettes did you smoke per day?
 - 1. 1 CIGARETTE PER DAY
 - 2. 2-5 CIGARETTES PER DAY
 - 3. 6-10 CIGARETTES PER DAY
 - 4. 11-19 CIGARETTES PER DAY
 - 5. 20 OR MORE CIGARETTES PER DAY

GO TO Q621	

620.	In what month and year did you last smoke cigarettes at all?	(PROBE FOR SEASON IF MONTH IS
	UNKNOWN)	

- Now, I will ask you about some medical conditions that you may have had. Has a doctor or other medical care provider ever told you that you had Diabetes or "high sugar"?
 - 1. YES
 - 2. NO
 - 8. NOT SURE
 - 9. REFUSAL
- 622. Has a doctor or other medical care provider ever told you that you had heart disease?
 - 1. YES
 - 2. NO
 - 8. NOT SURE
 - 9. REFUSAL
- 625. Has a doctor or other medical care provider ever told you that you had Hypertension or High Blood Pressure?
 - I. YES
 - 2. NO
 - 8. NOT SURE
 - 9. REFUSAL
- 626. Has a doctor or other medical care provider ever told you that you had Hepatitis B?
 - 1. YES
 - 2. NO
 - 8. NOT SURE
 - 9. REFUSAL
- 627. In the past 12 months have you had any of the following symptoms?

	<u>YES</u>	<u>NO</u>	DON'T KNOW
A. Discharge from the penis	1	2	8
B. Itching or burning in the genital area	1	2	8
C. Burning pain on urination	1	2	8
D. Pain during sexual intercourse	1	2	8
E. Sore, ulcer or warts in genital area	1	2	8
F. Swelling in genital area	1	2	8

IF ALL Q627 (A-F) > 1 (NO SYMPTOMS IN THE PAST 12 MONTHS) GO TO Q631; ELSE CONTINUE

- 628. Did you have any treatment for this(ese) condition(s)?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q630**
 - 8. NOT SURE \rightarrow GO TO Q630

629.	Who treated you?	
	 OB/GYN FAMILY DOCTOR/GENRAL PRACTIONER DERMATOLOGIST INFECTIOUS DISEASES DOCTOR NURSE/MIDWIFE PHARMACIST 	7. PARTNER 8. FRIEND/RELATIVE 9. SELF-TREATMENT 20. OTHER: 99. REFUSE TO ANSWER
	GOT	TO Q631
630.	What was the main reason you did not seek treatme	nt?
	 SERVICES TOO FAR AWAY / INACCESSIBLI DON'T KNOW WHERE TO GO FOR SERVICES CANNOT AFFORD SERVICES OR TREATME AFRAID OF KNOWING THE RESULTS IT IS EMBARRASSING DID NOT THINK WAS A STD SYMPTOM(S) DISAPPEARED OTHER (SPECIFY) REFUSE 	ES NT
631.	 In the past 3 months, have you had a drink containing vodka, or whiskey? 1. YES 2. NO → GO TO MODULE VII 8. NOT SURE/DO NOT REMEMBER → GO 9. REFUSE → GO TO MODULE VII 	ng alcohol, that is raki, beer, wine, a cocktail, shot of liqueur, TO MODULE VII
632.	In the past 3 months, on the days that you drank alc	ohol, how many drinks did you usually have?
	88. NOT SU	NKS/ONLY FEW SIPS $ ightarrow$ GO TO MODULE VII RE/DO NOT REMEMBER $ ightarrow$ GO TO MODULE VII ightarrow GO TO MODULE VII
633.	In the past 3 months, how often did you drink that a	amount (PROBE: per day, week, or month)?
	 EVERYDAY ALMOST EVERY DAY 1-2 TIMES A WEEK 2-3 TIMES A MONTH ONCE A MONTH 1-2 TIMES IN THREE MONTHS 	
634.	In the past 3 months, have there been days when yo	u had more than usual (# FROM Q632) drinks?
	1. YES 2. NO → GO TO MODULE VII 8. NOT SURE/DO NOT REMEMBER → GO TO 9. REFUSE → GO TO MODULE VII	MODULE VII
635.	In the past 3 months, how many drinks did you hav (CHECK IF # FROM Q635 > # FROM Q632)	e on the days that you drank more than usual (# FROM Q632)?
		RE/DO NOT REMEMBER \rightarrow GO TO MODULE VII E \rightarrow GO TO MODULE VII

VII REPRODUCTIVE HEALTH KNOWLEDGE/ATTITUDES

- 700. What do you think is the ideal number of children for a young family in Albania?
 - 0. 0 CHILDREN
 1. 1 CHILD
 2. 1-2 CHILDREN
 3-4 CHILDREN
 4 CHILDREN
 5 OR MORE
 - 2. 1-2 CHILDREN
 3. 2 CHILDREN
 9. AS MANY AS GOD GIVES
 4. 2-3 CHILDREN
 77. AS MANY AS POSSIBLE
 - 5. 3 CHILDREN 88. DON'T KNOW
- 701. During a woman's menstrual cycle, are there certain days when she is more likely to become pregnant if she has sexual relations?
 - 1. YES
 - 2. NO \rightarrow **GO TO 702**
 - 8. DO NOT KNOW \rightarrow **GO TO 702**
- 701A. When is it most likely for a woman to become pregnant, just before her period begins, during her period, right after her period has ended, or halfway between two periods?
 - 1 Just before her period starts,
 - 2 During her period,
 - 3 Right after period ends,
 - 4 Halfway between her periods,
 - 8 DON'T KNOW
- 702. Do you think that breastfeeding increases, decreases or has no effect on a woman's chance to get pregnant?
 - 1. INCREASES THE CHANCE
 - 2. DECREASES THE CHANCE
 - 3. HAS NO EFFECT
 - 8. DO NOT KNOW
- 703. Do you think that a woman always has the right to decide about her pregnancy, including whether or not to have an abortion?
 - 1. YES \rightarrow **GO TO Q705**
 - 2. NO
- 704. Under which of the following conditions is it all right for a woman to have an abortion (READ A-F)?

	YES	<u>NO</u>	<u>DEPENDS</u>	<u>DK</u>
A. Her life is endangered by the pregnancy	1	2	3	8
B. The fetus has a physical deformity	1	2	3	8
C. The pregnancy was the result of rape	1	2	3	8
D. Her health is endangered by the pregnancy	1	2	3	8
E. She is unmarried	1	2	3	8
F. The couple cannot afford to have a (nother) child	1	2	3	8

- 705. If a woman had an unwanted pregnancy what should she do? (**READ 1-3**):
 - 1. Have the baby and keep it
 - 2. Have the baby and give it up for adoption
 - 3. Have an abortion
 - 8. DON'T KNOW

I would like to know if you are in agreement with the following statements (READ A-I): 706.

	AGREE	DISAGREE	<u>DK</u>
A. A woman can become pregnant the first time she has sexual intercourse	1	2	8
B. All people should get married	1	2	8
C. A woman should be a virgin when she marries	1	2	8
D. The main job for a woman is to take care of the home and cook for her family	1	2	8
E. A married woman needs her husband's permission to work outside the home	1	2	8
F. If a woman works, she should give her money to her husband	1	2	8
G. If a woman works, her husband should help her with the household chores	1	2	8
H. The men in the family should have the final say in all family matters	1	2	8
I. Child care is a woman's job	1	2	8

- 707. Who do you think should decide how many children a couple should have (READ 1-5)?
 - 1. The woman,
 - 2. The man,
 - 3. Both
 - 4. Mother in law, or
 - 5. God?
 - 8 DON'T KNOW
- 708. How would you rank each of the following birth control methods (SHOW CARD C) with regard to their risk of developing health problems; please tell me if the risk is low, medium, or high:

	LOW <u>RISK</u>	MEDIUM <u>RISK</u>	HIGH <u>RISK</u>	<u>DK</u>
A. Pill	1	2	3	8
B. IUD	1	2	3	8
C. Condom	1	2	3	8
D. Tubal Ligation	1	2	3	8
E. Injectable (Depo-Provera)	1	2	3	8
F. Abortion on Request	1	2	3	8

- 712. Do you want to have more information about contraceptive methods?
 - 1. YES
 - 2. NO \rightarrow GO TO Q714
 - 8. DON'T KNOW \rightarrow GO TO Q714
- 713. Who do you think would be the best source of information about contraceptive methods?

1. MOTHER	
2. OTHER RELATIVE	
3. GIRLFRIEND	
4. WIFE, PARTNER	
5. SOMEBODY WHO USES CONTRACEPTION	

- 6. CO-WORKER
- 7. FRIEND, COLLEAGUE, PEER
- 8. GYNECOLOGIST
- 9. GENERAL PRACTITIONER

- 10. NURSE, MIDWIFE
- 11. TEACHER
- 12. PHARMACIST
- 13. BOOKS
- 14 NEWSPAPERS, MAGAZINES, BROCHURES
- 15. RADIO → **GO TO Q715**
- 16. TV \rightarrow **GO TO Q715**
- 20. OTHER (SPECIFY):
- 88. DON'T REMEMBER
- 714. Do you think that information about contraception should be broadcast on radio or television?
 - 1. YES
 - 2. NO
 - 8. DO NOT KNOW

- 715. Some people use condoms to keep from getting sexual transmitted diseases. How effective do you think a properly used condom is for this purpose? (READ 1-4)
 - 1. Very Effective,
 - 2. Somewhat effective,
 - 3. Not effective?
 - 8. DON'T KNOW
- 716. In the last 12 months have you tried to obtain condoms?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q718**
 - 3. NEVER HAD SEXUAL PARTNER \rightarrow **GO TO Q721**
 - 4. DON'T KNOW WHERE TO GET THEM \rightarrow GO TO Q718
- 716A. In the last 12 months have you succeeded in obtaining condoms?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q718**
- 717. In the past 12 months, how often did you have condoms in your possession?
 - 1. ALL THE TIME
 - 2. ALMOST ALL THE TIME
 - 3. SOME OF THE TIME
 - 4. NEVER
 - 8. DON'T REMEMBER
- 717A. In the last 12 months which brand of condoms did you use most frequently?

1. DUREX
2. KAMASUTRA
3. ROMED
4. UNIDUS
5. LOVEPLUS
6. LIFESTYLES
7. MANIX
10. SILCO
11. PROTEX
11. PROTEX
12. AROMA
12. AROMA
13. MASCULAN
14. TAHITI
15. "FOR YOU"
16. "FOR YOUR MORE"

7. MANIX 16. "FOR YOUR MORE" 8. TENTATION 20. OTHER

9. PLAYBOY 88. DON'T KNOW

GO TO Q718

- 717B. Why couldn't you succeed in obtaining condoms?
 - 1. COULD NOT FIND THEM
 - 2. FOUND THEM, BUT THEY WERE OF BAD QUALITY
 - 3. COST
 - 4. NO TIME TO LOOK FOR THEM
 - 5. IT IS EMBARRASSING TO BUY THEM IN A PHARMACY, CLINIC OR STORE
 - 7. OTHER (SPECIFY)
 - 8. DON'T REMEMBER
- 718. Have you ever talked with a partner about you using a condom?
 - 1. YES
 - 2. NO
 - 3. NEVER HAD A SEXUAL PARTNER \rightarrow GO TO Q721
 - 8. DON'T REMEMBER
 - 9. REFUSE

- 719. Have you ever suggested to any partner that you use a condom?
 - 1. YES
 - 2. NO \rightarrow **GO TO Q721**
 - 8. DON'T REMEMBER \rightarrow **GO TO Q721**
 - 9. REFUSE \rightarrow **GO TO Q721**
- 720. Has any of the following ever happened because you did not want to use a condom......(READ A-F)
 (ANY OF THESE INCIDENTS COULD HAVE HAPPENED MORE THAN ONCE, WITH THE SAME
 PARTNER OR DIFFERENT PARTNERS)

	YES	<u>NO</u>	<u>DK</u>	REF
A. You refused to use a condom?	1	2	8	9
B. You refused to have sexual intercourse with her?	1	2	8	9
C. You threaten to break up with her?	1	2	8	9
D. You shouted at and threatened her?	1	2	8	9
E. You made her have sex anyway without a condom?	1	2	8	9
F. You hit her?	1	2	8	9

721. If your partner/wife wanted you to use a condom when having sex with her, would you feel: (READ A-E)

	AGREE	DISAGREE	<u>DK</u>	REF
A. Angry or insulted?	1	2	8	9
B. Safe from getting pregnant?	1	2	8	9
C. Like you had done something wrong?	1	2	8	9
D. Safe from getting STDs / AIDS?	1	2	8	9
E. Suspicious that she might be sleeping around / promiscuous?	1	2	8	9

722. Please indicate whether you agree or disagree with the following statements about condoms (READ A-H):

	AGREE	DISAGREE	<u>DK</u>	REF
A. Using condoms with a new partner is a smart idea	1	2	8	9
B. Using condoms is not necessary if you know your partner	1	2	8	9
C. Women should ask their partners to use condoms	1	2	8	9
D. It is easy to discuss using a condom with a prospective partner	1	2	8	9
E. Condoms diminish sexual enjoyment	1	2	8	9
F. Same condoms can be used more than once	1	2	8	9
G. People who use condoms sleep around a lot / promiscuous	1	2	8	9
H. It is embarrassing to ask for condoms in FP clinics or pharmacies	1	2	8	9

- 723. As far as you know, do any of your friends use condoms?
 - 1. YES
 - 2. NO
 - 8. DON'T KNOW
- 724. What are your friends' opinions about condoms?
 - 1. GOOD OPINION, FAVOR USE
 - 2. BAD OPINION, DISLIKE
 - 3. OPINIONS VARY MIXED
 - 8. DON'T KNOW

VIII. SOCIOECONOMIC CHARACTERISTICS

800.	Please tell me whether this househol	d or any member of it has the fol	_		A-I):	
			<u>YES</u>	<u>NO</u>		
	A. Flush Toilet		1 1	2 2		
	B. Heating SystemC. Refrigerator		1	2		
	D. TV		1	2		
	E. Working Automobile		1	2		
	F. VCR		1	2		
	G. Household Phone		1	2		
	H. Cellular Phone		1	2		
	I. Vacation home(villa)		1	2		
	J. Air ConditionerK. Gas or Electric Stove		1 1	2 2		
	L. Personal Computer with Interne	t Access	1	2		
	M. Satellite Antenna	17100033	1	2		
801.	Does your family have a garden where	e you grow your own vegetables?				
	1. YES					
	2. NO					
802.	What is the main source of drinking	water for members of your house	ehold?			
	1. PIPED WATER (PIPED INTO R	ř				
	2. PIPED WATER (PUBLIC TAP)	ESIDENCE ON TARD 7 GO I	- C Q 0 0 4			
	3. WELL WATER (RESIDENCE O	R YARD) \rightarrow GO TO Q804				
	4. PUBLIC WELL					
	5. SURFACE WATER (SPRING, R					
	6. RAIN WATER \rightarrow GO TO Q804					
	7. BOTTLED WATER \rightarrow GO TO	Q804				
803.	How long does it take to go to the water source, get water and come back, in minutes?MINUTES					
804.	Which of the following describes yo	our living arrangements. Do you	live: (REA	AD 1-5)		
	1. In your privately owned flat or ho	nuse				
	2. In rented space (room, flat or hou					
	3. With your immediate family (NO					
	4. With other relatives (NO RENT).	, or				
	5. With friends (NO RENT)?					
	7. OTHER (SPECIFY):					
805.	How many rooms are occupied by y	ou and your family (excl. bathroo	ms and ki	tchen):	ROOMS	
006		1			HOUDG	
806.	How many hours per day do you have	ve electricity?			HOURS	
807.	What is your ethnic background?					
	1. ALBANIAN	5. ALBANIAN FROM KOS	OVO			
	2. GREEK	6. MIXED ETHNICITY (SP	ECIFY)_			
	3. GYPSY (ROMA)	7. OTHER (SPECIFY):				
	4. MAKEDONIAN	9. REFUSED/NOT STATED)			
808.	What is your religion?					
	1. MUSLIM		7. OTH	ER (SPECIF	Y):	
	2. ORTHODOX				→ GO TO Q900	
	3. CATHOLIC			ECLARED -	→ GO TO Q900	
	4. PROTESTANT (BAPTIST, LUT	HERAN, PENTECOSTAL, ETC))			
809.	About how often do you usually atte	end religious services? (READ 1-	5)			
	1. At least once a week					
	2. At least once a month, but less th	an once a week				
	3. Less than once a month					
	4. Only on religious holidays or spe	ecial events, or				
	5. Never					

IX-A. AIDS/STDs

The next set of questions are about sexually transmitted infections Including HIV/ AIDS. For each of the following conditions please tell me if:

	900.	901.	902.	903.	904.
CONDITION	Have you ever	Have you ever	Have you ever	Did you take any	Who treated you
	heard of it?		been told that you	treatment for?	for? (SEE
			have?		CODES BELOW)
A. Syphilis	1. YES	1. YES	1. YES	1. YES	ĺ
	2. NO \rightarrow B	2. NO \rightarrow B	2. NO \rightarrow B	2. NO \rightarrow B	
		8. DK \rightarrow B	8. DK/DR \rightarrow B	8. DK/DR \rightarrow B	
B. Gonorrhea	1. YES	1. YES	1. YES	1. YES	
	2. NO \rightarrow C	2. NO \rightarrow C	2. NO \rightarrow C	2. NO \rightarrow C	
		8. DK \rightarrow C	8. DK/DR \rightarrow C	8. DK/DR \rightarrow C	
C. Chlamydia	1. YES	1. YES	1. YES	1. YES	
	2. NO \rightarrow D	2. NO \rightarrow D	2. NO \rightarrow D	2. NO \rightarrow D	
		8. DK \rightarrow D	8. DK/DR \rightarrow D	8. DK/DR \rightarrow D	
D. Yeast Infection	1. YES	1. YES	1. YES	1. YES	
	2. NO \rightarrow E	2. NO \rightarrow E	2. NO \rightarrow E	2. NO \rightarrow E	
		8. DK \rightarrow E	8. DK/DR \rightarrow E	8. DK/DR \rightarrow E	
E. Genital Herpes	1. YES	1. YES	1. YES	1. YES	
	2. NO \rightarrow F	2. NO \rightarrow F	2. NO \rightarrow F	2. NO \rightarrow F	
		8. DK \rightarrow F	8. DK/DR \rightarrow F	8. DK/DR \rightarrow F	
F. Genital Warts	1. YES	1. YES	1. YES	1. YES	
	2. NO \rightarrow G	2. NO \rightarrow G	2. NO \rightarrow G	2. NO \rightarrow G	
		8. DK \rightarrow G	8. DK/DR \rightarrow G	8. DK/DR \rightarrow G	
G. Trichomoniasis	1. YES	1. YES	1. YES	1. YES	
	2. NO \rightarrow H	2. NO \rightarrow H	2. NO \rightarrow H	2. NO \rightarrow H	
		8. DK \rightarrow H	8. DK/DR \rightarrow H	8. DK/DR \rightarrow H	
H. HIV / AIDS	1. YES	1. YES \rightarrow Q905			
	2. NO \rightarrow Q905	2. NO \rightarrow Q905			
		8. DK → Q905			

CODES FOR Q904:

- 1. OB/GYN
- 2. FAMILY DOCTOR/GP
- 3. DERMATOLOG
- 4. INFECTIOUS DISEASES DOCTOR
- 5. NURSE/MIDWIFE6. PHARMACIST

- 7. PARTNER
- 8. FRIEND/RELATIVE
- 9. SELF-TREATMENT
- 20. OTHER:
- 99. REFUSE TO ANSWER

905. If a man has a sexually transmitted disease, what symptoms might he have?

(RECORD ALL MENTIONED, DO NOT READ LIST)

	MENTIONED	NOT MENTIONED
A. ABDOMINAL PAIN	1	2
B. DISCHARGE FROM PENIS	1	2
C. FOUL SMELLING DISCHARGE	1	2
D. BURNING PAIN ON URINATION	1	2
E. REDNESS/INFLAMMATION IN GENITAL AREA	1	2
F. SWELLING IN GENITAL AREA	1	2
G. GENITAL SORES/ULCERS OR WARTS	1	2
H. GENITAL ITCHING	1	2
I. WEIGHT LOSS	1	2
J. HARD TO GET PREGNANT/HAVE A CHILD	1	2

- 906. Do you know a place where you could get an HIV/AIDS test?
 - 1. YES
 - 2. NO
- 907. In general, what has been your most important source of information about STDs including AIDS? (Where or from whom have you learned the most about STDs?)
 - 11. FAMILY DOCTOR, GP 1. MOTHER 2. FATHER 12. NURSE, MIDWIFE, FELDCHER 3. OTHER RELATIVE 13. TEACHER 4. GIRLFRIEND 14. PHARMACIST 5. WIFE, PARTNER 15. SPECIALITY BOOKS 6. SOMEBODY WHO HAD STDs 16. NEWSPAPERS, MAGAZINES, BROCHURES 7. FRIENDS COLLEAGUES, PEERS 17. RADIO 8. OB/GYN DOCTOR 18. TV 9. DERMATOLOGIST 20. OTHER (SPECIFY): 10. INFECTIOUS DISEASES DOCTOR 77. NEVER HEARD OF ANY STDs $(Q900_A - H = 2)$ 99. DR/REF.
- 908. In the past 6 months, have you seen or heard any public announcements or ads on television or radio about: (READ A-D, PROBE FOR BOTH)

					<u>DO NOT</u>
	YES, RADIO	YES, TV	YES, BOTH	<u>NO</u>	<u>REMEMBER</u>
A. AIDS	1	2	3	4	8
B. Other STDs	1	2	3	4	8
C. Condoms	1	2	3	4	8
D. Modern contraceptive methods	1	2	3	4	8

IF Q900 H =2 (NEVER HEARD OF HIV/AIDS) GO TO Q914; ELSE CONTINUE

- 909. Do you think that a person can be infected with the HIV virus but have no symptoms of disease?
 - 1. YES
 - 2. NO
 - 8. DK
- 910. Please tell me whether you think that the AIDS virus can be transmitted in the following ways? (READ A-M)

	<u>YES</u>	<u>NO</u>	<u>DK</u>
A. Through blood transfusion	1	2	8
B. Using public toilets	1	2	8
C. Through kissing	1	2	8
D. Through unprotected sexual intercourse between a man and a woman	1	2	8
E. Through unprotected sexual intercourse between men	1	2	8
F. By shaking hands	1	2	8
G. Using non-sterile syringes or needles	1	2	8
H. Through mosquito bites	1	2	8
I. Sharing plates, forks, or glasses with someone who has HIV/AIDS	1	2	8
J. From a woman who has the AIDS virus to her baby during pregnancy/delivery	1	2	8
K. From a mother to her child through breast milk	1	2	8
L. Getting a manicure, pedicure or haircut	1	2	8
M. Having dental or surgical treatment	1	2	8

911. What can a person do to reduce the risk of getting AIDS?

	SPONTANEOUS	PROBED			
	YES	YES	<u>NO</u>	<u>DK</u>	
A. USE CONDOMS	1	3	4	8	
B. ABSTAIN FROM SEX	1	3	4	8	
C. HAVE ONLY ONE PARTNE/STAY FAITHFUL TO ONE PARTNER	R 1	3	4	8	
D. LIMIT NUMBER OF SEXUAL PARTNERS	1	3	4	8	
E. AVOID SEX WITH PROSTITUTES	1	3	4	8	
F. AVOID SEX WITH BISEXUALS	1	3	4	8	
G. DO NOT DONATE BLOOD	1	3	4	8	
H. AVOID TRANSFUSIONS	1	3	4	8	
I. ASK PARTNER TO GET BLOOD TESTED FOR AIDS	1	3	4	8	
J. STERILIZE NEEDLES AND SYRINGES	1	3	4	8	
K. DO NOT SHARE RAZORS/BLADES, NEEDLES OR SYRINGES	1	3	4	8	
L. OTHER (SPECIFY)	1	3	4	8	

- 912. How much of a risk do you think you personally have of getting HIV/AIDS? Would you say you are at (READ 1-4):
 - 1. Great risk,
 - 2. Moderate Risk,
 - 3. Little risk, or
 - 4. No risk at all \rightarrow **GO TO Q913A**
 - 8. DON'T KNOW \rightarrow GO TO Q913B
- 913. Why do you think you have any risk of getting AIDS?
 - 1. RECEIVED BLOOD TRANSFUSIONS/BLOOD PRODUCTS
 - 2. HAD MANY SEXUAL PARTNERS/ TRADED SEX FOR MONEY
 - 3. HAD UNPROTECTED INTERCOURSE WITH CASUAL PARTNER(S)
 - 4. USED IV DRUGS/SHARED NEEDLES
 - 5. PARTNER HAD/HAS SEX WITH OTHER WOMEN
 - 6. HE MAY GET INFECTED WHILE RECEIVING MEDICAL OR DENTAL TREATMENT
 - 7. HE MAY GET INFECTED GETTING A HAIRCUT
 - 8. OTHER (SPECIFY)_____
 - 9. DK/REF

GO TO Q913B

- 913A. Why do you think you have no risk of getting AIDS?
 - 1. ONLY ONE PARTNER
 - 2. NO SEXUAL RELATIONS
 - 3. USES CONDOMS
 - 4. CONFIDENCE IN PARTNER
 - 5. DOES NOT GET/NEED TRANSFUSIONS
 - 6. DOES NOT SHARE NEEDLES
 - 7. OTHER (SPECIFY)_____
 - 9. DK/REF
- How much of a risk do you think you personally have of getting other STD? Would you say you are at (READ 1-4):
 - 1. Great risk,
 - 2. Moderate Risk,
 - 3. Little risk, or
 - 4. No risk at all
 - 8. DON'T KNOW

- 913C. In your opinion, it is common for unmarried man to have multiple sexual partners?
 - 1. YES COMMON
 - 2. NO NOT COMMON
 - 8. DR/REF
- 913D. In your opinion, it is common for married man to have multiple sexual partners?
 - 1. YES COMMON
 - 2. NO NOT COMMON
 - 8. DR/REF
- 913E. In your opinion, it is common for unmarried man to have sexual relations with prostitutes?
 - 1. YES COMMON
 - 2. NO NOT COMMON
 - 8. DR/REF
- 913F. In your opinion, it is common for married man to have sexual relations with prostitutes?
 - 1. YES COMMON
 - 2. NO NOT COMMON
 - 8. DR/REF
- 913G. As far as you know, is there is a cure for AIDS?
 - 1. YES
 - 2. NO
 - 8. DR/REF

IX-B VIOLENCE

- 914. Thinking back to your childhood and adolescence, did you ever see or hear your parents or step-parents physically abuse each other?
 - 1. YES
 - 2. NO
 - 3. DID NOT LIVE WITH BOTH PARENTS \rightarrow **GO TO Q916**
 - 8. DR/REF
- 915. As a child, have you ever being beaten or physically mistreated in any way by anyone in your family?
 - 1. YES
 - 2. NO
 - 8. DR/REF
- 916. THE INTERVIEWER SHOULD GO BACK TO PAGE 3 AND RECORD HOW MANY TIMES THIS MAN HAS EVER LIVED WITH A WOMAN AS HUSBAND AND WIFE (SEE Q111):

TIMES ---- \rightarrow IF "0" GO TO Q936; ELSE > 0 CONTINUE

The next set of questions is about violence and physical abuse that may have happened between you and a partner or ex-partner. When we say a partner we mean a wife, ex-wife, as well as any other woman you have lived with as husband and wife.

(READ A-H):		919. When was the last time you (READ A-H) your partner?	920. During the last year, how many times did you (A-H) your partner?	
A. Insulted or swore at partner?	1. YES \to Q919 2. NO- \to Q918_B 8. DK- \to Q918_B 9. REF \to Q918_B	1. WITHIN THE LAST YEAR → Q920 2. 1-3 YEARS AGO → Q918_B 3. 4-5 YEARS AGO → Q918_B 4. 5 YEARS AGO OR MORE → Q918_B	66. ALMOST DAILY 77. WEEKLY — TIMES 88. DON'T REMEMBER 99. REFUSES	
B. Threatened to hurt her or anyone she cares about?	1. YES → Q919 2. NO- → Q918_C 8. DK- → Q918_C 9. REF → Q918_C	1. WITHIN THE LAST YEAR → Q920 2. 1-3 YEARS AGO → Q918_C 3. 4-5 YEARS AGO → Q918_C 4. 5 YEARS AGO OR MORE → Q918_C	66. ALMOST DAILY 77. WEEKLY — TIMES 88. DON'T REMEMBER 99. REFUSES	
C. Pushed, shook, shoved her, or threw something at your partner?	$\begin{array}{l} 1. \ YES \rightarrow \ Q919 \\ 2. \ NO- \rightarrow \ Q918_D \\ 8. \ DK- \rightarrow \ Q918_D \\ 9. \ REF \rightarrow \ Q918_D \end{array}$	1. WITHIN THE LAST YEAR → Q920 2. 1-3 YEARS AGO → Q918_D 3. 4-5 YEARS AGO → Q918_D 4. 5 YEARS AGO OR MORE → Q918_D	66. ALMOST DAILY 77. WEEKLY — TIMES 88. DON'T REMEMBER 99. REFUSES	
D. Slapped or twisted your partner's arm?	8. DK- → Q918_E 9. REF → Q918_E	1. WITHIN THE LAST YEAR → Q920 2. 1-3 YEARS AGO → Q918_E 3. 4-5 YEARS AGO → Q918_E 4. 5 YEARS AGO OR MORE- → Q918_E	66. ALMOST DAILY 77. WEEKLY TIMES 88. DON'T REMEMBER 99. REFUSES	
E. Hit her with your fist or with something else?	1. YES \rightarrow Q919 2. NO- \rightarrow Q918_F 8. DK- \rightarrow Q918_F 9. REF \rightarrow Q918_F	1. WITHIN THE LAST YEAR → Q920 2. 1-3 YEARS AGO → Q918_F 3. 4-5 YEARS AGO → Q918_F 4. 5 YEARS AGO OR MORE → Q918_F	66. ALMOST DAILY 77. WEEKLYTIMES 88. DON'T REMEMBER 99. REFUSES	
F. Threatened her with a knife or other weapon?	$\begin{array}{l} 1. \ YES \rightarrow \ Q919 \\ 2. \ NO- \rightarrow \ Q918_G \\ 8. \ DK- \rightarrow \ Q918_G \\ 9. \ REF \rightarrow \ Q918_G \end{array}$	1. WITHIN THE LAST YEAR \rightarrow Q920 2. 1-3 YEARS AGO \rightarrow Q918_G 3. 4-5 YEARS AGO \rightarrow Q918_G 4. 5 YEARS AGO OR MORE \rightarrow Q918_G	66. ALMOST DAILY 77. WEEKLY — TIMES 88. DON'T REMEMBER 99. REFUSES	
G. Kicked, choked or beaten your part- ner?	1. YES → Q919 2. NO- → Q918_H 8. DK- → Q918_H 9. REF → Q918_H	1. WITHIN THE LAST YEAR → Q920 2. 1-3 YEARS AGO → Q918_H 3. 4-5 YEARS AGO → Q918_H 4. 5 YEARS AGO OR MORE → Q918_H	66. ALMOST DAILY 77. WEEKLY TIMES 88. DON'T REMEMBER 99. REFUSES	
H. Physically forced her to have sexual relations even though she did not want to?	1. YES → Q919 2. NO- → BOX 9-I 8. DK- → BOX 9-I 9. REF → BOX 9-I	1. WITHIN THE LAST YEAR → Q920 2. 1-3 YEARS AGO → BOX 9-I 3. 4-5 YEARS AGO → BOX9-I 4. 5 YEARS AGO OR MORE → BOX 9-I	66. ALMOST DAILY 77. WEEKLYTIMES 88. DON'T REMEMBER 99. REFUSES	

BOX 9-I

IF ALL Q918 (A-H) >1 (NEVER CAUSED ANY TYPE OF ABUSE) GO TO Q936; ELSE CONTINUE

921.	You told me before that you lived with partners (RECORD THE NUMBER OF PARTNERS FROM Q916). Which of these partners has physically you abused as you have just mentioned? MARK THE PARTNER(S) NUMBER FROM THE UNION TABLE AT PAGE 3 (ALLOW FOR MULTIPLE RESPONSES):
	I II
DOM 0	III IV
IF	ANY PHYSICAL VIOLENCE TOOK PLACE DURING THE LAST YEAR (ANY Q919_C - H = 1) CONTINUE; ANY PHYSICAL VIOLENCE TOOK PLACE MORE THAN ONE YEAR AGO (ANY Q919_C - H > 1) GO TO Q925; RESPONDENT INFLICTED ONLY VERBAL VIOLENCE (Q918_C - H > 1) THEN GO TO Q936
922.	In the past 12 months, did you cause your partner any swelling, bruises, cuts, or other physical injuries as a result of this/these incident(s)?
	 YES NO → GO TO Q925 DON'T REMEMBER → GO TO Q925
923.	In the past 12 months, did your partner see a doctor, or other medical care provider for medical treatment of these injuries?
	 YES NO → GO TO Q925 DO NOT REMEMBER → GO TO Q925
924.	Did this(these) injury(ies) require hospitalization?
	1. YES 2. NO
	8. DO NOT REMEMBER
925.	During or after a violent incident, did you want to have sexual relations with your partner sometimes, always, or never?
	 YES, SOMETIMES YES, ALWAYS
	3. NO, NEVER 8. DO NOT REMEMBER/REFUSE 9. REFUSED
926.	Do you believe that violence incidents affected her health?
	1. YES 2. NO
	8. DO NOT KNOW 9. REFUSED
	IF RESPONDENT HAS NEVER HAD CHILD(REN), GO TO 930; OTHERWISE CONTINUE
928.	Would you say that this violence has affected your child(ren)?
	 YES NO → GO TO Q930 NOT SURE → GO TO Q930

929. Please tell me if your child(ren) were affected in the following ways (READ A—F):

	<u>YES</u>	NO
A. Witnessed violence	1	2
B. Children living in fear	1	2
C. Children injured too	1	2
D. Children left home, live with relative	1	2
E. Decreased Learning abilities	1	2
F. Other (specify)	1	2

- 930. Did she talk to anyone about this(these) incidents of violence?
 - 1 YES
 - 2. NO \rightarrow GO TO Q932
- 931. Who did she talk with? (MARK ALL MENTIONED AND PROBE FOR ANYONE ELSE)?

	MENTIONED	NOT MENTIONED
A. HER MOTHER	1	2
B. OTHER RELATIVE	1	2
C. YOUR (RESPONENT'S) FAMILY	1	2
D. CHILDREN	1	2
E. FRIEND	1	2
F. NEIGHBOR	1	2
G. DOCTOR/HEALTH PROVIDER/SOCIAL WORKER	1	2
H. POLICE	1	2
I. LEGAL ADVISER	1	2

IF Q931_G, H, OR I = 1, GO TO Q933; ELSE CONTINUE

- 932. What is the main reason your partner have never sought any medical or legal help?
 - 1. DID NOT KNOW WHERE TO SEEK HELP
 - 2. NO USE/WOULD NOT DO ANY GOOD
 - 3. EMBARRASSED
 - 4. AFRAID OF MORE BEATINGS/BEING PUNISHED
 - 5. AFRAID OF DIVORCE/END OF RELATIONSHIP
 - 6. AFRAID OF LOOSING THE CHILDREN
 - 7. THOUGHT WOULD NOT BE TAKEN SERIOUSLY/NOT BELIEVED/LAUGHED AT
 - 8. VIOLENCE IS NORMAL/NO NEED TO COMPLAIN
 - 9. THOUGHT SHE WOULD BE BLAMED
 - 10. BRING BAD NAME TO FAMILY
 - 20. OTHER
 - 88. DK/REF
- 933. Did anyone intervene or try to stop the violence? (MARK ALL MENTIONED AND PROBE FOR ANYONE ELSE)?

	<u>MENTIONED</u>	NOT MENTIONED
A. YOUR MOTHER	1	2
B. OTHER RELATIVE	1	2
C. WIFE'S (PARTNER'S) FAMILY	1	2
D. CHILDREN	1	2
E. FRIEND	1	2
F. NEIGHBOR	1	2
G. DOCTOR/HEALTH PROVIDER/SOCIAL WORKER	1	2
H. POLICE	1	2
I LEGAL ADVISER		

934.	Could you tell me a little more about what usually happens when you are/were violent. Are there any particular
	situations that make you violent? (CIRCLE ALL THAT APPLY PROBING "ANY OTHER")

<u>ME</u>	NTIONED	NOT MENTIONED
A. WHEN DRUNK	1	2
B. WHEN SHE DOES NOT LOOK AFTER CHILDREN	1	2
C. WHEN THE FAMILY HAS MONEY TROUBLES	1	2
D. WHEN YOU ARE UNEMPLOYED	1	2
E. WHEN SHE IS UNEMPLOYED/HAS NO INCOME	1	2
F. WHEN THERE ARE FAMILY PROBLEMS/MOTHER-IN-LAW PROBLEM	IS 1	2
G. WHEN YOU ARE JEALOUS	1	2
H. WHEN SHE IS PREGNANT	1	2
I. WHEN HE CANNOT GET ALCOHOL/DRUGS	1	2
J. WHEN HE DOES NOT HAVE FOOD AT HOME (DINNER NOT READY)	1	2
K. WHEN HE ACTS ACCORDING TO THE "KANUN"	1	2
L. OTHER	1	2

936. Sometimes a husband is annoyed or angered by things that his wife does. In your opinion, is a husband justified in hitting or beating his wife in the following situations (READ A—H):

	<u>YES</u>	<u>NO</u>	<u>DK</u>
A. If she goes out without telling him?	1	2	8
B. If she neglects the children?	1	2	8
C. If she argues with him?	1	2	8
D. If she refuses to have sex with him?	1	2	8
E. If he is not happy with her household work or food provisions?	1	2	8
F. If she asks him whether he has other girlfriends?	1	2	8
G. If he finds out that she has been unfaithful?	1	2	8
H. If she dresses too sexy or spends too much on her "look"?	1	2	8

940.	THANK THE MAN FOR GIVING HIS TIME AND RECORD THE TIME THE INTERVIEW ENDED :	
	TIME INTERVIEW ENDED : :	